OOLS & EQUIPMENT

Professional quality parts, service and solutions dedicated to your shop.

3rd Quarter 2024 - Canada Only





Autel® HD Digital Inspection Videoscope

- 2 MP camera takes high resolution images & video (1920 x 1080)
- 3.5" Full color LCD display
- · Record and playback still images and video clips
- · On-screen horizontal/vertical reverse
- Front-facing 10,000 lux 10-level adjustable LED
- · 7X digital zoom for increased viewing
- · 8.5 mm camera head with wider 70° field of view
- 1 meter (39.4") semi-rigid watertight cable
- · Includes Magnet, Hook and Mirror Cable Accessories

AIT MV460

AUTEL



JET° Tools Heavy Duty Bench Vises

- Exclusive integrated anvil provides extra work area for added versatility
- Heavy duty 30,000 PSI ductile iron casting provides excellent strength and high clamping pressures
- · CNC machined mating surfaces provide smooth, reliable action
- · Replaceable machinist jaws provide safe, secure grip on a variety of materials
- · Safety stop prevents jaw from separating from body
- · Unbreakable SG Iron vise nut is easily replaced when worn
- · Limited Lifetime Warranty

5" Swivel Base Vise - HD JET 320152

6" Bench Vise - HD JET 320334

STRONGARM® 1 Ton High Lift Air / **Hydraulic Transmission Jack**

- · Telescopic two-stage hydraulics for greater lift range, precise load control and rapid lift
- Extendable height from 37" to 76-3/8"
- Convenient foot-operated pump
- · Fully adjustable universal saddle with hand adjustable corner brackets and safety chain
- · Wide base with four swivel caster wheels
- · Safety overload system prevents jack from being used beyond the ASME/PASE load-limiting standard

JET 030538

* Contact your local store for pricing and availability

Also Available:

JET 030535 1/2 Ton Manual **Transmission Jack**

FINANCE IT





STRONGARM® Shop Press **Super Heavy Duty**

- · For metal bending, straightening, flattening and compression
- · Aids in installing or removing gears, bushings and bearings
- · Welded frame for added strength
- Includes: Protective guard, combination V block and pressing adapter set
- Press head moves from side to side for added pressing flexibility
- Liquid filled gauge accurately shows operator pressing force applied
- · 20 ton and 30 ton capacity units available

20 Ton JET 032181

* Contact your local store for pricing and availability

30 Ton JET 032182

* Contact your local store for pricing and availability

FINANCE IT

STRONGARM





LEASE TO OWN SELECT EQUIPMENT AND

THIS LIMITED TIME OFFER IS **AVAILABLE FROM JUNE 30, 2024 -SEPTEMBER 28, 2024.**

See p. 60 for details.



AIR COMPRESSORS



See p. 60 for details







For more information, contact your local CarQuest representative. Longer financing available up to 60 months.





INIDEV

INDEX
A/C & Cooling Service 47, 48, 49
Air Compressors
Air Hose & Air/Oil/Grease Reels21, 22
Air Tools
Air Pressure Regulators
Battery Chargers 2, 3, 4, 5
Battery Service
Brake Service
Chassis/Suspension Service
Creepers/Shop Seats
Diagnostic Tools
Engine & Drivetrain
EV Chargers
Generators
Grease Guns
Hand Tools
Impact Socket Sets
Inventory Reduction
Jack Stands
Jump Starters
Lifting & Support 41, 42, 43, 44, 45, 46
Lighting
Locking Pliers
Oil/Lube Service
Power Tools
Pressure Washers
Pullers & Slide Hammers10
Service/Bottle Jacks
Service Testing
Specialty Tools 7, 8, 9, 10, 11, 12, 13, 14, 15, 16
Sockets
Tire Changers
Tire Service32, 33, 34, 35, 36, 37, 38, 39, 40
TPMS Service
Tool Boxes/Storage20
Trailer/Towing
Warning Strobes & Signal Lights 26, 27 Welding 53, 54, 55, 56
Welding Helmets
Wheel Alignment Systems
Wheel Balancers
Wilcel Dalaileels

BATTERY SERVICE

DSR[®] JUMP STARTERS

DSR° ProSeries 12V 2200 Peak Amp Jump Starter

525 Cranking Amps, 350 Cold Cranking Amps

- · High Output AGM battery
- · Reverse Connection Warning audio warning will sound if clamps are connected in reverse
- · 12V DC output port
- 2.1A USB port

CBC DSR114







DSR° Proseries 12V 2250 Peak Amp Jump Starter With Inverter

- 2250 peak amps, 525 CA, 350 CCA
- 400 watt power inverter with dual 110V AC outlets
- Built-in 2.1A USB port and 12 volt DC power outlet
- Equipped with 4-gauge thickness and 60-inch cables

CBC DSR116





DSR° ProSeries 12V 1800 Peak Amp Jump Starter

- · High-output AGM battery for 12V systems
- · Rust and corrosion-proof case
- 12V DC power outlet to power 12V devices and recharge the unit while driving
- · LED indicators for battery status
- · 280 cranking amps and 225 cold cranking amps
- · 4 AWG, 28-inch cables

CBC DSR119





DSR® BATTERY CHARGING STATIONS

DSR° 6V/12V 8-Bank Automatic **Battery Charging Station**

- · Eight independent, fully automatic, microprocessor-controlled charging banks
- Automatically adjusts from 5A to
- 12A output per bank
- Charges 6V and 12V standard, AGM, gel, deep-cycle and LFePO4 batteries

CBC DSR127

DSR° 6V/12V 4-Bank Automatic **Battery Charging Station**

- · Four independent, fully automatic. microprocessor controlled charging banks
- Automatically adjusts the charge rate based on the battery condition up to 10 amp
- Charges 6V and 12V standard, AGM, Gel, deep-cycle and LiFePO4 batteries

CBC DSR125



SALES POLICY

Participation in this promotional program by a Carquest® Auto Parts store is voluntary. Every promotion is a bona fide offer. Occasionally, an advertised item may not be available because of sales that exceed anticipated demand or circumstances beyond our control. We reserve the right to substitute an item of equal or better value in the event that stock of an advertised product is depleted. Prices may vary in different styles and from market to market. Additional delivery and freight charges may be incurred. Errors in prices, descriptions and/or illustrations are not the responsibility of the Carquest® Auto Parts store.

PRICES GOOD IN CANADA ONLY.

Additional freight charges may apply on drop ship orders.

PRO_21543113-CAN-ENG

FINANCING

One CALL Does it ALL with Affiliated Financial Services

Affiliated Financial Services (AFS), an industry leading financial services company across Canada, provides innovative lease-to own finance options for acquiring your NEW Tools & Equipment from CARQUEST® Auto Parts.

Financing your New Equipment is as easy as 1-2-3 with Affiliated Financial Services...



Call AFS at 1-855-209-0999 to complete the credit process

3 Upon credit approval and documentation, order your new equipment

Lease terms of 24 through 60 months are available. All leases are subject to credit approval, 1st advance lease payment and a one time non-refundable documentation fee of \$100.00 will be charged on the 1st invoice upon completion of the executed agreement. Minimum financed amount is \$1,000.00 as noted by sample payment information provided by each item.

Please note that finance payments will vary with every transaction, based on transaction size, prevailing rates,

credit history, and other factors. Terms may also vary. All offers subject to change without notice.



www.groupesfa.com

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

BATTERY SERVICE

DSR® PROSERIES BATTERY CHARGERS/ENGINE STARTERS PROSERIES



· Charges standard, AGM and Gel, and deep-cycle batteries

 Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain

· Multi-stage charging for precision, safety and battery life

· Float mode monitoring maintains optimum battery charge

· Reverse hook-up protection

6/12/24V 330A Proseries **Battery Charger/Engine Starter**

- 300A (6V)/ 330A (12V)/250A (24V) engine start, 15A fast charge
- · With flash re-programing

12/24V 250A Proseries **Battery Charger/ Engine Starter**

· 250A (12V)/150A (24V) engine start, 15A fast charge

CBC DSR123 \$84999

12V 250A Proseries **Battery Charger/ Engine Starter**

· 250A engine start, 15A fast charge CBC DSR121

DSR° 6/12V 275A Proseries **Battery Charger/Engine Starter**

- · Max amp of 275, charge and start 6 volt and 12 volt batteries
- · Works with standard, deep-cycle, AGM, and gel batteries
- · Microprocessor provides fully automatic or timer-controlled charging
- · Float-mode monitoring maintains optimum battery charge



6/12V 250A/125A Proseries

Automotive Battery Charger

And Jump Starter

engine start

CBC DSR131

· 250A (12V) and 125A (6V)



- DSR° 12V/24V 200A ProSeries Charges standard, AGM and Gel batteries
- · Heavy-duty construction for strong starting power

Manual Battery Charger/Engine Starter

- · Solid State Circuitry with silicon diodes for optimum performance
- 135 Minute Timer for precision control over the charging process
- · Easy-to-Read Meter shows charging levels

CBC DSR140



\$<mark>449⁹⁹ @\$#</mark> PR(SERIES


JUMP STARTERS


Schumacher® 1200 Peak Amp Portable Power Station

- · Works with 4 to 8 cylinder engines
- 400 Peak watt converter Two 120V AC outlets
- · 150 PSI automatic digital air compressor with pressure gauge, nozzles and storage area
- · 2A USB port
- · Built-in ultra-bright LED light

CBC SJ1332

Schumacher® 1000 Peak Amp Lithium Ion Jump Starter/ **Portable Power**





• 12V DC port adaptor, 2A USB port

CBC SL1316 \$20999



Schumacher® 1200 Peak Amp Lithium Jump **Starter & Power Pack**

- · Quickly jump starts vehicles as low as -50C
- · Safe smart cable/clamps deliver spark-free protection against overcurrent, short circuit, overload, overvoltage, and overcharge
- 2.4A USB port charges USB devices, including smartphones, mp3 players, and tablets

CBC SL1582



QUEST Technical

CTI TECH TIP What Do I Need to be Concerned About When Towing?



If you're trying to figure out how to properly load your trailer, there are a few things you need to know. Yes, normally it is a good rule of thumb to load 60% of your weight towards the front of the trailer but it all just depends on what you are towing and it varies between each and every load. You should not load 60% of your weight onto the front of your trailer and call it good. You should be keeping your tongue weight of your trailer between 10-15% of your gross trailer weight as long as it's within the maximum recommended tongue weight of the OEM (Typically around 300 Lbs.) Sometimes loading 60% of your load onto the front of your trailer will exceed that 15% tongue weight range and is therefore more susceptible to impaired vehicle performance, swaying and impaired braking control. Consider using a weight distribution hitch for added control. In addition, keep heavy items low in the load and secure all with multiple tie down straps in

Towing puts extra strain on your engine, which can cause it to overheat. To prevent overheating, your vehicle should have a well-maintained cooling system, including the radiator, coolant, and fan. Some vehicles designed for towing have additional engine radiators or fans specifically for this purpose.

The transmission works harder when towing, producing more heat. It's recommended to keep your transmission fluid temperature between 180 and 200 degrees. Going above 220 degrees can dramatically lessen your transmission's lifespan. To help prevent overheating consider adding an auxiliary transmission cooler and servicing the transmission fluid before towing.

Tires play a crucial role when towing with a pickup. Here are some important considerations:


- · Light Truck (LT) tires are recommended for towing as they are designed to carry the extra load.
- The load index indicates how much weight the tire can support. A higher load index means the tire can handle a heavier load, which is important when towing.
- · Maintaining the correct tire pressure is crucial when towing. Under-inflated tires can overheat and lead to a blowout, while over-inflated tires can lead to poor traction.

- Check your tires for any signs of wear, damage, or aging. Tires should be replaced every 3 to 4 years regardless of mileage.
- · Remember, always refer to your vehicle's owner's manual and the tire manufacturer's guidelines for specific information about tire type, load index, and tire pressure when towing.

Vehicle brakes need to be in not only good condition but GREAT condition. Especially if you are not using trailer brakes. Consider upgrading pads to a more heat resistant application. Make sure that the brake fluid is fresh. Old brake fluid may not have the maximum heat rating it did when new. If you are using trailer brakes, there are two basic types to consider.

- Electric Brakes are the most common type of trailer brake. An electromagnet is used to activate the brakes when the driver applies brakes on the towing vehicle. This type of brake gives the trailer more ease when braking compared to surge brakes. Electric trailer brakes require some type of brake controller that have adaptable settings to control the brake force you need. Many vehicles today have built in controllers, especially if they are equipped with a tow package. Having an independent controller will allow you to apply just the trailer brakes to control swaying if it starts.
- In contrast, Surge Brakes are hydraulic and use the trailer's natural momentum to actuate the brakes. When you step on the brake in your tow vehicle and slow down, the trailer pushes against the hitch and presses a hydraulic cylinder. The more you slow down the vehicle, the more pressure on the trailer brakes. When they are adjusted properly, surge brakes are smooth and easy to work with. The downside is that you cannot separately actuate the trailer brakes if the trailer is swaying.

Evaluate the whole package to eliminate weak points and ensure that your trip is safe and uneventful. Breakdowns or lack of trailer control can not only be costly but also dangerous.



BATTERY SERVICE

JUMP STARTERS

DieHard

DieHard[®] Platinum 2000 Peak Amp Lithium Jump Starter and Power Pack

- Advance four-cell lithium-ion battery give longer battery life and more charge cycles
- Holds 75% of its charge level after two years
- The 2000 peak amp jump start feature easily starts up to 8.0L gas and 6.0L diesel engines up to 50 times on a single charge
- · Provides reliable jump-starts in temperatures down to -20°C.
- Comes with 10W wireless charging pad to charge smart phones and other mobile devices



CBC DH0170

\$209⁹⁹

DieHard® Gold 1200 Peak Amp Lithium Jump Starter and Power Pack

- Delivers 1200 peak amp jump starting power which can easily start up to 6.0L gas engines
- · Provides reliable jump-starts in temperatures down to -20°C
- Advance four-cell lithium-ion battery ensures up to 35 jump starts on one charge, as well a longer life than traditional AGM batteries
- The 2.4-amp USB port delivers 2x faster charging and the 3-amp USB port charges 4x faster
- · The LED light is ideal for emergencies with three lighting modes





CBC DH0165

\$20999

DieHard® Platinum Four-in-one 1500-Amp Jump Starter and Portable Power Station

- Advanced lithium battery is lightweight, provides longer battery life and more charge cycles
- A four-in-one device, including a jump starter, portable power station, air compressor, and LED light
- \bullet 1500 peak amp jump start feature easily starts up to 6.0L gas and 3.0L diesel engines
- · 2.4-amp USB port charges your mobile devices two times faster
- 150-PSI air compressor quickly adds air to bike or car tires and comes with an air compressor gauge, nozzles, and a storage bag
- The smart cable/clamps provide protection against reverse polarity, short circuit, low voltage, high temperature, and reverse charging

CBC DH0166

\$**229**⁹⁹



DieHard® Gold 6-in-1 Portable Power Station and Jump Starter

- Six functions Portable power station, jump starter, inverter, air compressor, inflator/deflator, and LED light
- Easily starts up to 6.0L gas engines using the 1200 peak amp jump start feature
- It features fast 15-amp charging and 5-amp charge/maintain modes
- 200 continuous watt/400 peak watt power inverter provides stable household power to the two 120-volt AC outlets
- It also features two 12-volt DC accessory outlets, and two 2.1-amp (total) USB ports
- High-volume, low-pressure inflator and deflator ports allow you to quickly inflate/deflate mattresses, pool toys, and more





BATTERY CHARGERS/ENGINE STARTERS

Schumacher^{*} 150A 6/12V Manual Timer-Controlled Charger/Engine Starter

- · For use on all 12V Standard, AGM, Gel and Deep Cycle batteries
- 135-minute timer keeps you in control of the charging process
- 150A 12V Engine start is powerful enough to jumpstart SUVs, trucks and large engines
- 25A 12V Boost modes can quickly bring deeply discharged batteries back to life
- 6A 12V Charge mode for your basic charging needs

CBC SC1437

\$**249**⁹⁹

Schumacher

Schumacher® 100A 6V/12V Fully Automatic Battery Charger/Engine Starter

- 100A Engine Start/30A Boost
- Microprocessor-controlled, automatically adjusts amperage rate, to charge and maintain batteries
- Multi-stage charging for added precision, safety and battery life
- Float mode monitoring maintains optimum battery charge
- · Reverse hook-up protection

CBC SC1308

\$16**9**99



Schumacher[°] 1.5A 6/12V Fully Automatic Battery Maintainer

- · Works with standard and AGM batteries
- $\boldsymbol{\cdot}$ Specifically designed for vehicles in storage and cold weather
- $\boldsymbol{\cdot}$ Includes double-sided adhesive and cable tie for mounting
- Approved for under-the-hood mounting
- Multi-stage charging and float mode monitoring

CBC SC1300

\$6999





BATTERY TESTERS

Schumacher® Digital 12V Battery Tester

- Hand-held tester checks the battery, starting and charging systems with digital accuracy
- · For 12V SLI, VRLA, AGM and Gel batteries
- · Accepts rating types CCA, CA, EN, IEC, DIN and SAE
- · Operating range: 100-1200 CCA (SAE)
- · Testing voltage: 7-15V

CBC BT175

\$**84**99





Schumacher® Battery Load Tester

- Test load, battery condition, starter motor draw and complete charging system diagnosis
- 50 amp load test for 6 volt batteries
- 100 amp load test for 12 volt batteries
- Tests 6 and 12 volt batteries up to 1000 CCA

CBC BT-100





BATTERY SERVICE

BATTERY CHARGERS/MAINTAINERS

- Digital display provides step by step charging process, charging status and alerts
- · Fully automatic with auto voltage detection, multi stage charging and float mode
- · Compatible with 6V & 12V Standard, AGM, GEL & LiFEPO4 (lithium) batteries

DieHard® Silver 10-Amp 6-Volt/12-Volt **Automotive Battery Charger and Maintainer**

· Features a 10amp charge and 3amp maintain rate

CBC DH0161 \$9699

DieHard® Gold 15-Amp 6-Volt/12-Volt **Automotive Battery Charger and Maintainer**

· Features 15amp charge and 5amp maintain rate

CBC DH0162



DieHard

DieHard® 3-Amp 6-Volt/12-Volt Automotive **Battery Charger and Maintainer**

- · Features 3-amp 12-volt charge and 2-amp 6-volt charge rates
- · The digital display takes you step-by-step through the charging process, shows charging status, and displays alerts
- · It features fully automatic operation with multi-stage charging, auto-voltage detection, float mode monitoring
- · Compatible with 6-volt and 12-volt standard, AGM, and lithium (LiFEP04) batteries
- Ouick-connect clamps and ring adapters lets you connect the charger in seconds

CBC DH0160 \$7



DieHard® 2-Amp 6-Volt/12-Volt Automotive **Battery Charger and Maintainer, Fully Automatic**

- Features a 2 amp 6V/12V charge/maintain rate
- · Can be used with ATVs, cars, boats, farm equipment, motorcycles and more
- · Fully automatic with auto voltage detection and multi-stage charging
- Compatible with 6V & 12V Standard, AGM. GEL & LiFEPO4 (lithium) batteries

CBC DH0159



Schumacher® 100A 12V Fully Automatic **Battery Charger/Engine Starter**

- 100A Engine Start/20A boost
- · Compatible with standard, AGM, gel, and deep-cycle batteries
- · Microprocessor-controlled to adjust the amperage rate for optimal charging
- · 62A charge/maintain
- · Reverse hook-up protection helps prevent damage to battery and charger



CBC SC1341 \$ **189**99

Schumacher® 15A 12V 3-Bank On-Board **Marine Sequential Battery Charger**

- · Ideal for marine deep-cycle batteries
- · IP65 waterproof construction

CBC SC1389 \$26999

- · Charges up to three batteries sequentially
- · Microprocessor controlled automatically adjusts the amperage rate to charge and maintain batteries
- · Multi-stage charging for added precision, safety and battery life
- · Float mode monitoring automatically maintains optimum battery charge



DieHard® Gold 125-Amp 6-Volt/12-Volt Battery Charger and Engine Starter: 40-Amp/15-Amp Boost

- Delivers 125-amp jump start to 6V and 12V batteries
- 40-amp/15-amp boost mode quickly restores charge to depleted batteries
- Features a 6-amp (12V) and a 2-amp (6V) charge/maintain rate
- · Built-in battery and alternator tester
- · Compatible with 6V & 12V standard, AGM and LiFEPO4 (lithium) batteries
- Fully automatic with auto voltage detection, multi stage charging and float mode





D) eHard

DIEHARD® BATTERY CHARGERS DieHard

DieHard® Gold 200-Amp 12-Volt Manual Wheel Charger

- · Delivers 200-amp 12-volt jump starts, powerful enough for larger engines
- · A 40-amp boost mode quickly restores charge to depleted batteries
- Charger/maintainer is compatible with 12-volt standard, AGM, gel, and deep-cycle batteries
- Provides complete control of the charging process with a 135-minute timer and a charge rate selector switch.
- It also features a 6-amp charge rate
- Heavy-duty clamps and 8-gauge booster cables with a 12-foot total reach feature superior power transfer

CBC DH0168

DieHard® 300 Amp/200 Amp 12-Volt/6-Volt **Automatic Wheel Charger**

- · DH0164 delivers 300-amp (12-volt) and 200-amp (6-volt) jump starts, powerful enough for larger engines
- A 60-amp (12-volt) boost mode quickly restores charge to depleted batteries
- It features a 6 amp/2 amp charge/maintain rate
- Monitor battery health and diagnose electrical issues in your vehicle with the built-in battery and alternator tester
- Fully automatic operation with multi-stage charging, auto-voltage detection & float mode
- Compatible with 6-volt and 12-volt standard, AGM, gel, and lithium (LiFEPO4) batteries

CBC DH0164

DieHard


DieHard® 800 Peak Amp Lithium **Jump Starter and Power Pack**

- 800 peak amp jump start feature easily starts up to 4.0L gas engines up 20 times on a single charge
- 2.4-amp USB ports delivers two times faster charging and the 3-amp USB port charges four times faster
- · The LED light is ideal for emergencies with three lighting modes steady glow, flash SOS, and strobe
- Smart cable/clamps provide spark-free protection against short circuit, temperature, low voltage, and reverse polarity
- · The unit's LCD display shows battery percentage of charge and charging status

CBC DH0169

DieHard





GENERATORS

FIRMAN® PERFORMANCE SERIES GENERATORS

FIRMAN® 10000/8000 Watt Performance **Series Generator**

- · 8 Gallon Tank with 12 hour run time
- · Max Pro Series 439cc FIRMAN Engine
- · Outlets (1) 14-50R 120V/240V 50A, (1) L14-30R 120V/240V - 30A Twistlock, (1) L5-30R 120V - 30A, (1) 5-20R Duplex 120V - 20A
- 10000 running watts/ 8000 starting watts
- · With remote start

FRM P08004

FIRMAN° 7125/5700 Watt Generator

- · 8 Gallon Tank with 13 hour run time
- · Max Pro Series 389cc FIRMAN Engine
- · 4-in-1 Data Minder Measures Volts, Hertz, Hours, and Low Oil Indicator
- Outlets (2) 5-20R 20A-120V, (1) L14-30R 30A-120V/240V Twistlock, (1) L5-30R 30A-120V Twistlock
- · With remote start

FRM P05703

FIRMAN® 4550/3650 Watt Generator

- · Max Pro Series 208cc FIRMAN Engine
- · 5 gallon tank with fuel gauge provides up to 14 hours of run time
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) L14-30R 120V - 30A Twistlock, (1) 5-20R Duplex 120V - 20A
- 3650 running watts/ 4550 starting watts
- · With remote start

FRM P03612

FIRMAN® 4450/3550 Watt Generator

- · Max Pro Series 208cc FIRMAN Engine
- 5 gallon tank with fuel gauge provides up to 14 hours of run time
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) L5-30R 120V - 30A Twistlock, (1) 5-20R Duplex 120V - 20A
- · 3550 running watts/ 4450 starting watts

FRM P03501

FIRMAN® Gas Portable Generator 1500W Recoil Start

- · 80cc engine with low oil shut off and cast iron sleeves
- 1.7 gallon tank with fuel gauge provides up to 10 hours of run time
- 5-20R 120V 20A Duplex, 12V 8.3A DC Outlet
- · 1200 running watts/ 1500 starting watts

FRM P01202













FIRMAN® HYBRID SERIES GENERATORS

FIRMAN® Dual Fuel 10.000W Portable Generator with CO Alert

- · 439cc dual-fuel engine
- · Recoil start
- · CO Alert sensor against Carbon Monoxide poisoning
- · Electric start
- · Low oil shut off
- · Runs on either Gasoline or Propane
- 8-gallon tank
- Running watts 8000W (GAS), 7250W (LPG)
- Starting watts 10,000W (GAS), 9050W (LPG)
- 120/240 volts

FRM H08052



FIRMAN® 4550/3650 Watt Electric Start Gas or **Propane Dual Fuel Portable Generator**

- Max Pro Series 208cc FIRMAN Engine with low oil shutdown and cast iron sleeve
- Up to 14 hour run time 5 Gallons of Gasoline, Up to 10.5 hour run time - 20lb Propane
- Outlets: (1) TT-30R (RV Ready) 120V 30A, (2) 5-20R Duplex 120V - 20A, (1) L5-30R 120V - 30A
- · 3650 running watts/ 4550 starting watts Gas
- · 3300 running watts/ 4100 starting watts LPG FRM H03651



FIRMAN° Hybrid 10,000 Watt Tri Fuel Portable Generator

Gasoline, Propane, and Natural Gas

- 439cc Tri fuel engine with low oil shut off and cast iron sleeve
- 8 gal tank provides 12hrs of run time. Propane tank not included
- Outlets: (2) 5-20R 20A-120V, (1) 14-50R 50A-120/240V, (1) L14-30R 30A-120V/240V Twist Lock, (1) L5-30R 30A-120V Twist Lock

FRM T08071

FIRMAN



FIRMAN® WHISPER SERIES GENERATORS

FIRMAN° Whisper Series 3300/3000 Watt Remote Start Gas Portable Generator

Max Pro Series 171cc FIRMAN Engine

- · 1.8 gallon tank provides up to 9 hours of run time
- Outlets (1) TT-30R (RV Ready) 120V 30A, (1) 5-20R Duplex 120V - 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- 3000 running watts/ 3300 starting watts

FRM W03083



FIRMAN® Whisper Series 2100/1700 Watt **Recoil Start Gas Portable Generator**

- · Max Pro Series 80cc FIRMAN Engine
- · .9 gallon tank provides up to 9 hours of run time
- Outlets (1) 5-20R Duplex 120V 20A, 12V (W/Battery Charging Cables), (1) USB (5V, 2.1 amps)
- 1700 running watts/ 2100 starting watts

FRM W01782



GENERATORS/SPECIALTY & HAND TOOLS

FIRMAN® GENERATOR ACCESSORIES FIRMAN

FIRMAN® Generator Power Cord 25'

- 10 Gauge 30A wiring
- · Fully insulated, rated for outdoor use
- · Individual circuit breakers for each (3) outlet FRM 1101



FIRMAN° 50A Parallel Kit

- · Connects two FIRMAN Inverter generators together to double or triple your power
- · Built in compartment for paralllel cords for easy storage

FRM 1201



FIRMAN® FIRMAN® **GENERATOR COVERS**

- · Pull Cord Drawstring
- · Double Insulated Fabric Liner
- Easy To Install
- · Weather Resistant



Туре	Size	Line Code	Part Number	Price
Small Generator Cover	17.5" X 14.1" X 15.1"	FRM	1006	\$28.99
Inverter Generator Cover	22.8" X 17.3" X 17.9"	FRM	1007	\$28.99
Small Inverter Generator Cover	18.9" X 11.8" X 15.4"	FRM	1008	\$28.99
Medium Generator Cover	25.4" X 18.3" X 19.5"	FRM	1002	\$28.99
Large Generator Cover	29.5" X 21.7" X 24"	FRM	1009	\$32.99

A/C SERVICE

Lisle® Master Disconnect Set Lisle

- · A complete set of (8) popular disconnect tools
- · Can be stored in a handy blow-moulded case

LST 39900 \$6299



Lisle Spill-Free Funnel Lisle

- · Allows a quick visual check of coolant
- · Eliminates trapped air pockets which cause erratic cooling system and heater performance
- · Controls the proper amount of coolant entering system and enables unattended filling of the cooling system

LST 24680



Lisle® 6-Piece Disconnect Tool Set Lisle®

- · Set of six tools which disconnect the spring lock couplings on Ford and Chrysler A/C line
- · Also works on fuel line quick connect couplings found on GM, Ford, and Chrysler
- The 5/16" size fits on push lock connectors found on Ford radiators and transmission line
- Set includes six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"



Lisle[®] 6-Piece Angled Disconnect Tool Set

- Disconnects spring lock couplings on Ford and Chrysler A/C lines
- · Works on fuel lines and other quick disconnect couplings on domestic and import vehicles
- Six sizes: 5/16", 3/8", 1/2", 5/8", 3/4" and 7/8"





OTC° Bubble (I.S.O.) Flaring Tool Kit

- Designed for crack-free bubble flares on soft steel tubing used in automotive brake systems
- Includes forged steel yoke, flaring bar, and all the adapters needed for ISO bubble flaring
- Includes four dies: 4.75, 6, 8 and 10mm adapters and moulded case

OTC 4504



OTC° Double Flaring Tool Kit

- Designed for double or single flare in copper, aluminum soft steel brake line, and brass tubing (to 45 degrees)
- Includes five adapters 3/16" through 1/2" (4.8mm through 12.7mm)
- Chrome swivel, made of alloy steel reduces friction
- Forged yoke made of heat treated steel
- Includes moulded case



OTC 4503



Lisle® Double Flaring Tool Kit Lisle®

- Makes both single and double SAE flares
- · Includes everything to flare thin wall steel, aluminum or .040 wall soft copper tubing
- Includes 5 thread dies and adapters for forming double flares on the following tubing sizes: 3/16", 1/4", 5/16", 3/8" and 1/2"





Lisle® Dual Piston Brake Caliper Compressor

- Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds
- · Makes dual piston pad replacement a simpler job



Lisle[®] Speedy Brake Pad Spreader Lisle

- · Squeeze the handle and the fast acting plunger compresses disc brake pistons in seconds
- · Makes brake pad replacement an easier job

Lisle® Brake Spring Pliers Lisle®

- · Use plier tips to stretch brake spring
- · Handle ends remove and install spring over anchor post

LST 11260



Lisle® Brake Spring Washer Tool Lisle®

- · Troublesome brake shoe retaining spring washers can be easily removed/reinstalled
- · Wide "window" allows better visibility to align the nail and washer slot LST 47400








BRAKE SERVICE

Lisle® Brake Piston Tool Lisle®



- · Rotates piston back into the caliper when replacing pads
- · Fits most domestic and some import applications
- · Use with 3/8" drive ratchet and extension

LST 28600 \$1099



Lisle® 9-Piece Combination Brake Lining Thickness Gauge Set Lisle®

- Designed to check both straight on or at a 90° angle to the rotor with offset tips so the gauges can be used without removing the wheel or caliper assembly
- · Colour coded to match SAE or Metric recommendations for brake pad replacement.

LST 81850 \$ **1899**



ENGINE AND DRIVETRAIN

Lisle® Pneumatic Fan Clutch Wrench Set

- · Includes 7 driving wrenches that fit Ford, GM, Chrysler & Jeep
- · Quickly removes and installs fan clutch when repairing the water pump or fan clutch
- · Includes blow molded storage case

LST 43300 \$ **199**



Lisle[®] Serpentine Belt Tool Lisle

- · Used to remove and install serpentine belts on systems using the spring loaded idler pulley
- Fits 13mm, 14mm, 15mm, 16mm, 18mm, 19mm hex and both 3/8" and 1/2" square drive sizes
- · 13mm and 16mm sockets are built into the handle
- · Eight low profile sockets and extension help to fit into tight spots
- · Includes 19mm socket for Honda and Toyota applications

LST 59800



- · Adjustable cam action
- · No need to readjust the tool after each spring

LST 16750 \$4699



- Lisle® Stone Type Glaze Breaker Lisle® · Controlled pressure assures positive, adjustable contact through full range
- · Operates with any electric drill
- · Furnished with 3" long 220 grit stones
- · Adjustable stop collar permits quick selection of two range settings, from 2" to 4" and from 4" to 7"
- · Stone arms are easily compressed to eliminate cylinder scratches



LST 23500

Lisle® Dual Drive Oxygen Sensor Wrench Lisle®

- · Use with a breaker bar to loosen stubborn oxygen sensors
- Tool comes with both 1/2" and 3/8" drive
- · Slotted body allows clearance for wire harnesses

LST 12390



Lisle® Oxygen Sensor Socket Lisle®

- · Special 22mm socket with cut away slot to provide clearance for wire harness
- · Provides adequate depth to fit over sensor
- Use with 3/8" square drive or 1" wrench

LST 12100 \$



ENGINE AND DRIVETRAIN

Lisle® Broken Spark Plug Remover for Ford 3 Valve

- Removes broken spark plugs from 2004 and newer Triton 3 valve per cylinder engines (a common problem)
- · Includes a unique porcelain pusher tool and a tapered left-hand thread remover for removing the broken spark plug without leaving the porcelain in the engine cylinder
- Porcelain pusher is used to press the porcelain piece, without breaking the porcelain, farther into the plug tip
- Blow-moulded storage case included

LST 65600 **\$9**







HellColl

Lisle® Ring Compressor

· Assures a proper fit on the piston and a positive locking action

Range: 2-1/8" to 5" LST 19500

Range: 3-1/2" to 7" LST 20500





POWERBUILT® Tubing Bender POWERBUILT

· Bends automotive line tubing from 3/16" to 3/8" diameter

TLS 648484



Heli-Coil® SAE & Metric Spark Plug Thread Repair Kits

- Kits contain a tap, installation tool, a quantity of inserts and detailed instructions
- The inserts are precision formed coils of extremely hard stainless steel (18-8) diamond shaped wire
- When installed into a tapped hole, the insert provides permanent conventional screw threads

IVIETRIC KITS Size (Number of I	inserts)
M5 x 0.8 (12)	M6 x 1 (12)
HC 5546-5 \$29.99	нс 5546-6 \$28.99
M8 x 1.25 (12)	M9 x 1.25 (12)
HC 5546-8 \$26.99	нс 5546-9 \$32.99
M10 x 1.25 (12)	M10 x 1.5 (12)
HC 5543-10 \$43.99	HC 5546-10 \$32.99
M12 x 1.25 (6)	M12 x 1.5 (12)
HC 5543-12 \$50.99	HC 5544-12 \$60.99
M12 x 1.75 (6)	M14 x 1.5 (6)
HC 5546-12 \$40.99	HC 5544-14 \$68.99

SAE Kits Size (Number of Inserts)

1/4"-20 (12)	5/16"-18 (12)
HC 5521-4 \$20.99	HC 5521-5 \$20.99
3/8"-16 (12)	7/16"-14 (6)
HC 5521-6 \$20.99	HC 5521-7 \$21.99
1/2"-13 (6)	5/8"-11 (6)
HC 5521-8 \$26.99	HC 5521-10 \$73.99
5/16"-24 (12)	3/8"-24 (12)

HC 5528-5 \$50.99 HC 5528-6 \$50.99

HC 5528-7 \$50.99

Heli-Coil M14 x 1.25 Sav-A-Thread Kit HeliColl

- alignment of the tapped hole





CHASSIS SERVICE

POWERBUILT® 23 Piece Ball Joint & U-Joint Service Kit

- · Designed for safe, efficient removal, and installation of "Press Type" Ball Joints
- · Adapter set allows ball joint and driveshaft service on multiple makes and models including 2 wheel drive, 4 wheel drive, SUV's, trucks, and many more

TLS 648617





Lisle® Strut Tool Lisle®

- · Safe, inexpensive strut spring compressor
- · Fits all strut spring sizes, import and domestic
- Heavy-duty clamps bolt securely and hold spring during operation

LST 62300



Lisle[®] Pickle Fork Kit Lisle

- Kit consists of 1-1/8", 15/16" and 11/16" forks and two handles; one for hammering, the other for use with an air hammer (.401" shank)
- · All forks are threaded to interchange with either handle

LST 41500 \$6599



Lisle® Stepped Seperators Lisle®

Ball Joint Separator 15/16" LST 18530

Tie Rod Separator 11/16" LST 18520



Lisle® Inner Tie Rod Tool Lisle®

- The rounded socket ends prevent access to the wrench flats
- · This tool utilizes six crows feet, to engage the wrench flats
- · Long socket slips over tie rod end and connects to the crows foot
- · The inner tie rod can be removed and installed without removing the rack

LST 45750 **\$9999**



PRESSURE/COMPRESSION TEST KITS

MityVac® Compression Test Kit

· Includes 2-3/4" gauge with 10" whip hose, rubber boot and various sizes of hoses and adapters



LIN MV5530

mityvac

OTC° Fuel Pressure Tester Kit

- · Quickly and easily locate any malfunctioning fuel system component, without removing it from the vehicle
- · Large, easy-to-read 0-100 PSI scale, 0-700 kPa
- · Pressure relief valve for safe, clean testing OTC 5630



DIAGNOSTIC TOOLS

OTC° Cylinder Leakage Kit

- · Diagnose internal engine problems such as bad rings, valves and leaking head gaskets
- Dual 2-1/2" gauges and rugged protective outer boot
- Scales read 0-100 psi and 0-700 kPa
- Pressure regulated manifold with quick couplers
- · Long flex 24" 14 mm hose
- 10 mm, 12 mm and 18 mm thread adapters



OTC 5609

OTC° Transmission/Engine Oil **Pressure Kit**

- Kit comes complete with high and low pressure gauges and 13 adapters for most applications
- Ouick-couplers for easy disconnect
- · High pressure gauge reads 0-400 PSI and low pressure 0-100 PSI

OTC 5610

Lisle® Compression Tester Lisle®

- · Gauge registers 0-300 PSI and 0-2100 kpa
- · Fits 14mm and 18mm thread sizes LST 20250

Lisle® Vacuum Gauge & Fuel Pump Tester Lisle®

· Easy reading gauge assures accurate vacuum and pressure checks LST 20300

- Draws less than 21 mA at 12V DC
- · Operating range 3-28V
- · The red light indicates positive polarity, green indicates negative polarity LST 24550

Lisle[®] Inline Spark Tester Lisle

- · Quickly diagnose problems with all ignition systems
- · Double-ended to offer a straight boot and a 90° boot on one tool
- · With engine running, tool flashes a mirror image of ignition spark LST 20610



Lisle® Heavy Duty Circuit Tester Lisle®

- · Quickly test low voltage up to 12V
- · Probe, handle, cord and clamp are reinforced for extra durability
- 49" cord with strain relief spring LST 28400



Lisle® Low Circuit Tester Lisle®

- Ouickly check both AC and DC current up to 12 volts with power on
- · Helps locate shorts or breaks in wiring
- · Complete with insulated grounding clip LST 26250



^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

OIL/LUBE SERVICE

SWIVEL-GRIPPER...



Oil Filter Wrenches

- · Features the swivel handle, gripper "teeth" and 1" wide stainless steel band
- · Swivel handle makes it easy to remove filters in hard to reach locations

Standard Large 4-1/8" - 4-1/2" 3-1/2" - 3-7/8" LST 53500 LST 53250

Extra Small 2-7/8" - 3-1/4 LST 57020

Standard 3-1/2" - 3-7/8" LST 57030

No Slip Oil Filter Wrenches

Lisle® Heavy-Duty Strap Filter Wrench

- · Use with 1/2" drive socket wrench to remove filters or install filters and other objects up to 6-1/2" diameter
- 3-5/8" long yoke fits into tight areas

LST 60200



Lisle Strap Wrench Lisle

- · Loosen or tighten cylindrical or rectangular objects
- Range from 1" to 6-5/8" round
- · Tensile strength of strap is 1350 PSI

LST 28500



Lisle[®] Big Range Filter Wrench Lisle

- · Range: Up to 6"
- Use with 1/2" drive or 3/4" socket wrench

LST 63500





- · "Swivel Grip" handle makes it easy to turn in tight spots
- · Tough, stainless steel bands with special "teeth" for extra gripping power won't slip when removing filters
- · Handles made of tubular steel for increased strength

Standard 2-7/8" - 3-1/4" LST 53700

Small 2-3/8" - 2-5/8" LST 54400

Cummins & Detroit Diesel 4-5/16" - 4-3/4" LST 54200

Lisle® Wide Range Filter Wrench

- Range: 3-1/8" to 3-7/8"
- · Steel jaws grip filter without slipping
- · Use with 3/8" drive socket to remove filters



Lisle® Import Car Filter Wrench Lisle®



- · Fits most import car filters and many domestic filters
- Use with 3/8" drive socket to remove filters

LST 63600 \$1599



Lisle* Transmission Oil Cooler Line Scissors Liste

3/8" x 1/2"

- · Two sizes to work on Ford and Cadillacs
- 3/8" size for use on 2003 2010 Ford V8 Explorer, 2004 and later Ford F150 and Cadillac CS
- 1/2" size for use on Ford Super Duty Trucks F250, F350 and F450

LST 39660



OIL/LUBE SERVICE

Lisle® 8 Qt. Dispenser with Lid and Cap

- Includes spout cap and lid to keep out contaminants
- Marked in quarts and litres
- · Flexible 8" pouring spout

Lisle[®] 6 Qt. Oil Dispenser Lisle

Marked in quarts and litres
 Flexible 8" pouring spout

Lisle® Truck & Tractor Oil Filter Pliers Lisle®

- · Fits most truck and tractor oil filters including: Case, Caterpillar, Cummins, Detroit Diesel, John Deere, Mack and other applications
- · Range: 3-5/8" to 6"

LST 50950



Lisle[®] Oil Filter Pliers

- Two-position, slip-joint handle produces the range of three separate conventional filter wrenches
- · Jaws are bent at a 20° angle to fit more applications
- · Sure grip teeth prevent slipping when removing filter
- · Range: 2-1/4" to 4"



aloio and oup into intonono			
Туре	Line Code	Part Number	Price
64/65mm - 14 flutes	LST	61600	\$8.99
65/67mm - 14 flutes	LST	61540	\$8.99
74/76mm - 15 flutes	LST	61560	\$8.99
76mm - 14 flutes	LST	61570	\$8.99
80mm - 15 flutes	LST	61550	\$8.99
For GM 2.2L - 32MM	LST	14700	\$12.99



Lisle® Transmission Drain Funnel Lisle®

- · Heavy-duty plastic lift drain funnels extend the catch area of any lift drain
- Flexible, if run over it will return to its original shape

LST 17892



PULLERS/SLIDE HAMMERS

Lisle Harmonic Balancer Puller Lisle

- Designed to ease the operation of pulling the balancer pulley
- · It reduces damage to both the pulley and the shaft

LST 45500



Lisle Pitman Arm Puller Lisle

- · Designed to work on even the most stubborn Pitman arm pulling jobs
- · Puller body is drop-forged and heat-treated for strength



Lisle® Battery Terminal & Wiper Arm Puller Lisle®

- · Dual-purpose puller
- · Easily removes stuck battery terminals
- · Also removes bolted on windshield wiper arms that fit over a tapered spline

LST 54150





PULLERS/SLIDE HAMMERS

OTC° 9-Way Slide Hammer Puller Set

- · Pulls flange-type rear axles and most front-wheel drive hubs
- · Internal and external jaws provide a variety of combinations to pull bearings, gears and seals

OTC 4579





Lisle® No Slip Pulley Puller Lisle®

- · Removes and installs pressed on power steering alternator and air pump pulleys
- Fits most domestic models including GM 3.1 and Quad 4 engines
- · Works on traditional V shaped pulleys and serpentine belt system pulleys

LST 39000



Lisle® Ratcheting Lock Nut Tool

- · Small end fits Ford 1986 to 1994 light trucks with Dana 44 front axle. Large end fits 1985 & newer Ford F150 - F350 trucks with the Dana 80 full floating rear axle
- · Press tool into lock nut and rotate to release the ratchet inside the lock nut
- Use 1/2" Square Drive Torque wrench when installing





TORQUE WRENCHES

· Locking handle prevents accidental setting changes

3/4" Drive Reversible Ratcheting 100-600 ft.-lbs.

TLS 641434

1/2" Drive Click Torque Wrench 10-150 ft.-lbs.

TLS 644999 \$3**699**

3/8" Drive Click Torque Wrench 10-80 ft.-lbs.

TLS 644998 \$3499



SPECIALTY HAND TOOLS

Lisle[®] Mini Flexible Telescoping Magnetic Pickup Lisle

- · Super Strong Neodymium Magnet Picks Up All Ferrous Metal Objects Up to 2 lbs.
- · Adjustable telescoping action extends from 4-1/2" to 13" with
- a 2-1/2" flexible segment to get into tight spots

LST 66540

Lisle® Magnetic Telescoping Pick-up Tool Asle

- · Has a super strong neodymium magnet
- Telescopes from 4 1/2" 16 1/4"

LST 66500



Lisle® Spark Plug Gauge and Gapper Lisle®

- · Works on all types of spark plugs from .020" to .100", .50mm to 2.53mm
- · Hole with flange adjusts side wire without pressuring centre electrode LST 67870





SPECIALTY HAND TOOLS

Lisle[®] Pipe Stretcher Kit Lisle

- Stretches pipe from 1-5/8" to 4-1/4" including stainless steel
- · Use with an impact wrench to quickly stretch pipes
- · Inexpensive alternative to hydraulic pipe expanders

LST 17350

Lisle[®] Tailpipe Expander *Lisle*

- · Removes clamp grooves and rounds out pipes
- 1-5/8" to 2-7/16" (41.3mm 61.9mm)

LST 32500

Lisle® Magnetic Telescopic Pick-Up Tool Lisle®

- · Magnet shielded to concentrate magnetic field at end of tool
- Super strong neodymium magnet
- Extends from 14-1/2" to 23-1/4"

LST 31000

Lisle[®] Telescoping Mirror Lisle

- · 2-1/4" diameter mirror swivels to any position
- · Length extends from 10" to 14"
- · Has an insulated vinyl grip

LST 32050



• 31 blades

Grote® Heavy Duty Wire Stripper, Cutter & Crimping Tool

- · Built-in cutter, cushion grip for comfort
- · Adjustable stopper for a clean strip every time
- Self-adjusting wire stripper for 26-10 Gauge wire
- Crimps insulated and non-insulated terminals 22-10 gauge
- · Makes a clean cut and crimp without damaging the conductor
- · High quality tool
- · Ergonomic design

LTG 83-6512 \$2199 Grote

IRWIN° 7in1 Wire Stripper

- · 7in1 Multi-function to carry less tools
- · Spring loaded to help reduce hand fatigue from repetitive use
- · Locking mechanism for ease of storage
- Bi-material 3-shot grips for comfort and control

PET IWHT84002



BATTERY SERVICE

Lisle® Battery Brush

- Cleans dirt and corrosion from battery terminals and cable clamps
- External brush cleans cable clamps and internal brush cleans terminal posts
- · Case is made of high impact plastic that will not weaken in cleaning solutions

LST 11120






Lisle® Battery Carrier

- · Spring-action handle turns lifting power into battery gripping pressure
- · Form-fitting handle provides a solid gripping surface for your hand
- Opens up to 10"
- Saw-tooth jaw tips provide a no-slip battery gripping power and grips the battery just below the top lip for good balance







LOCKING PLIERS

IRWIN° Vise Grips°

5" PET 902L3





IRWIN° Vise Grips° 10" PET 0102L3 \$**1Q**99



IRWIN° Vise Grips° Long Nose 4" PET 1602L3 6" PET 1402L3

9" PET 1502L3



Powerbuilt[®] Locking Pliers

· With ergonomic cushioned grips

10" TLS 646540

7" TLS 646539

Long Nose

6" TLS 645015







POWERBUILT® PLIERS POWERBUILT



Long Nose Hose Jaw 11" TLS 640863



Long Nose 6" TLS 640392 **\$0**99

Linesman



Groove Joint 8" TLS 640388



90-Degree Long Nose 11" TLS 640862



Diagonal 7" TLS 640387

10" TLS 640389

Groove Joint

Long Nose 8" TLS 640393 \$1099

Long Reach Long Nose 11" TLS 640860



SPECIALTY PLIERS

Lisle® CV Boot Clamp Pliers Lisle®

- · For all ear-type clamps including GM FWD outboard CV joints
- · Designed for use with a torque wrench, as required for stainless

LST 30800



Lisle* Lock Ring Pliers Lisle

- Spreads lock rings commonly found on transmissions, master cylinders, brakes, etc.
- · Jaws are knurled on the end to prevent slipping

Jaw range: 3/32" closed, 15/16" open. LST 44900



SNAP RING PLIERS

OTC° Snap Ring Pliers Set **Internal & External**

· For internal or external snap rings; thumbscrew permits quick conversion

- · Made of heavy-gauge tempered steel
- Also includes two stainless steel picks with handles



OTC 4512

Lisle® Heavy-Duty Snap Ring Pliers Lisle®

· Reversible action for internal and external applications

· Conical tip ends prevent the snap ring from slipping off the tips. LST 49200

Lisle[®] Convertible Internal & External Snap Ring Pliers *Lisle*

- · Compresses internal rings in one position
- · Move the quick change reversing lever to expand external rings
- · Comes with four sets of tips in a plastic box

LST 46000

\$**1,2**99



CLAMPS

Forney® 10-1/2" Deluxe locking C-Clamp

• Extra clamping capacity for large objects FNY 70201



IRWIN® C-Clamps 11" PET 19



IRWIN® Locking Chain Clamp

9" PET 27ZR





POWERBUILT® Metric & SAE Combination Wrenches

- · Crafted from premium chrome vanadium steel
- 15° offset and chamfered openings for easy mating to fasteners
- · Z-Drive box end contacts the flat walls of fasteners



More sizes available at select stores

Powerbuilt[®] Adjustable Wrenches PowerBuilt[®]

· Extra thick 1" I-beam design

6" TLS 644040 8" TLS 644041

10" TLS 644042



RATCHETING COMBO WRENCH SETS

OWERBUILT.

POWERBUILT® Ratcheting Combo Set

7-Piece Set

- · Crafted from high quality Chrome Vanadium Steel
- · Meets or exceed ANSI standards

Metric Set • 8MM to 19MM TLS 642762

SAE Set • 5/16 to 3/4" TLS 640990



HEX KEY SETS

Powerbuilt® 9-Piece Ball End Long Arm Hex Key Sets

SAE Set

• Includes 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16" & 3/8" hex keys TLS 640081

Metric Set

· Includes 1.5mm, 2mm, 2.5mm, 3mm, 4mm, 5mm, 6mm, 8mm, & 10mm hex keys TLS 640082

YOUR CHOICE

POWERBUILT

POWERBUILT® RATCHETS POWERBUILT

1/2" Drive Flex Handle

24" TLS 640854

18" TLS 640853

1/2" Drive 36 Tooth Quick Release Gear-to-Gear Ratchet

TLS 642509



TLS 649932 **52399**

1/2" Drive 45 Tooth Spin Disc Ratchet

1/4" Drive 72-Tooth Sealed Head Ratchet

1/4" Drive 36-Tooth Quick Release Gear-to-Gear Ratchet

3/8" Drive 36 Tooth Quick Release Gear-to-Gear Ratchet

TLS 641520

3/8" Drive 72-Tooth Sealed Head Ratchet

TLS 649931

3/8" Drive Spin Disc Ratchet



SOCKET ADAPTERS

Powerbuilt® Impact Adapter

POWERBUILT 3/4" (F) x 1/2" (M)

1" (F) x 3/4" (M)

TLS 940586

1/2" (F) x 3/8" (M)

1/2" (F) x 3/4" (M) TLS 647097 \$5.99 TLS 647137 \$9.99

Powerbuilt® 1/2" Drive Impact Universal Joint



TLS 640848 **\$6.99**

TLS 642500







SOCKETS

POWERBUILT® Deep Sockets

-			
_	Line Code	Part Number	Price
Type 2/9" Doop 2/9"	TLS	641200	\$2.49
3/8" Deep - 3/8"			
3/8" Deep - 7/16"	TLS	641201	\$2.49
3/8" Deep - 1/2"	TLS	641202	\$2.49
3/8" Deep - 9/16"	TLS	641203	\$2.49
3/8" Deep - 5/8"	TLS	641204	\$2.49
3/8" Deep - 3/4"	TLS	641206	\$3.49
3/8" Deep - 13/16"	TLS	641207	\$3.49
3/8" Deep - 7/8"	TLS	641208	\$3.49
3/8" Deep - 9MM	TLS	641209	\$2.49
3/8" Deep - 10MM	TLS	641210	\$2.49
3/8" Deep - 11MM	TLS	641211	\$2.49
3/8" Deep - 12MM	TLS	641212	\$2.49
3/8" Deep - 13MM	TLS	641213	\$2.49
3/8" Deep - 14MM	TLS	641214	\$2.49
3/8" Deep - 15MM	TLS	641215	\$2.69
3/8" Deep - 16MM	TLS	641216	\$2.69
3/8" Deep - 18MM	TLS	641218	\$2.69
3/8" Deep - 19MM	TLS	641219	\$2.69
3/8" Deep - 7MM	TLS	641225	\$2.69
1/2" Deep - 9/16"	TLS	642200	\$4.49
1/2" Deep - 5/8"	TLS	642201	\$4.99
1/2" Deep - 11/16"	TLS	642202	\$4.99
1/2" Deep - 3/4"	TLS	642203	\$5.99
1/2" Deep - 13/16"	TLS	642204	\$5.99
1/2" Deep - 7/8"	TLS	642205	\$7.49
1/2" Deep - 15/16"	TLS	642206	\$7.49
1/2" Deep - 15/10	TLS	642207	\$8.49
1/2" Deep - 14MM	TLS	642208	\$3.99
1/2" Deep - 15MM	TLS	642209	\$3.49
	TLS	642210	\$3.49
1/2" Deep - 16MM			
1/2" Deep - 17MM	TLS	642211	\$3.99
1/2" Deep - 18MM	TLS	642212	\$3.99
1/2" Deep - 19MM	TLS	642213	\$4.29
1/2" Deep - 20MM	TLS	642214	\$5.49
1/2" Deep - 1-1/8"	TLS	642215	\$8.49
1/2" Deep - 1-1/4"	TLS	642216	\$9.99
1/2" Deep - 10MM	TLS	642217	\$4.99
1/2" Deep - 11MM	TLS	642218	\$4.99
1/2" Deep - 13MM	TLS	642220	\$4.99
1/2" Deep - 21MM	TLS	640836	\$4.99
1/2" Deep - 22MM	TLS	640837	\$4.99
1/2" Deep - 23MM	TLS	640838	\$4.99
1/2" Deep - 24MM	TLS	640840	\$5.99
1/2" Deep - 27MM	TLS	640841	\$6.99







POWERBUILT® 1/2" Drive Impact Sockets

OWENDOIL 1/2	D1110 1111	paot occitot	
	Line	Part	
Туре	Code	Number	Price
1/2" Impact - 3/4"	TLS	647155	\$4.29



POWERBUILT® 3/8" Drive Spark Plug Sockets Line Part

Туре	Code	Number	Price
3/8" Spark Plug - 5/8"	TLS	643000	\$3.49
3/8" Spark Plug - 13/16"	TLS	643001	\$3.99



SOCKETS

POWERBUILT® Shallow Sockets

Туре	Line Code	Part Number	Price
1/2" Shallow - 1/2"	TLS	642000	\$2.29
1/2" Shallow - 9/16"	TLS	642001	\$2.29
1/2" Shallow - 5/8"	TLS	642002	\$2.29
1/2" Shallow - 3/4"	TLS	642003	\$2.29
1/2" Shallow - 13/16"	TLS	642004	\$2.69
1/2" Shallow - 7/8"	TLS	642005	\$2.69
1/2" Shallow - 15/16"	TLS	642006	\$3.29
1/2" Shallow - 1"	TLS	642007	\$3.29
1/2" Shallow - 1-1/16"	TLS	642008	\$4.29
1/2" Shallow - 1-1/8"	TLS	642009	\$4.99
1/2" Shallow - 1-3/16"	TLS	642010	\$4.99
1/2" Shallow - 1-1/4"	TLS	642011	\$5.99
1/2" Shallow - 14MM	TLS	642012	\$2.99
1/2" Shallow - 15MM	TLS	642013	\$2.99
1/2" Shallow - 16MM	TLS	642014	\$2.99
1/2" Shallow - 17MM	TLS	642015	\$2.99
1/2" Shallow - 18MM	TLS	642016	\$3.29
1/2" Shallow - 19MM	TLS	642017	\$3.29
1/2" Shallow - 20MM	TLS	642018	\$3.99
1/2" Shallow - 21MM	TLS	642019	\$3.99
1/2" Shallow - 23MM	TLS	642021	\$4.29
1/2" Shallow - 24MM	TLS	642022	\$4.29
1/2" Shallow - 27MM	TLS	642034	\$4.99
1/2" Shallow - 30MM	TLS	642024	\$5.99
1/2" Shallow - 32MM	TLS	642025	\$7.49
1/2" Shallow - 35MM	TLS	642027	\$8.99
1/2" Shallow - 36MM	TLS	642028	\$9.99
1/2" Shallow - 11MM	TLS	642030	\$3.49
1/2" Shallow - 12MM	TLS	642031	\$2.99
1/2" Shallow - 13MM	TLS	642032	\$2.99





Powerbuilt [®] 1/2" Drive D	eep Im	pact Sock	ets
Туре	Line Code	Part Number	Price
1/2" DR - 9/16" Deep Impact	TLS	647171	\$6.99
1/2" DR - 5/8" Deep Impact	TLS	647172	\$6.99
1/2" DR - 3/4" Deep Impact	TLS	647174	\$7.99
1/2" DR - 13/16" Deep Impact	TLS	647175	\$7.99
1/2" DR - 7/8" Deep Impact	TLS	647176	\$8.99
1/2" DR - 15/16" Deep Impact	TLS	647177	\$9.99
1/2" DR - 1" Deep Impact	TLS	647178	\$9.99
1/2" DR - 1-1/8" Deep Impact	TLS	647179	\$11.99
1/2" DR - 1-1/4" Deep Impact	TLS	647180	\$13.99
1/2" DR - 1-1/16" Deep Impact	TLS	647194	\$10.99
1/2" DR - 12MM Deep Impact	TLS	647181	\$6.99
1/2" DR - 14MM Deep Impact	TLS	647183	\$6.99
1/2" DR - 15MM Deep Impact	TLS	647184	\$6.99
1/2" DR - 17MM Deep Impact	TLS	647186	\$6.99
1/2" DR - 18MM Deep Impact	TLS	647187	\$7.99
1/2" DR - 19MM Deep Impact	TLS	647188	\$7.99
1/2" DR - 20MM Deep Impact	TLS	647192	\$7.99
1/2" DR - 21MM Deep Impact	TLS	647189	\$7.99
1/2" DR - 22MM Deep Impact	TLS	647190	\$8.99
1/2" DR - 24MM Deep Impact	TLS	647191	\$9.99

647193 **\$9.99**

1/2" DR - 26MM Deep Impact TLS





^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

Powerbuilt 1/2" Drive Axle Nut Socket

Туре	Line Code	Part Number	Price
1/2" Axle Nut - 30MM	TLS	648469	\$10.99
1/2" Axle Nut - 31MM	TLS	647077	\$14.99
1/2" Axle Nut - 32MM	TLS	648470	\$11.99
1/2" Axle Nut - 34MM	TLS	648471	\$12.99
1/2" Axle Nut - 35MM	TLS	647079	\$14.99
1/2" Axle Nut - 36MM	TLS	648472	\$12.99
1/2" Axle Nut - 38MM	TLS	647080	\$17.99





Lisle® Axle Nut Socket Lisle®

• 1/2" 12 pt. Axle Nut - 30MM

LST 39510



Lisle* Axle Hub Bridge Nut Socket for GM Lisle

- · Removes and installs the hub bearing retaining nut found on some GM GMT900 Platform trucks
- Use with 1/2" drive LST 31550



SOCKET SETS

POWERBUILT® 3/8" Drive Metric Deep Socket Set 12-Piece 6 pt. Set

· Contents 8mm, 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm

TLS 645009





Powerbuilt® 8-Piece 1/2" SAE & Metric Deep Socket Sets

SAE 1/2" - 15/16" TLS 640056

Metric 12mm - 23mm TLS 640055

YOUR CHOICE





EXTRACTOR SETS

- · With a single strike of a hammer, this impact driver loosens frozen or rusted screws
- Includes: A 1/2" drive impact wrench: 5/16" bit socket: 2 slotted steel bits 3/8 and 5/16"; 2 Phillips head steel bits #2 and #3

TLS 648002



OWERBUILT

Powerbuilt® 6 Piece Screw Extractor Set 6 Piece Set

- · Removes broken studs, screws, bolts, etc
- · Left-hand spiral blade design grips screw when turned into hole drilled to specified size

TLS 648511



IRWIN° 5-Pc BOLT-GRIP™ Expansion Set

- Set includes bolt extractors to remove bolt sizes: 8mm, 10mm, 13mm, 19mm, 5/16", 11/16", and 3/4"
- 3/8" square drive for use with hand ratchets, impact wrenches and air ratchets; hexagonal flats for use with flat wrench, pliers, adjustable wrench, sockets or VISE-GRIP™ locking pliers

PET 394002





IMPACT SOCKET SETS

Powerbuilt 1/2" Drive Impact Socket Sets

18-Piece 6 point Set

Metric Set

· Includes 10 - 19mm, 21mm - 24mm, 27mm, 30mm, 32mm impact sockets, 5" impact extension, storage case.

SAE Set

• Includes 5/16" - 1-5/16" impact sockets, 5" impact extension, storage case TLS 940837 YOUR CHOICE



Milwaukee® SHOCKWAVE Impact Duty™ 3/4" Drive SAE Deep Socket Set 8-Piece 6 pt.

• Includes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"

MLK 49-66-7018 \$ 19399 Milwaukee





OWERBUILT

Powerbuilt® 1/2" Drive Deep Well Impact Socket Sets 11-Piece 6 point Set

• Includes 10mm -14mm, 16mm, 17mm, 19mm, 21mm - 24mm, deep well impact sockets

SAE Set

• Includes 3/8" - 1", deep well impact sockets

TLS 647049



Milwaukee® Ratchet and Socket Sets

- FOUR-FLAT[™] socket sides for wrench-ready design that deter rolling
- · 90-Tooth ratchet offers 4° arc swing
- · Slim profile ratchet head with flush direction lever
- · Steel storage case with removable inner tray

56-Piece; 3/8" Drive; SAE & Metric

- Includes (1) 90-Tooth ratchet. (1) 3" extension. (1) 6" extension and (1) universal hose adapter
- SAE sockets: (12) standard from 1/4" 1"; (10) deep from 1/4" 7/8'
- Metric sockets: (14) standard from 6mm 19mm; (14) deep from 6mm 19mm

MLK 48-22-9008 **

POWERBUILT® TOOL SETS

Powerbuilt® 38 Piece 1/4" Drive Mechanic's Tool Set

- 6 Pt. SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Deep Well SAE Sockets: 3/16", 7/32", 1/4", 9/32", 5/16", 11/32", 3/8", 7/16", 1/2"
- 6 Pt. Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- 6 Pt. Deep Well Metric Sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12mm
- · 72 Tooth Quick Release Sealed Head Ratchet
- · 2" Extension Bar
- · Durable Storage Case

TLS 642450



Powerbuilt® 33-Piece Socket Set

1/4" & 3/8" Drive SAE/Metric Socket Set

• Includes 1/4" Drive SAE; 5/32" - 1/2" and Metric; 6mm - 8mm 6 pt. sockets & 3/8" Drive SAE; 3/8" - 5/8", and Metric; 9mm - 18mm 12 pt. sockets,3/8" Drive Spin Ratchet, 3" extension, 3/8"(F) x 1/4"(M) adapter, 5/8" spark plug socket.





5/16" - 5/8'

8 thru 15mm

Square: S-1, S-2, S-3

· Durable Storage Case

· 6 Pc. SAE long handle combination wrenches:

• 11 pc. SAE hex key wrenches: 0.05"- 1/4"

· 6 Pc. metric long handle combination wrenches:

• 11 Pc. metric hex key wrenches: 1.27 thru 6mm

Screwdriver bits: Torx: T-10, T-15, T-20, T-25, T-27,

T-30, T-40 Phillips: #0 (2 ea.), #1 (2 ea.), #2 (2

1/4" (2 ea.), 5/16" Hex: 3/32", 1/8", 5/32",

3/16", 1/4", 3mm, 4mm, 5mm, 6mm, 7mm

ea.), #3 (2 ea.) Flat: 1/8", 5/32", 3/16" (2 ea.),

POWERBUILT® TOOL SETS POWERBUILT

Powerbuilt® 152 Piece Master Mechanic's Service Tool Set

- 1/4", 3/8" & 1/2" Drive 72 Tooth Quick Release 1/2" F Drive x 3/8" MDrive Adapter Sealed Head Ratchets
- 19 Pc. SAE sockets: 3/16" 13/16"
- 9 Pc. deep well SAE sockets: 7/32" 11/16"
- · 19 Pc. metric Sockets: 4 thru 19mm
- · 8 Pc. deep well metric sockets: 7 thru 15mm
- 1/4" Drive 3" Extension Bar
- 1/4" Drive Spinner Handle
- 1/4" Drive Bit Coupler
- 3/8" Drive Spark Plug Sockets: 5/8", 13/16"
- 3/8" Drive Hex Bit Sockets: 1/4", 5/16", 3/8", 8mm. 10mm
- 3/8" Drive Torx Bit Sockets: T-40, T-45, T-50, T-55
- 3/8" Drive Extension Bars: 3", 6"
- 3/8" F Drive x 1/4" M Drive Adapter
- · 3/8" Drive Universal Joint



Powerbuilt® 80 Piece Auto Mechanic's **Service Tool Set**

- 15 Pc. SAE sockets: 5/32" 3/4"
- 10 Pc. deep well SAE sockets: 7/32" 3/4"
- 18 Pc. metric sockets: 4 thru 19mm
- · 13 Pc. deep well metric sockets: 4 thru 19mm
- · 72 Tooth quick release sealed head ratchets
- 3" Extension bars
- · Spinner handle & bit coupler
- · 18 Pc. specialty tools including: star, hex, Phillips, & slotted bits
- Durable Storage Case

TLS 642452

Powerbuilt® 47 Piece 3/8" Drive **Mechanic's Tool Set**

- 12 Pt. SAE sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- 6 Pt. deep well SAE sockets: 5/16", 11/32", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16"
- · 12 Pt. metric sockets: 6 thru 19mm
- · 6 Pt. deep well metric sockets: 6 thru 19mm
- · 72 Tooth quick release sealed head ratchet
- 3" Extension bar
- Durable storage case

TLS 642451



Lisle Tap Socket Set Lisle

- Fits all number and fractional M.C.T.I. standard taps thru 1/2"
- · Also fits 1/8" NPT taps and metric taps thru 12mm





$TORX^{\circ}/HEX$ BIT & SOCKET SETS

Powerbuilt® 13 Piece Star Bit Socket Set

 Includes 1/4"; T-10 to T-30, 3/8"; T-40 to T-55 & 1/2"; T-60 & T-70 bit sockets.

TLS 940146

POWERBUILT

Powerbuilt® 10 Piece E-TORX Socket Set

 Contains 1/4" Drive E-4 thru E-8 and 3/8" Drive E-10, E-12, E-14, E-16, E-18 TLS 648667

OWERBUILT :



Powerbuilt® 7 Piece 3/8" Drive Metric Hex Bit Socket Set

· Includes 3mm-8mm and 10mm chrome vanadium bit sockets in reusable plastic holder TLS 648663

OWERBUILT



Lisle 12-Piece TORX Bit Set Lisle

- Includes the T-10 through T-50; and T-47, T-55 and T-60 bits
- T-10 through T-30 are 1/4" drive, T-40 through T-55 are 3/8" drive, T-60 is 1/2" drive
- · Convenient vinyl holder included

LST 27200



Lisle® 7-Piece TORX® Socket Set Lisle®

- · Seven sizes E-6 thru E-16
- The three smaller sizes are 1/4" drive; the four larger sizes are 3/8" drive
- · Made of heat-treated alloy steel
- · Sockets are kept in a convenient vinyl holder

LST 26750



Lisle® 7-Piece Metric Hex Bit Sets

- · Includes 3mm 10mm bits
- · Vinvl bit holder





Lisle® 7-Piece Tamper Resistant TORX® Bit Set Lisle®

- Bit sizes T-10 through T-40
- · Fits tamper-resistant TORX® fasteners



TRIPLE SQUARE BIT SETS

Lisle* Master Triple Square Bit Set Lisle

- · For head bolts, brake caliper bolts, door handle screws, axle bolts and other applications
- 5/16" Hex Drive sizes 4mm, 5mm
- 1/2" Hex Drive sizes 6mm, 8mm, 10mm, 12mm
- 5/8" Hex Drive sizes 14mm, 16mm
- 3/4" Hex Drive size 18mm LST 60850



Lisle® 12 pt. Triple Square Bit Set

- Triple square (12 point) bits to fit 6, 8, 10 and 12mm sizes, Fit all on 1/2 inch hex drives
- · Fits some head bolts, retaining bolts, disc brake calipers and other applications LST 60750





POWER TOOLS

POWER IMPACTS

Milwaukee® M18 FUEL™ ONE-KEY™ High Torque 3/4" Impact Wrench With Friction Ring - Bare Tool



- Delivers up to 1200 ft/lbs of fastening torque, 1500 ft/lbs of nut-busting torque
- ONE-KEY[™] technology allows users to customize, track and manage tool's performance and location
- · Friction ring design ensures quick and easy socket changes NOTE: Battery not included



MIK 2864-20

Milwaukee® M18 FUEL™ 3/8" Compact **Impact Wrench** with Friction Ring - Bare Tool

· Delivers up to 250 ft-lbs. of nut-busting torque



- 4-Mode DRIVE CONTROL™ includes auto shut-off and bolt-removal modes
- · Only 4.8" in length for access in tight spaces
- · Tri-LEDs to increase workspace visibility
- REDLINK PLUS™ to prevent overloading or overheating

NOTE: Battery not included

MIK 2854-20



DEWALT® ATOMIC 20V MAX* 3/8 in. Cordless Impact Wrench with Hog Ring Anvil Kit

· Up to 300 ft-lbs of max fastening torque and 450 ft-lbs of max breakaway torque

- 4-speed settings
- · Helps prevent overtightening and fastener run-off with precision wrench™ control
- · LED light with brightness control
- · Hog ring anvil for rapid, Secure socket changes
- · Glass-Filled Nylon Housing

DEWALT

SBD DCF923P2

Milwaukee® M18 FUEL™ High Torque 1/2" Impact Wrench with Friction Ring

- Delivers 1000 ft/lbs of fastening torque, 1400 ft/lbs of nut-busting torque
- 4-mode DRIVE CONTROL™ provides greater control over output speed and power
- · Friction ring design ensures quick and easy socket changes



1/2" POWER IMPACTS

Milwaukee® M18 FUEL™ 1/2" High Torque Impact wrench with Friction Ring Kit

- Up to 1,100 ft-lbs of fastening torque w/ XC5.0, and 1,500 ft-lbs of nut-busting torque
- 7.6" for greater access in tight spaces
- · Friction ring design ensures quick and easy socket changes
- · Maximized productivity on the jobsite and in the shop
- Includes: (1) M18 FUEL™ 1/2" High Torque Impact Wrench, (2) REDLITHIUM™ XC5.0 Resistant Battery



MLK 2967-22

* Contact your local store for pricing and availability

Milwaukee® M18 FUEL™ High Torque 1/2" Impact Wrench with Pin Detent

- · Delivers 750 ft/lbs of fastening torque, 1100 ft/lbs of nut-busting torque
- · Easily toggle up to four custom performance profiles that can be saved to the memory of the tool
- Features a pin detent design for maximum socket retention
- · LED light to illuminate the work area
- Includes: M18 1/2" High Torque Impact Wrench, (2) REDLITHIUM batteries, M18/M12 Dual Voltage charger and Molded Case

MLK 2862-22R

Milwaukee



Milwaukee® M18 FUEL™ ONE-KEY™ High Torque 1/2" Impact Wrench Milwaukee

With Friction Ring - Bare Tool

- · Delivers up to 1,000 ft/lbs of fastening torque, 1,400 ft/lbs of nut-busting torque
- ONE-KEY™ technology allows users to customize, track and manage tool's performance and location
- · Friction ring design ensures quick and easy socket changes

MLK 2863-20 **\$410**

Milwaukee® M18 FUEL™ Mid-Torque 1/2" Impact Wrench Milwaukee with Friction Ring - Bare Tool

• Delivers 650 ft/lbs of nut-busting torque

· 4-mode DRIVE CONTROL™ provides greater control over output speed and power

· Friction ring design ensures quick and easy socket changes · LED light to illuminate the work area

NOTE: Battery not included

MLK 2962-20 \$36599

DEWALT® 20V MAX 1/2" High Torque **Impact Wrench Kit**

- Includes (1) 1/2" High Torque Impact, (1) Fast Charger, (2) 20V Li-lon 4 Ah batteries and Kit Bag
- 400 ft.-lbs. of maximum torque
- · Hog ring anvil for quick and easy socket changes

SBD DCF889HM2



POWER TOOLS

Milwaukee® M12 FUEL™ 1/2" X 18"Bandfile **Bare Tool**

POWERSTATE™ Brushless Motor delivers the power to remove

- spot welds with the best-in-class material removal rate • Two-Speed Settings (High 3,600 SFM/Low 1,800 SFM),
- Forward & Reverse Functionality
- Lock-On Button, Variable Speed Trigger
- Tool-free 360° arm rotation NOTE: Battery not included

MLK 2482-20 \$33799 Milwaukee





POWER DRILLS

Milwaukee® 1-5/8" Electromagnetic Drill Kit

- Includes 1-5/8" Electromagnetic Drill Kit, Safety Strap, Lubrication Spray Bottle, Chuck Key, 3/4" Weldon to 1/2" Chuck adapter, (2) 1" retractable pilot pins and Hard Carrying Case
- · 13A motor delivers fast drilling with annular cutters or twist drill bits
- · 2-speed gear box: 475/730 RPM

MLK 4272-21





Milwaukee® M18 FUEL™ 1/2" Drill/Driver Kit

 Includes M18 FUEL™ 1/2" Drill/Driver, (2) M18™ RED LITHIUM XC5.0 Extended Capacity Batteries, Multi-Voltage Charger, Side Handle, Belt Clip, and Hard Case

Brushless motor delivers 1,400 in-lbs of torque and 2,000 RPMs

MLK 2903-22

\$**440**99 Milwaukee





POWER RATCHETS

Milwaukee® M12 FUEL™ 3/8" Extended Reach Milwaukee **Ratchet Kit**

- · Up to 55 Ft-Lbs Max Torque
- · Slim head profile and extended neck provide users with the longest reach in tight spaces
- Includes: 2560-20. (1) M12 REDLITHIUM™ 2.0 Battery, M12 Charger, Carrying Case, (2) Wrench



* Contact your local store for pricing and availability



DEWALT® 20V MAX XR Brushless Cordless 3/8" & 1/2" Sealed Head Ratchet Bare Tool

- 75ft-lbs Max Torque
- · No Load speed of 0-300RPM
- Quickly swap between 3/8" and 1/2" square drives
- · Forward/Reverse Switch allows for efficient working in tight spaces
- · Oil resistant glass filled nylon tool housing resists effects of harsh automotive oils and solvents
- · Integrated LED light and trigger lock
- · Battery and Charger not included

SBD DCF510B



M12 FUEL™ Cordless Ratchet

- Compact and lightweight design at 1.9 lbs. and 10-3/4" in length
- 3/4" low-profile head for work in tight spaces
- · Variable speed trigger for maximum control
- Onboard LED to illuminate work area
- On-board battery fuel gauge
- REDLINK PLUS™ to prevent overloading or overheating 3/8"
- Delivers 35 ft.-lbs. torque
- MIK 2457-20
- Contact your local store for pricing and availability





POWER GRINDERS

Milwaukee® M18 FUEL™ 4-1/2"/5" Grinder

With Slide Switch Lock-On - Bare Tool

- · Delivers up to 135 cuts per charge
- · Slide switch reduces user fatigue
- Compatible with all M18 batteries

NOTE: Battery not included

MLK 2881-20

* Contact your local store for pricing and availability



Milwaukee® 4-1/2" Small Angle Grinder

- · Compact and lightweight at 10.2" long and 3.5 lbs
- · 7.0 Amp, 750 MW0 Motor
- · Built in advanced airflow system, including Debris Baffles and Multi-Port Exhaust

MLK 6130-33





DEWALT® 20V MAX Lithium Ion Angle Grinder Tool Kit

- 8,000 RPM motor
- Quick-Change™ Wheel Release allows tool-free wheel removal without need for a wrench
- 2-finger trigger switch
- 2-position side handle
- Includes: (1) DCG412 Grinder (2) DCB205: 20V MAX* XR Premium Li-Ion Battery (5.0 Ah), (1) Fast Charger,
- (1) Hex Wrench, (1) 5" Type 27 (Grinding) Guard, (1) 2-Position Side Handle, (1) Contractor Bag

SBD DCG412P2



DIE GRINDERS

Milwaukee® M12 FUEL™ 1/4" Right Angle Die Grinder - Bare Tool

- 0.3 HP motor output, Max RPM 24,500
- · 4-mode speed control and responsive variable speed trigger
- 20% more powerful than Pneumatic 0.25 HP die grinders NOTE: Battery not included

MLK 2485-20




Milwaukee® M12 FUEL™ 1/4" Straight Die Grinder - Bare Tool

- 20% more power than pneumatic tools
- 0.3 HP motor output · 3-mode RPM control

NOTE: Battery not included MLK 2486-20







POWER TOOLS

HEAT GUN

Milwaukee® M18™ Compact Heat Gun

- · High Performance Heating Coil: Reach operational temperature in 7 seconds
- · Most compact electric heat gun: 6.4" long
- REDLINK™ Intelligence: Temperature management system provides maximum life
- Compatible with all M18™ REDLITHIUM™ Battery Packs

MLK 2688-20

* Contact your local store for pricing and availability

NEW

DEWALT® LCD Heat Gun

- · LCD display allows user to adjust temperature within 50-degree increments
- · Built-in overload protection shuts the heating element down and prevents burn up
- · Built-in hang ring adds a convenient storage feature

SBD D26960 \$ **19999**





BENCH GRINDERS

JET[®] Heavy Duty Bench Grinder JET

- · Steel wheel covers with rear dust exhaust ports
- · Eye shields and spark guards for operator safety
- · Includes coarse and medium grinding wheels

6" 1/3 HP - JET 240153



- **DEWALT® 8" Bench Grinder** · 3/4HP 3600 RPM induction motor
- · Rear exhaust ports in wheel guards

SBD DW758

- · Cast iron base and housing
- Precision-machined aluminum tool rests



DEWALT® 20V Max Cordless Reciprocating Saw Kit

- · Variable speed trigger delivering up to 3000 strokes per minute
- 1-1/8" stroke length for fast cutting
- · Keyless lever-action 4-position blade clamp
- · Pivoting shoe provides leverage during cutting and extends blade life
- Includes: DCS380P1, (1) DCB205 5.0Ah battery, (1) Charger, (1) Kit Box

SBD DCS380P1

Milwaukee® M18™ 18V Cordless Tire Inflator Bare Tool

- · Ability to handle tires over 100PSI, rated for 150 PSI Max
- PSI memory preset function
- · Optimized for passenger, light truck and other medium duty tires
- · Includes all brass schrader chuck, inflation needle, inflator nozzle, & presta chuck
- Fits all M18[™] batteries NOTE: Rattery not included

MLK 2848-20



DEWALT® 20V Max Corded/Cordless Air Inflator


- · High-pressure inflation mode with automatic shutoff
- · High-volume inflation and deflation modes
- · LED light helps to provide illumination
- Three power sources** for inflation on a jobsite and on the go (**20V MAX* battery, 12V DC, or 110V AC)
- · Onboard accessory storage
- · Heavy-duty rubber feet help reduce walking when in use
- · Threaded chuck for secure connection to inflation valve

SBD DCC020IB



MULTI-TOOL KITS

Milwaukee® M18™ FUEL Hammer Drill/Impact Kit



M18 FUEL™ 1/4" Hex Impact Driver delivers 2000 in-lbs of torque

Includes (1) M18 FUEL™ 1/2" Hammer Drill/Driver, (1) M18 FUEL™ 1/4" Hex Impact Driver. (2) M18™ REDLITHIUM™ XC5.0 Batteries, (1) M18™ & M12™ Multi-Voltage Charger, Carrying Case, Side Handle and (2) Belt Clips

MLK 3697-22

WET/DRY VACUUM

Milwaukee® M18™ 2-Gallon Wet/Dry Vacuum

- · Powerful suction for wet & dry applications
- 45 CFM & 32" of Suction
- Includes 6' flexible hose, crevice tool, utility nozzle, and certified HEPA filter





DEWALT® 18/20V MAX* Cordless Wet/Drv Vac

- · 2-gallon tank capacity provides enough storage to empty a toilet or clogged pipe
- Easily accessible, washable, and reusable filter
- · HEPA rated wet-dry filter traps with 99.97% efficiency at 0.3 microns
- Heavy-Duty flexible 5 ft. x 1-1/4 in. diameter hose
- · On-board accessory storage makes it easy carry





BATTERIES & CHARGING

Milwaukee® M18™ RED LITHIUM™ XC5.0 Starter Kit

 Includes M18[™] REDLITHIUM[™] XC5.0 Extended Capacity Battery and Multi-Voltage Charger

MLK 48-59-1850





Milwaukee® M18™ RED LITHIUM™ XC5.0 Extended Capacity Battery Pack Two Pack MLK 48-11-1852

MLK 48-11-1850





Milwaukee® M18™ REDLITHIUM HIGH OUTPUT™ XC8.0 Battery

- Most powerful M18[™] extended capacity battery
- · Onboard fuel gauge displays remaining run-time
- Compatible with 175+ M18[™] cordless products MIK 48-11-1880
- * Contact your local store for pricing and availability





MLK 48-11-2460



DEWALT® 20V MAX* POWERSTACK™ Compact Battery

- · 50% more power in a 25% more compact battery
- · Durable, overmolded base provides impact resistance
- · LED fuel gauge displays state-of-charge
- · Battery works with all DEWALT 20V MAX* tools and chargers

SBD DCBP034



TOOL STORAGE











HOMAK® PRO II SERIES Homak

- · Full length aluminum drawer pulls with black plastic end caps
- 100 lb. capacity drawers with removable ball-bearing glides
- · EVA Foam drawer liners included
- · Lift latch drawer pulls
- 5"x2" Casters with 520 lb. weight capacity each

27" 12-Drawer 2-Section Combo

A 27" 5 Drawer Top Chest 26-1/2" W x 24-1/4" D x 21-3/8" H, Storage Capacity: 7,200 cu. in.

Line Part Colour Code Number

Black HMK

■ Blue HMK BL02027052

■ Red HMK RD02027052

YOUR CHOICE

Contact your local store for pricing, delivery cost, and availability

FINANCE IT

27" 7 Drawer Roller Cabinet 27" W x 24-1/2" D x 39" H, Storage Capacity: 9,115 cu. in.

Line Part **Colour Code Number**

Black HMK BK04027702

■ Blue HMK BL04027702

■ Red HMK RD04027702

YOUR CHOICE

* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

HOMAK® RS PRO SERIES Homak

- · Full length aluminum drawer pulls with black plastic end caps
- 100 lb. capacity drawers with removable ball-bearing glides
- · PVC Foam Drawer Liners Included
- · Lift latch drawer pulls
- 5"x2" Casters with 520 lb. weight capacity each

54" 18-Drawer 2-Section Combo

54" 8 Drawer Top Chest 54" W x 23-1/2" D x 21-3/8" H, Storage Capacity: 14,300 cu. in.

Line Part Colour Code Number

■ Black HMK BK02065800 ■ Blue HMK BL02065800

■ Red HMK RD02065800

YOUR CHOICE

* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

D 54" 10 Drawer Roller Cabinet 54" W x 23-1/2" D x 30-3/8" H, Storage Capacity: 19,800 cu. in.

Line Part **Colour Code Number**

■ Black HMK BK04054010

■ Blue HMK BL04054010

■ Red HMK RD04054010

YOUR CHOICE

* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

E Homak[®] Polypropylene 36" Service Cart Homak

- · High Impact polypropylene won't chip, rust or dent
- Four 4" X 1" casters. 2 swivel, 2 fixed
- · Bottom shelf for extra storage
- 500 lb. maximum capacity

HMK PP06046021 **\$38999**

MILWAUKEE® PACKOUT™ TOOL BOXES



- Modular connectivity with all PACKOUT™ components
 Locking security bar to lock drawers with padlock
- · Impact-resistant polymer construction with metal reinforced corners
- Includes interior organizer trays
- · Heavy duty latches
- · IP65 rated weather seal
- · 50 lb. weight capacity

- · Integrated quick adjust dividers to customize drawer layout



* Contact your local store for pricing and availability

G 3-Drawer Tool Box 22.1" W × 16.2" D × 14.3" H MLK 48-22-8443

> * Contact your local store for pricing and availability



PACKOUT[™] Tool Boxes Are Stackable

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

AIR TOOLS & HOSES

JET 6-Piece Air Hammer Kit – Super Heavy Duty

- · Super Duty .401" shank, long barrel air hammer
- · Shock Vibration Reduction" technology ensures operator comfort, safety and prevents potential physical damage
- · Hits harder with less effort
- · Designed with an ergonomic "T" handle grip for balance and comfort
- · Developed for demanding use such as: exhaust systems, front end work, bushing driving, cutting, general repairs and heavy production work
- · Equipped with heavy duty quick coupler retainer for quick bit changes
- Complete with 5 bits in a blow mould case





NEW

AIR GRINDERS

JET 1/4" Mini 90° Angle Head Die Grinder

- · Quality advances for longer service life include: steel end plate inserts, brass collar, reinforced air inlet and cylinder made of higher quality steel
- · Precise bevel gear systems reduces speed for powerful confined area work · Featuring deeper cut gears locked in place by slot and pin mechanism for
- improved service life
- · All ball bearing construction and lever throttle for positive speed control





Carquest® Angle Die Grinder

- · Features a teasing throttle with built-in power regulator
- · Free Speed: 20,000 RPM

EQP 7448 \$6599 GROUEST



ProValue™ Rear Exhaust Air Die Grinder

- · Standard safety lever
- · Free Speed: 22,000 RPM
- Variable speed throttle control Collet Size: 1/4"

EQP 2320-PV \$5999 provalue





Carquest® 1/2" Heavy-Duty Impact

- · Twin hammer clutch
- · Force feed lubrication
- · Cushion grip
- · Variable speed trigger control
 - Adjustable power regulator

Ultimate Torque: 425 ft.-lbs.



ProValue™ 6" Dual Action Quiet Air Sander

- · All steel balance minimizes vibration while blending and smoothing
- · Bolt style hub mounting
- · Orbital motion

EQP 2310-PV 59999 ProValue







Milton* 1/4" FNPT Dual Head Air Chuck



BLOW GUNS AND ACCESSORY KITS

Tru-Flate Plastic Pistol Grip Blowgun

- · Lightweight plastic with ergonomic design
- · Brass valving and bushing ensure long life







BLOW GUNS AND ACCESSORY KITS

Tru-Flate 1/4" FNPT Input Safety Blowgun

- · Oil Resistant, Rubber tip to protect paint and finishes from scratching
- · Safety nozzle for limiting pressure to 30 psi

CPM 18-215



Tru-Flate Airline Regulator with Gauge


• Easy "on the tool" air adjustment • Helps keep air flow at exact operating pressures.

CPM 41-135 \$**649**



TŔ**Ū-Flate**

Compressor Accessory Kit



CPM 41-253





CPM 41-225 \$1599



AIR HOSES REELS

and recreational equipment and Storage Box

ZillaReel™ PRO with Levelwind™

· Features a Latching Mode Switch which allows user to choose from latching the hose every 3 ft. or switching to free run

· Includes a 7-position locking bracket

PRO 3/8" x 75', 1/4" NPT LEG L8306FZ

LEG L8335FZ

PRO 1/2" x 50', 1/4" NPT

LEG L8305FZ \$29099

Flexzilla® Enclosed Plastic Retractable Air Hose Reel with Hose

· Auto Retract/Latch Hose Mechanism - Simplifies every job by keeping excess hose out of the work space 3/8" x 50', 1/4" NPT

LEG L8250FZ



Tru-Flate Hybrid Air Hose Reel TRU-FLATE

- · Vertical or Horizontal mount
- · Bend restrictors help keep hose from kinking
- · Slow rewind spring helps retract air hose at a slower, safer rate



LINCOLN®ALL-STEEL HOSE REELS

- · All steel construction, spring-powered automatic recoil, 5-position adjustable outlet arm
- 8-position ratchet gearing locks the reel at the desired hose length
- · Ball stop included

LIN 83753

50' x 3/8"

50' x 1/2" LIN 83754





AIR COMPRESSORS/SHOP EQUIPMENT

Flexzilla[®] Pro Water Hose

- · Field repairable Reusable anodized aircraft aluminum fittings.
- · Extreme all-weather flexibility
- · Won't kink under pressure
- · Flexible Hybrid Polymer material

5/8" x 50' LEG HFZWP550



AIR HOSES

Flexzilla® Air Hoses

FLEXZILLA

Extreme all-weather flexibility (-40° to 140°F)
 Won't kink under pressure

		, ,	,		
Size	NPT	Line	Part Number	Price	
3126	IVE	Couc	Mullinei	FIICE	
3/8" x 25'	1/4"	LEG	HFZ3825YW2	\$39.99	2 H 2 A
3/8" x 50'	1/4"	LEG	HFZ3850YW2-CA	\$69.99	
1/2" x 50'	3/8"	LEG	HFZ1250YW3-CA	\$89.99	9
					15



Flexzilla® Pro Air Hoses

· Extreme all-weather flexibility (-40° to 140°F)

· Field repairable - Reusable anodized aircraft aluminum fittings

Size	NPT	Line Code	Part Number	Price
3/8" x 25'	1/4"	LEG	HFZP3825YW2	\$39.99
3/8" x 50'	1/4"	LEG	HFZP3850YW2	\$69.99



Tru-Flate Ultra Air Hybrid Air Hose

· Ideal for general purpose applications

· Lighter in weight than rubber and more flexible than PVC

Size	NPT	Line Code	Part Number	Price	
3/8" x 50'	1/4"	CPM	575-50A	\$39.99	
1/2" x 50'	3/8"	CPM	573-50A	\$54.99	With the same or



Tต**์ป็-FLATE**

Tru-Flate Nylon Recoil Air Hose

- · Retains its self-coiling properties and stores itself when finished
- · Can be used with all air-powered equipment on the job site and in garages, plants and service stations
- · Swivel end fittings reduce hose twist

Size	MNPT	Line Code	Part Number	Price
1/4" x 25'	1/4"	CPM	4-25E-TF	\$12.99

Tru-Flate Rubber Air Hose

· Ideal for rugged applications where hoses come in contact with concrete or other rough surfaces

			0	
Size	MNPT	Line Code	Part Number	Price
3120	141141	oouc	Humber	11100
3/8" x 50'	1/4"	CPM	552-50AE	\$36.99



Tru-Flate Polyurethane Air Hose

Remains flexible and lays flat at extremely cold temperatures

nomanio novibio una lajo nac ac oxcionicij cola comporacareo								
Size	MNPT	Line Code	Part Number	Price				
0.20								
1/4" x 25'	1/4"	CPM	12-25E	\$21.99				



Performance Tool Portable Air Tanks

· Includes industrial grade hose with tire chuck, pressure gauge and on/off air adjustment dial 5-Gallon









Milton[®] ISO 100 Air Compressor Oil 32 Ounces

- · Maintains viscosity in the temperature range of 20° Fahrenheit to 440° Fahrenheit
- · High oxidation resistance

PFT W10005

MIL 1002-32





MS GREGSON PRESSURE WASHERS

MS Gregson Electric Powered, Cold Water

1200 PSI @ 2.0 GPM

- 36" spray gun/wand
- 25' industrial hose
- Redesigned chassis with exceptional maneuverability, 12" flat free tires on dual ball bearings

MSG JET1220E

MS Gregson Gas Powered, Cold Water

3500 PSI @ 4 GPM

- · Honda motor
- · 36" spray gun/ single wand
- 35' industrial non-marking hose
- MSG JET3500
- * Contact your local store for pricing and availability



Light Commercial Electric Power, Cold Water Pressure Washer

1300 PSI @ 1.85 GPM MSG KI 1400XT



MSG



MS GREGSON PRESSURE WASHER MSG **SPRAY GUNS**

Industrial Spray Guns

Cold water 36" wand, 4000 PSI MSG MS-GUN36QC2



MS Gregson 3/8" High Pressure Hose

· Grey non-marking, 6,000 PSI rated

50' MSG FH-H3850HQC \$199





SHOP SEATS AND CREEPER

DieHard® Toolbox Roller Seat DieHard

- · Maximum weight capacity: 350lbs
- 3 drawers system with side racks for tools storage.
- · Vinyl padded seat cushion for maximum comfort and support
- · Steel frame construction
- · Four 2.5" polyurethane swivel casters for easy movement

EQP DH20002



DieHard® Pneumatic Shop Seat **DieHard**

- 17"-22" height adjustment
- · Maximum weight capacity: 250 lbs.
- · Ball bearing swivel casters
- · Tool tray under seat
- · Steel construction · Full padded seat

EOP DH20017





SHOP EQUIPMENT/LIGHTING

SHOP SEATS AND CREEPER

DieHard Creeper Seat **DieHard** Maximum weight capacity 300 lbs.

- · All steel construction
- · Heavy-duty supports
- · Thick vinyl seat
- · Large tool tray

EQP DH20018

DieHard® 40" Plastic Creeper

- · Six swivel casters for easy maneuverability
- · Molded storage trays on each side of creeper
- · Maximum weight capacity 250 lbs.

DieHard® 36" 6-Caster Steel **Car Creeper**

- · Padded head rest for added comfort
- · Maximum weight capacity 250 lbs.

EQP DH20010

DieHard







Bayco° LED Nightstick° Multi-purpose NIGHT STICK Rechargeable Dual-Light Work Light

66 LED BAY SLR-2166

· Features bright white LEDs - 35,000 hour life

Bayco® 2-in-1 Rechargeable LED Worklight

· Flat bottom design allows the light to stand up

· Includes (2) built-in magnets and detachable magnetic hooks

LED WORKLIGHTS

Bayco® 60 LED Work Light on

Retractable reel 50', 18/2 SVT cord

with Spotlight in Handle

34 LED BAY SLR2134

BAY SL-864

- · Impact and Chemical resistant
- · Removable hanger hook/folding stand and magnet for maximum utility
- · Home and car chargers included.

BAY NSR-2492

LED WORKLIGHTS

Grote® BriteZone™ LED Work Lamps

- · Rugged, durable construction for use in all kinds of tough conditions
- · Sizes and brightness to meet your needs

Round - 1600 Lumens | Slim - 1400 Lumens LTG BZ101-5 LTG BZ301-5

Square - 1100 Lumens | Small Round - 1240 Lumens LTG BZ201-5

LTG BZ111-5

Rectangular - 1200 Lumens LTG BZ551-5





Grote® BriteZone™ LED Hand Held Work Lamps

- · Rugged, durable construction for use in tough conditions
- · Includes wall and car charger, and magnetic polymer base that allows you to secure the lamp to most metal surfaces
- · Go anywhere 1100 Lumens

LTG BZ501-5

Bayco® 60 LED Worklight BAYCO with Magnetic Hook

· Includes (2) magnets and detachable magnetic hooks









Bayco® Nightstick Rechargeable Work Light

- · Dual-brightness 600/225 lumens floodlight
- · 3 integrated magnets and detachable magnetic hook
- · Lithium-ion rechargeable battery
- · Includes both AC and DC power supply / charger

INCANDESCENT WORKLIGHT

Use With Rough Service Incandescent Light Bulbs Only! (Not Included)

25' with single outlet BAY SL-425A

EXTENSION CORDS Bavco® Retractable Metal Cord Reel

with 3 Outlets

- · 3 separate grounded outlet • 13 amp rating
- · Built-in LED status light
- · Includes mounting brackets

30', 14/3 SJT Cord



- · 13 amp resettable circuit breaker

Bayco® Cold Weather Single-Tap Extension Cord 50', 16/3 BAY SL-750





DIAGNOSTIC TOOLS

AUTEL® MAXISYS SCANNERS AUTEL®

Autel® MaxiSYS MS919

- 9.7" Touchscreen (1536px x 2048px) / Android 7.0 OS
- · 2.3GHz+1.7GHz Octa-core Processor / 128GB Memory
- 15000mAH battery -8hrs Continuous Operation / 16MP Rear & 5MP Front Cameras
- · Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: All System Module Status Screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with Real Fix References / Repair Tips Video Library
- · Includes Advanced VCMI Converged VCI and Oscilloscope
- · FREE 1-Year Software and
- 1-Year Warranty

AIT MS919

* Contact your local store for pricing and availability





Autel® MaxiSYS Ultra

- 12.9" Touchscreen (2732px x 2048px) / Android 7.0 OS
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- · Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- Topology Mapping: all system module status screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- · Split screen display to view multiple functions at once
- · ADAS Calibration software capable
- · Includes Advanced VCMI Converged VCI and Oscilloscope
- · Includes connector kit, carry case and 1 Year warranty and software subscription



AIT MSUITRA

* Contact your local store for pricing and availability

FINANCE IT

Autel® MaxiSys MS906PRO Diagnostic Tablet

- · High-powered eight-inch advanced diagnostic tablet
- · Expanded software and cloud-based data and repair services
- · Octa-core processor
- · Android 7.0 OS
- · Access comprehensive repair information
- · Performs advanced diagnostics, including coding and adaptations
- · 128 GB of memory
- · Conduct battery and electrical system analysis and ADAS calibrations

AIT MS906PRO

* Contact your local store for pricing and availability



Autel® MaxiSYS MS906PRO-TS Diagnostic Tablet

- · Advanced diagnostic tablet for U.S., Asian and European vehicles, 1996 and newer
- · Complete TPMS servicing: Activate/read all known sensors, diagnose system, program 1-Sensor, relearn sensors
- · 8-inch Wireless Touchscreen tablet with embedded antenna
- Bluetooth-enabled MaxiSYS VCI200 Octa-Core Processor/128 GB memory/4 GB RAM
- · Read/Erase Codes, View Freeze Frame and Live Data
- · Performs all system scan with ADAS identification/Customizable Pre & Post scans
- Bi-directional control capability including Active test/Performs coding and adaptations



AIT MS906PROTS

* Contact your local store for pricing and availability

FINANCE IT

AUTEL® MAXISYS SCANNERS AUTEL

Autel® MaxiSYS Ultra EV

- Advanced diagnostics for U.S., European and Asian electric, gas and diesel, and hybrid vehicles
- Rapid analysis of EV high-voltage system including ability to read and erase codes and view live data
- · Comprehensive diagrams of high-voltage system block, components and sockets; Step-by-step system disassembly instructions
- 12.9" Touchscreen (2732px x 2048px)
- 2.3GHz+1.7GHz Octa-core Processor / 256GB Memory
- 18000 MAH battery for 8 hours continuous operation / 16MP Rear camera and 5MP front camera
- · Repair Assist: Guided Procedures with DTC Analysis & Fault Code Solutions
- · Topology Mapping: all system module status screen (on equipped vehicles)
- · Relevant Cases: Troubleshooting with real fix references / Repair tips video library
- Split screen display to view multiple functions at once
- · Includes Advanced VCMI Converged VCI, Oscilloscope, and EVDiag Box

· FREE 1-Year Software and 1-Year Warranty

AIT MSULTRAEV

* Contact your local store for pricing and availability

FINANCE IT



AUTEL® MAXIIM TABLETS AUTEL

IC Card read/write

Autel® MaxilM IM608PROKPA Advanced IMMO and Key **Programming Bundle**

- 10" Touchscreen Android-based tablet
- · Professional key programming with XP400 programmer
- · Advanced key and EDU/MCU programming functionality read/write
- · Key read/write transponder data (96 bit)

AIT IM608PROKPA

* Contact your local store for pricing and availability

FINANCE IT



· Includes 1-Year software updates and warranty

• Includes MaxiFlash J2534 Pass-Thru Programming Device

· Streamlined smart and expert key programming and IMMO

Autel® MaxilM IM508 Key Programming Tablet

- 7" Touchscreen Android-Based Tablet
- · Powerful Key Programming & IMMO Functionality
- · All Systems Vehicle Diagnostics
- · Read PIN/CS (all key lost), key generation, key learning, remote learning
- Internal reliable 32GB Memory
- · Comprehensive Service Menu

AIT IM508

- · Includes the XP200 Key & Chip Programming
- · Approximately 4.5 hours of continuous use
- · Ambient light sensor for brightness auto changing
- · Includes 1-Year Software Updates and Warranty



Autel® MaxiCheck MX900

- · 8" corded Wi-Fi-enabled touchscreen tablet
- Compatible with U.S., Asian, and European vehicles, 1996 and newer
- · Read and erase codes, view and graph live data, view freeze frame data
- Perform bi-directional Active Tests and Special Functions
- · Extensive, 40-plus service menu including brake bleed, oil and service lights resets, battery registration, DPF regen, and electronic parking brake and steering angle resets
- Android 110S, 1.8 Ghz processor, and 7 hours of continuous battery life
- · Update firmware and coverage software wirelessly
- · One Year Limited Warranty

AIT MX900





DIAGNOSTIC TOOLS

AUTEL® TABLET ACCESSORIES AUTEL

**Autel® Total Care 1-Year Software Updates

- · Extends software subscription for additional 12 months
- Ensures tablet has latest vehicle coverage,: Make, Models and Years
- No-Cost Battery and/or Tablet Replacement (excludes misuse and loss/theft)



Autel® Tesla Diagnostic Adapter Cables AUTEL

- · Diagnostics cable kit for Tesla S and X model vehicles
- · Compatible with Autel MaxiSYS tablets
- Cable LANO01: Connects to Tesla port X861 to activate Factory Mode
- · Connects to Tesla port X863 for diagnostics
- · Cable CANOO1: For diagnostics of post-2015 vehicles
- · Connects to Tesla port X437
- · Cable CANOO2: For diagnostics of pre-2015 vehicles
- · Diagnostics cable kit for Tesla S and X vehicle models
- Set of three cables enables MaxiSYS tablet to connect with Tesla S and X vehicles to activate factory mode and perform system diagnostics





HEAVY-DUTY SERVICE LAUNCH

LAUNCH® X-431 Torque 5

- · Full system & full function diagnosis
- · Auto Detect VINs in Minutes
- Bi-directional control/remote diagnostic function
- Dual band 5G & 2.4 G wireless connection with ultra-fast speeds
- Advanced vehicle protocols including DoIP (external diagnostic cable), CAN FD etc.
- · Support X431 fix repair information, driven by motor
- · Code assist database by Identifix

- SGW security gateway approved by FCA
- More available software can be purchased via In-APP mall
- Supports 2-channel oscilloscope and multimeter functions
- · One-click upgrade for car models software
- OE level U.S vehicle coverage as well as Asian, European coverage from 1996 & newer.
- · Support USB Type C, USD Type A interface, etc

LCH 301190794

* Contact your local store for pricing and availability





Autel® MAXISYS MS908CVII Commerical Vehicle Diagnostics & Service Tablet

- · 9.7" wireless touchscreen
- · Performs advanced diagnostics on Class 1 Class 9 Heavy duty vehicles
- · Read and Erase codes, view live data, perform bi-directional active tests
- Expert Mode for direct access to OE-specific system components, including engine, transmission, and braking systems
- Extensive service and maintenance functions menu including forced DPF regen, EPB, and OLs
- · Perform injector cutout tests, injector coding
- · Equipped with MaxiFlash wireless bluetooth VCI/J2534
- · AutoScan of all available modules
- Supports newest communication protocols on light duty vehicles with purchase of MaxiVCl200

AIT MS908CVII

 Contact your local store for pricing and availability





Launch Millennium HD Pro LAUNCH

- For gasoline vehicles (I/M Readiness, 02 sensor test and EVAP test), Read and Clears DTCs, Reads Vehicle Information, and Graphic Display
- For heavy duty vehicles (J1708 AND J1939) Read and Clears DTCs, and Data Stream
- · Supports Caterpillar Coverage
- · Supports regen command for most makes and models
- · Includes 6 pin, Type II 9 PIN, and 16 pin adapters
- · Free lifetime updates

LCH 301050372

\$**589**99



Autel® EV Diagnostics Upgrade Kit AUTEL

 Includes EVDiag Box, testing software, and adapters for specific vehicles to enable testing of electric vehicle battery packs



LAUNCH® TABLETS

Launch X-431 Throttle III LAUNCH

- $\, \bullet \,$ OE-level U.S. vehicle coverage as well as Asian, European coverage from 1996 and newer
- $\hbox{-} \ \, {\rm Optional\,ADAS\,\, calibration\,\, application\,\, to\,\, calibrate\,\, LDW,\,RCW,AVM,\,\,NV,\,BSD\,\,and\,\,ACC\,\, system\,\, accurately.}$
- OE-Level bi-directional functionality
- Support communication protocols CAN/CAFD/DoIP and automotive communication standards $\mbox{J/D-PDU/RP1210}$
- TECH 2 TECH remote diagnosis and technician collaboration
- · Auto Detect VIN to access to vehicle info within seconds
- OE vehicle approved Security Gateway access by FCA certified
- Code Assist by Identifix, access most common fixes and repair solutions with corresponding DTC
- Topology module mapping overview virtually the all-systems communication status

LCH 301180833

* Contact your local store for pricing and availability





Launch Gear Scan Plus LAUNCH

- Extensive vehicle coverage for over 95% US, Asian, and European vehicle makers
- Powerful OE-Level coverage for all vehicle systems
- · Smart auto ID vehicle (VIN, CIN, & CVN)
- · Support all 10 OBDII test modes
- · One-click I/M Readiness
- DTC library with definitions & tips
- · Graphing, record and replay data
- Health reports sharing
- Support resets functions: Oil Light, EPB, BMS, IMMO, DPF, ABS Bleeding, TPMS, SAS, Sun-roof Initialization, Throttle matching, Injector Relearn
- · 7-inch IPS touch screen
- Built-in 6000 mAh rechargeable battery, long standby time





DIAGNOSTIC TOOLS/TRAILER & TOWING

INSPECTION SCOPES

Autel® MaxiVideo MV480 Digital Videoscope AUTEL®

- · Dual front & side 2 MP cameras take high resolution images & video (1920 x 1080)cameras
- · Dual front & side 10,000 lux 10-level adjustable LED lights
- · 8.5 mm camera head with wider 70° field of view
- 4.1" Full color LCD display
- · Record and playback still images and video clips
- · On-screen horizontal/vertical reverse
- · 7X digital zoom for increased viewing
- · 1 meter semi-rigid watertight cable
- · Magnet and hook included

AIT MV480 \$35999



AUTEL

SERVICE + ALL SYSTEM DIAGNOSTICS · All System AutoSCAN DTCs Detection

Autel® MAXIDIAG MD808 PRO -

- · OLS/ EPB/ SBC/ SAS/ BMS/ DPF
- · Set Inspection 1&2 Service Intervals
- I/M Readiness / Emissions Testing
- · Reads & Clears EPB/ SBC Trouble Codes
- · Support OBDII Protocols & All 10 OBDII Test Modes
- · Enhanced Mode 6 Diagnostics
- · View Live and Freeze Frame Data
- 4"" Color Display 840x480
- Includes OBDII Cable & 16 MB Micro SD Card
- · Easy-To-Use Navigation / Software Updates via PC



AIT MD808P

Autel® MaxiTPMS TS508WF **Advanced TPMS Service Tool**

- 2.3" color display 320 x 240
- · Read/Activate/Relearn all known sensors
- · Detect & display TPMS system faults
- · Display vehicle-specific relearn procedures; perform OBDII relearns
- · Key fob signal test
- · Quick mode & advanced mode options

AUTEL

LAUNCH J-Box 3 LAUNCH

Pass-Though Reprogramming

- Works with all OEM J-2534 applications, also supports both J2534-1 and J-2534-2
- Supported BUS Protocols: CAN/ISO 15765/GMLAN, 2nd CAN (Dual or Single Wire), Ford SCP (J1850PWM), GM Class2 (J1850VPW), Chrysler SCI (J2610), KWP2000 (IS09141/14230)
- Compliant to SAE J2534 (Feb 2002), SAE J2534-1 (Dec 2004) and ISO 22900-1 MVCI Physical Layer

Vehicle Applications: GM's Tech 2 WIN and GDS2, Toyota Tech stream, VW/Audi ODIS, BMW ISTA, Jaguar Land Rover IDS, Honda HDS

LCH 301020526

* Contact your local store for pricing and availability



Launch CReader VII with Full Colour LCD Screen

- Read & clear OBD-II trouble codes, view and graph live data in full colour, perform oil service light resets and more
- Special tests include: I/M Readiness, MIL Status, O2 Sensor, EVAP System, Vehicle Info, Code Look-Up and On-Board Monitor Test

LCH 301050139

AUNCH



Autel® AutoLink® AL629 Code Reader

- 320 x 240 LED display
- OBDII 16-Pin Cable
- · Updates thru USB cable, print via PC
- · Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- · Auto VIN for quick DTC definitions
- · Read and erase DTCs for ABS, SRS, engine and transmission
- · Graph, record and playback live data and display freeze frame data
- · I/M emissions readiness
- · Support all 10 OBDII test modes
- · Enhanced Mode 6 Diagnostics
- Tests 0² monitor, on-board monitor, component and oxygen sensor
- FREE Lifetime Software and 1-Year Warranty

Autel® AutoLink® AL329 Engine Code Reader AUTEL®

- 320 x 240 LED display
- OBDII 16-pin cable
- · Updates thru USB cable, print via PC
- · Covers domestic, Asian and European Vehicle Manufacturers 1996 to present
- · Auto VIN for quick DTC definitions
- AIT AL329 \$4999
- · Read and erase DTCs for engine
- · One-click I/M Readiness and LED Indicator
- · Display live and freeze frame data
- · Support all 10 OBDII test modes
- · FREE Lifetime Software and 1-Year Warranty



CABLE TIES

· Made of UV coated general purpose (PA66) Polyamide 6.6 nylon material

Туре	Tensile Strength	Quantity	Line Code	Part Number	Price
11" Black UV	45 lb.	100	CPM	46-210UVB	\$7.49
8" Black	50 lb.	100	LTG	83-6019	\$5.99
11.10" Black	50 lb.	100	LTG	83-6021	\$8.99
14.10" Black	120 lb.	100	LTG	83-6029	\$19.99



Grote® Shrink Tube

Gauge/Length	Colour	Line Code	Part Number	Price
20-12 GA / 6"	Black	LTG	84-4005	\$5.99



WARNING STROBES & SIGNAL LIGHTS

Grote SuperNova® LED Bar Lamp, Red

- Rugged reinforced polycarbonate bar with snap-on replacment lamps
- Easy to install with included sealed flow-through UBS harness
- 12V / .18A

LTG 49182 \$54



Grote 15" Thin-Line LED Light Bar

- · Sealed marker bar lamp that is shock and vibration resistant
- · Rated to 100,000 hours of service life
- · Impact resistant housing is sealed for moisture protection



Grote HiCount® 3-Diode LED Clearance Marker Lamp

· Uses same pigtail as incandescent versions · Fits all popular mountings and grommets

· Hermetic lens-to-housing seal

Red LTG G1902 Amber LTG G1903





TRAILER & TOWING

WARNING STROBES & SIGNAL LIGHTS

Grote HiCount® Oval Front or Rear Turn, Amber

- · Fits same connection as female incandescent lamps
- · Fits all popular mountings and grommets
- · Lower amp draw of LED reduces battery drain

LTG G6003

Grote MicroNova®DOT LED Clearance/Marker Lamp, Red w/Grommet

- · Provides a bright pin-point of light right where it is needed
- · Sleek aerodynamic styling extends less that 3/8" from mounted surface
- · No fasteners required

LTG 49322



Grote Duramold® Two-Bulb Clearance Marker, Amber

- · Snap-on polycarbonate lens for easy replacement
- · Attached blunt-cut pigtail
- · Corrosion-resistant contacts

LTG 46793 \$**649**



Grote SuperNova® 2 1/2" LED Clearance/Marker Lamp, Red

- Hermetic lens-to-housing seal for total circuit board protection
- · Fits all popular mountings and grommets
- · Tin-plated, solid brass terminals are sealed to housing to resist corrosion

LTG 47122



Grote HiCount® Interior/Utility Light, Clear

- · Stylish chrome finish on the hooded guard reduces glare
- Low power consumption and heat production
- · LED offering to provide maximum lighting output in tight spaces

LTG G6151



Grote Select™ 4" LED Stop Tail Turn Lamp, Red

- · Efficient lamp resembles incandescent lamps for easy retro-fits to new LED technology
- · Faster light-on response time provides greater stopping alert distance
- Fits standard pigtails and grommets. Longer life and less current draw than incandescent lamps

LTG 54342 \$1999 Grote



Grote Open Grommet for 6" Oval Lamps

- Fits 2 1/2" x 6 3/4" oval hole
- · Fits panel thickness up to 1/4"

LTG 92420 \$299 Grote



Par 36 Utility Lights

- · For versatile application as utility, fifth-wheel, backup, tractor, forklift or off-road vehicle lamp
- · Adhesive magnet pad to prevent scratching underneath magnet
- · Shock-absorbing, weatherproof body
- Trapezoid, spot, and flood versions
- · Rugged corrosion- and shock-resistant construction
- · Housing works great with Trilliant® 36 LED work lamp
- · Thin-line style fits tight spaces to minimize bumps and knock-off hazards





Grote 10 Light Electromechanical 2-Pin Flasher

- 60 to 120 flashes per minute
- · Flash rate is electronically controlled
- · Steady flash rate for all LED and incandescent loads





WARNING STROBES & SIGNAL LIGHTS

Trilliant[®] Mini LED WhiteLight[™] Hardwired Flood Light - Clear

- · LEDs are rated for 50,000-hour for long-lasting service
- · Flood pattern gives a wide cast near the mounting source
- · Greater lumen output with lower power consumption than leading competitors' versions
- Polycarbonate, hard-coated lens provides many years of service
- Perfect for mounting in situations where bumps or knock-off might be a problem



Marker Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price	
4"	Standard	Red	Rectangular	LTG	46792	\$6.49	
4"	LED	Red	Rectangular	LTG	65202	\$16.99	
4"	LED	Amber	Rectangular	LTG	65203	\$16.99	
2"	Standard	Red	Round	LTG	45822	\$3.99	
2"	LED	Red	Round	LTG	47112	\$9.99	677-9
2"	LED	Amber	Round	LTG	47113	\$9.99	Char
1"	LED	Red	Round	LTG	49332	\$11.99	
1"	LED	Amber	Round	LTG	49333	\$11.99	
2.5"	LED	Red	Round	LTG	G1032	\$8.99	0
2.5"	LED	Amber	Round	LTG	G1033	\$8.99	D 10 5
2"	LED	Red	Round	LTG	G3002	\$8.49	
Kit	LED	Red	Square	LTG	65320-5	\$159.99	
Kit	LED	Red	Square	LTG	65330-5	\$169.99	
Kit	Standard	Red	Square	LTG	65370-5	\$49.99	
Kit	Standard	Red	Square	LTG	65380-5	\$59.99	

Strobe Lights

Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
5.5"	Standard	Amber	Dome	LTG	77013	\$99.99
3.65"	Standard	Amber	Dome	LTG	77103	\$72.99
4"	LED	Amber	Dome	LTG	77353	\$64.99
5"	LED	Amber	Dome	LTG	77473	\$94.99
4.5"	LED	Amber	Dome	LTG	77913	\$69.99
6.5"	LED	Amber	Dome	LTG	78853	\$109.99
6"	LED	Amber	Oval	LTG	77363	\$66.99



	_					
Size	Bulb Type	Colour	Shape	Line Code	Part Number	Price
6.25"	Standard	Red	Oval	LTG	52892	\$12.99
15"	LED	Red	Oval	LTG	53582	\$49.99
6"	LED	Red	Oval	LTG	53962	\$48.99
6"	LED	Red	Oval	LTG	54172	\$22.99
6"	LED	Red	Oval	LTG	G6002	\$29.99
4"	Standard	Red	Round	LTG	52772	\$7.99
4"	LED	Red	Round	LTG	53252	\$24.99
4"	LED	Red	Round	LTG	G4002	\$24.99
4"	LED	Red/Amber	Round	LTG	G5300	\$79.99

Specialized Functional Lighting

Siz	Bulb ze Type	Colour	Shape	Line Code	Part Number	Price
4"	LED	Red	Round	LTG	62691	\$39.99
2"	Standard	Red	Dome	LTG	60001	\$6.99
17	" LED	Red	Rectangular	LTG	76983	\$369.99



TRAILER & TOWING

BACKUP ALARM

Grote® Medium Duty 107dB Backup Alarm

· Available with standard beeping, or adjustable output levels

· Available in both surface mount and grommet mount options





Grote® Medium Duty 97dB Backup Alarm

LTG 73040



Grote® Triangle Warning Marker Kit

- · Reflective up to 1/2 mile
- · Folds for easy storage in included carrying case 3-pack

LTG 71422





Erickson Safety Flag ERICKSON

18" x 18"

· Fluorescent orange mesh with bungy hooks

ERI 05308



ERICKSON BUNGY AND EPDM STRAPS

Erickson Bag Assortment Bungy Kit

10-Pack

- (2) 13" x 8mm, (2) 18" x 8mm, (2) 24" x 8mm, (2) 30" x 9mm,
- (2) 36" x 10mm

ERI 06619



Erickson Standard Bungy 2-Pack

13" ERI 06645

FRI 06646

ERI 06647

30" ERI 06648 ERI 06649



Erickson Industrial EPDM Rubber Tarp Strap

15" (4 Pack) ERI 06602

21" (4 Pack) ERI 06603

31" (4 Pack) ERI 06604



ERICKSON ANCHORS

Erickson Wire Flip Anchor Ring 5000 lb.

- Mounting Bracket: 3-1/2" x 1-1/8"
- Inside Ring Dimensions: 1-5/8" x 1-1/2"
- · Mounting Holes: 2-1/4" Centre to Centre (7/16" Square Holes) 2-Pack ERI 09170



RICKSON



ERICKSON TIE-DOWN STRAPS ERICKS

Erickson Heavy Duty Ratcheting Tie-Downs 5500 lb. - 2-Pack

Features rubber handle ratchets
 1-1/2" x 15"

ERI 32200 **\$4199**

Erickson Ratcheting Tie-Downs 2000 lb. - 4-Pack

- · Wide handle ratchet / moulded rubber handles

ERI 31416

Erickson Ratcheting Tie-Downs 4000 lb. - 2-Pack

- · Top-of-the-line ratchets with rubber handles
- · 2" x 10'

ERI 34410

Erickson Deluxe Tie-Downs 2000 lb.with Web Clamp and Safety Snap Hooks - 2-Pack

- Web clamp was designed to address the problem of what to do with extra webbing
- · Simple and effective
- · Ideal for: motorcycles, ATV's, & PWC's
- 1-1/4" x 12'

ERI 31353



- · Long handle ratchet with moulded rubber handles
- · Allows ease in operation
- 1-1/4" x 12'

ERI 34412

Erickson Cam Lock Tie-Downs 1200 lb. - 4-Pack

- · Features the traditional pull and lock cam buckles
- 1" x 6'

ERI 35605

Erickson Ratchet Tie-Downs 1200 lb. - 4-Pack

Patented moulded rubber handles
 1" x 15'

Erickson Retractable Ratchet Strap 1200 lb. - 2-Pack

• 1" x 10' ERI 34415

Erickson Ratchet Strap 5000 lb. • 2" x 25'

ERI 02400

Erickson Double J-Hooks Ratchet Straps 10,000 lb.

 Heavy-duty metal hooks • 2" x 27'

ERI 78627

Erickson Recovery Strap

9000 lb. (Maximum Vehicle Weight), 18,000 lb. (Breaking Strength)

- · Built in Erickson Strap Wrap makes storage easy
- · Handy storage bag included
- · 2" x 20'

ERI 59500



TRAILER & TOWING

ERICKSON TIE-DOWN STRAPS ERICKSON

Erickson Heavy Duty Motorcycle Strap

with Safety Snap Hooks 1200 lb.

- · Extra Long safety hook snaps over 1" diameter
- · Polyester webbing is strong and durable
- 1" X 6'

ERI 05710



Erickson Heavy Duty Tow Strap

4250 lb. (Maximum Vehicle Weight), 8500 lb. (Breaking Strength)

- · With forged hooks and blue polyester web
- · 2" x 15' ERI 34405



1" Wheel Bearing Kit



- · Features a 1" inside diameter
- · Automatically maintains the correct internal pressure to avoid seal damage
- · Includes two bearing cones, two bearing cups, a grease seal and cotter pin

TOW 23210



CURT™ COUPLERS SCURI

Straight-Tongue Coupler with Posi-Lock 3,500 Lbs.

- · Passes SAE-684 performance testing as a class 2 coupler
- · Spring and nut posi-lock mechanism allows for easy adjustment
- · Constructed from die-cut, punched out steel


Fits 1-7/8" wide straight trailer tongues TOW 25128

Fits 2" wide straight trailer tongues TOW 25153

Fits 3" wide straight trailer tongues straight trailer tongues TOW 25138

CURT™ CHROME FINISH **©CURT** TOW/TRAILER BALLS

Ball Size	Shank Diameter x Length	Capacity	Line Code	Part Number	Price
1-7/8"	3/4" x 1-5/8"	2,000lbs.	TOW	40161	\$9.99
1-7/8"	1" x 2-1/8"	3,500lbs.	TOW	40162	\$10.99
2"	3/4" x 1-3/4"	3,500lbs.	TOW	40164	\$10.49
2"	1" x 2-1/8"	6,000lbs.	TOW	40166	\$10.99
2"	1" x 3"	6,000lbs.	TOW	40074	\$10.99
2-5/16"	1" x 2-1/8"	7,500lbs.	TOW	40167	\$12.99
2-5/16"	1-1/2" x 2-5/8"	10,000lbs.	TOW	40168	\$15.99



CURT Universal Trailer Coupler Lock

Fits most couplers

- · Prevents trailer ball from being inserted into the coupler
- · Protected by a durable hammer-tone epoxy finish TOW 23659



1.98" TOW 22198



CURT™ ZINC HITCH PINS SECURT

· Fits 2" x 2" receiver tubes

5/8"

Pin Diameter Weight 0.5 TOW 21581



CURT™ Safety Pin

- · Secures coupler latches, jack legs, pintle hooks and more
- Square retainer wire clip provides a guick latch and added clearance
- · Constructed from high-strength carbon steel
- Protected by a durable zinc-plated finish

1/4" Pin Diameter 2-3/4" Pin Length TOW 25081



CURT™ RECEIVER TUBES

CURT™ Reducer Sleeves

Reduces 1-1/4" to 2" Opening, 6-1/4" Length

TOW 45785 \$2499

Reduces 2-1/2" to 2" Opening, 5-1/2" Length

Fits 2-1/2" wide

TOW 25135

TOW 45405



CURT™ BALL MOUNTS

CURT™ Multi-Ball Mount with Hook

(2" Solid Shank, 1-7/8", 2" & 2-5/16" Chrome Balls)

- · Allows for quick switching between trailer ball sizes
- · Tow hook perfect for vehicle recovery towing applications
- · Mounts on trailer hitches with a 2" x 2" receiver tube opening
- · Tow hook limited to trailer hitch capacity
- · Shank constructed from solid steel for optimum strength

CURT™ Multi-Ball Trailer Hitch Ball Mount,

1-7/8 in., 2 in. 2-5/16 in. Balls, Fits 2-Inch Receiver, 10,000 lbs

- · Features 3 welded trailer balls on a hollow shank
- · Allows for quick switching between trailer ball sizes
- · Mounts on trailer hitches with a 2 in. x 2 in. receiver tube opening
- Fits 1-7/8 in., 2 in. or 2-5/16 in. couplers"

TOW 45652



CURT[™] **Fusion Ball Mounts** Includes hitch pin and clip

- Permanently attached trailer ball cannot be loosened or stolen
- · Fits 2" receiver

1-7/8" Ball, 2" Drop TOW 45131

2" Ball, 2" Drop TOW 45134

2" Ball, 4" Drop TOW 45154



CURT™ Class 3 Ball Mounts 7,500 Lbs.

7.500 Lbs. 2" Shank, 6" Drop. 9-1/4" Long TOW 45870

2" Shank, 2" Drop, 7-1/2" Long TOW 45830

8-1/2" Long TOW 45850

7,500 Lbs.

2" Shank, 4" Drop.

CURT™ Adjustable Ball Mount 5,000 Lbs.

Max drop: 7-1/2", Max rise: 6-1/4" Shank length: 12-1/2", Fits 2" receivers, 1" ball hole

TOW 45812 **\$4199**



TRAILER AN

CURT™ BALL MOUNTS SCURT

CURT™ Commercial Duty Forged Ball Mount

20,000 Lbs.

2-1/2" Shank, 4" Drop

TOW 45458 \$6999

CURT™ Forged Ball Mounts

17,000 Lbs.

2" Shank, 2" Drop, 8-1/2" Long

TOW 45340 \$4599

2" Shank, 4" Drop, 8-1/2" Long

TOW 45341 \$4999



(2" Shank, 10,000 lbs., 7" High, 6" Long)

- · Fits trailer hitches with a 2" x 2" receiver tube opening
- Mounts any CURT adjustable pintle hook or ball & pintle combination
- Face plate holes spaced apart 1-3/4" high x 3-5/16" wide
- · Three-position height adjustment allows for precise trailer leveling
- · Shank constructed from solid steel for optimum strength

TOW 48323 **\$4.499**



CURT™ CLASS 3 TRAILER HITCHES © CURT

Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs. WD / 1,000 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13301

\$**249**99



CURT™ Class 3 Trailer Hitch, 2" Receiver, Fits Select Chrysler, Dodge, Volkswagen, RAM Minivans

- Rated to 4,000 lbs. gross trailer weight and 400 lbs. tongue weight
- Compatible with weight distribution hitch (5,000 lbs. WD / 500 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating, inside and out

TOW 13364

\$22999



Class 3 Trailer Hitch, 2" Receiver, Fits Select Toyota RAV4

- Rated to 3,500 lbs. gross trailer weight and 525 lbs. tongue weight
- Compatible with weight distribution hitch (4,000 lbs. WD / 525 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13149 \$**740**99



CURT™ CLASS 3 TRAILER HITCHES ©CURT

Class 3 Trailer Hitch, 2" Receiver, Fits Select Chevrolet Express, GMC Savana

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- · Compatible with weight distribution hitch (10,000 lbs.WD / 600 lbs.WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13040

\$24999



Class 3 Trailer Hitch, 2" Receiver, Fits Select Ford Escape, Mazda Tribute, Mercury Mariner

- · Rated to 3,500 lbs. gross trailer weight and 350 lbs. tongue weight
- Compatible with weight distribution hitch
- (5,000 lbs. WD / 500 lbs. WDTW)
 Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13650

\$32999



Class 3 Trailer Hitch, 2" Receiver, Select Silverado, Sierra 1500, 2500

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (10,000 lbs.WD / 1,000 lbs.WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating

TOW 13322

\$26999



Class 3 Hitch, 2" Receiver, Select Dodge Durango, Jeep Grand Cherokee WK2

- Rated to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight
- Compatible with weight distribution hitch (7,500 lbs.WD / 750 lbs.WDTW)
- Engineered with a vehicle-specific design for a custom fit
- Co-cured in a rust-resistant liquid A-coat, inside and out

TOW 13182

\$24999



CURT™ Class 3 Trailer Hitch, 2" Receiver, Fits Select Chevy Equinox, GMC Terrain, Pontiac Torrent

- Rated to 3,500 lbs. gross trailer weight and 350 lbs. tongue weight
- Compatible with weight distribution hitch (4,000 lbs. WD / 400 lbs. WDTW)
- Tested for safety in accordance with SAE J684
- Co-cured in a rust-resistant liquid Bonderite coating, inside and out



TOW 13591



D TOWING

BRAKE CONTROL

CURT™ Echo Mobile Trailer Brake Controller

- · Bluetooth connection to control all brake settings from your smartphone
- · Zero-tool, plug-and-play install between vehicle-trailer 7-way connectors
- · Stores multiple vehicle-trailer profiles

TOW 51180



HOPKINS® Agility™ Proportional Brake Control

- Plug-In simple[®] connection allows for quick installation and removal
- · Percentage of braking power shown in a digital LED display
- · 8-brake capacity

HPK 1200472094





HOPKINS° Reliance™ Plug-In Simple!® Brake Control

- · Time-based braking
- · Percentage of braking power shown
- · Plug In Simple Feature
- · Controls up to 4 trailer brakes
- · Limited Lifetime Warranty

HPK 1200472084





HOPKINS® Brake-Force Brake Control

· Plug-In Simple® connection allows for quick installation and removal

- · LED indicator shows braking intensity
- · 4-brake capacity

HPK 1200472025





WIRING ACCESSORIES

Hopkins® InSIGHT™ Plug-In Simple!® Brake Control

- · Proportional braking
- Percentage of braking power shown
- · 7 sensitivity settings for advanced braking control
- Intuitive vertical manual slide
- · Short proof protected
- · Controls up to 8 trailer brakes

HPK 1200472097





HOPKINS® Engager™ Break-Away System with Battery Meter

HPK 1200200099











WIRING ACCESSORIES

Hopkins® Break- Away Switch

HPK 20005



Hopkins® 4-Wire Flat Extension HOPKINS

- · 48" in length
- · Extends wiring system for more flexibility
- · Includes dust cover, wire ties and grease packet

HPK 1200471015

\$099



Grote 20-Lamp Heavy Duty Electronic Flasher

- · Fits standard round socket
- 60 to 120 flashes per minute
- 11 to 15-Volts DC
- · Less than 3-millivolts per amp voltage drop LTG 44710




Grote® General Purpose Thermo Plastic Wire

- · 100% copper
- Temperature rating -40°C to 80°C
- · Single conductor PVC jacket resists grease, oil, gasoline, acids & other abrasive materials
- · Used for automotive, truck & marine applications

Gauge/Length	Colour	Line Code	Part Number	Price	(100 m
10 GA / 25'	Red	LTG	89-5000	\$18.99	
10 GA / 25'	Black	LTG	89-5002	\$18.99	
12 GA / 25'	Red	LTG	89-6000	\$10.99	
12 GA / 25'	Black	LTG	89-6002	\$10.99	
12 GA / 100'	Red	LTG	87-6000	\$39.99	1
12 GA / 100'	Black	LTG	87-6002	\$39.99	
14 GA / 25'	Red	LTG	89-7000	\$8.99	
14 GA / 25'	Black	LTG	89-7002	\$8.99	
14 GA / 100'	Red	LTG	87-7000	\$26.99	
14 GA / 100'	Black	LTG	87-7002	\$26.99	
14 GA / 100'	White	LTG	87-7007	\$26.99	
16 GA / 100'	Red	LTG	87-8000	\$19.99	
16 GA / 100'	Black	LTG	87-8002	\$19.99	
16 GA / 25'	Red	LTG	89-8000	\$6.49	
18 GA / 25'	Red	LTG	89-9000	\$5.99	
18 GA / 25'	Black	LTG	89-9002	\$5.99	

Grote® Trailer Cable Line Part Length Code Number **Price** 16 GA / 100' LTG 82-5500 \$49.99 14 GA / 100' LTG 82-5600 \$189.99

Grote® Toggle Switch











Corghi EM9250-2D Wheel Balancer CompactLine

- · Automatic input of wheel diameter and distance
- · LED illuminator and laser line for easy adhesive counterweight application
- · FSP-Smart Arm/automated balancing mode selection

COR EM9250-2D

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Corghi EM9550-3D Wheel Balancer LaserLine

- · Automatic input of wheel diameter, distance and width
- · LED illuminator and laser line for easy adhesive counterweight application
- FSP-Smart Arm/automated balancing mode selection

COR EM9550-3D

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Corghi EM9780C-Plus Wheel Balancer LaserLine

- Radial and Lateral diagnostic modes
- · Touchscreen interface
- · Contactless detection of dimensions
- · WiNut automatic clamping system

COR EM9780C-PLUS

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 32" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Corghi EM9380EC Wheel Balancer SmartLine

- · Automatic input of wheel diameter, distance and width
- · Weight Management Program
- · Touchscreen interface
- · Equipped with power clamp
- Power requirements 120V/1PH/60 HZ

COR EM9380EC-TOUCH

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 28" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

Corghi A9222TI-DV-SX1 Tire Changer with Swing Arm

- 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop centre
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- · Monoblock clamping jaws for best long term performance and durability COR A9222TI-DV-SX1
- * Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10"-22" Max Rim Width: 3.5"-12.5" Max Tire Diameter: 42" Air Pressure: 150 lbs.

Corghi A9824TI-DV-1000 Tire Changer with Swing Arm

- · 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop centre
- · Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- · Lateral adjustment of bead breaker pad
- · Monoblock clamping jaws for best long term performance and durability COR A9824TI-DV-1000 * Contact your local store for pricing and availability

Corghi A222TI-DV-300 Tire Changer with Swing Arm



- · 2 speed Inverter Motor
- · SP300 helper makes mounting and demounting operations quicker, more precise and safer
- Turntable with two pneumatic cylinders capable of securely clamping all types of rims
- · Monoblock clamping jaws for best long term performance and durability COR A222TI-DV-300
- * Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10"-24" Max Rim Width: 3.5"-14" Max Tire Diameter: 47" Air Pressure: 150 lbs.

FINANCE IT

Max Rim Diameter: 10"-22' Max Rim Width: 3.5"-12.5" Max Tire Diameter: 39.5" Air Pressure: 145 lbs.







30CEH220

APS 3000



K 90CEH220

M MAXX 50

COATS® MAXX SERIES COALS

- · Dual nozzle, hi-flow bead sealing system
- · Expanded capacity to 16" wheel width and up to 50" total diameter
- · Advanced bead loosening option
- · Steel and nylon duckhead included
- · No-index table top for high efficiency use

70X MAXX Tire Changers

COA 800MAXX70 Electric (110v) Contact your local store for pricing and availability

FINANCE IT

COA 800MAXX70220 Electric(220v)

Contact your local store for pricing and availability

FINANCE IT

Rim Diameter: 16" - 24" External, Max Rim Width: 16"

Max Tire Diameter: 50"

80X MAXX Tire Changers

- · Dual control, hand or foot operated bead loosener system
- · Included storage cabinet
 - COA 800MAXX80 Electric (110v)
 - Contact your local store for pricing and availability

COA 800MAXX80220 Electric(220v)

Contact your local store for pricing and availability

FINANCE IT

COATS® TIRE CHANGERS COALS





- · Brand-new centre post design for ease of use and minimized metal-to-metal contact
- · Available in rugged 220V, 2hp electric motor or air powered
- · Redesigned RoboRoller® device for direct pressure on tough assemblies
- · Standard auxiliary bead sealer system

COA 80080CFH220

FINANCE IT

* Contact your local store for pricing and availability

Max Rim Diameter: 10" - 30" External Max Wheel Width: 15" Max Tire Diameter: 50"




- K Coats° 90C Leverless Tire Changer™ COALS
- · Center Clamp Design for quick, easy operation while minimizing risk of wheel damage · Leverless Duckhead® mount/demount tool acts as a traditional helper device and
- eliminates traditional tire tools that can mar the surface due to application difficulty
- RoboRoller® provides additional power when mounting difficult tires by preventing the bead from rolling back over the mount tool

COA 80090CEH220

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 12" - 30" External Max Wheel Width: 15" Max Tire Diameter: 50"





- · Leverless Duckhead with Auto Offset prevents wheel damage
- · Integrated wheel lift
- · Robo-Arm assists in changing low profile or run flat tires
- · Manual locking system for fast and easy wheel clamping.
- Individually operated power rollers helps in bead loosening, mounting and demounting lower bead without a tire tool

COA 800APS3000

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 12" - 34" External Max Rim Width: 16" Max Tire Diameter: 47"



M Coats® MAXX 50 50 Rim Clamp Tire Changer

Tested up to 250,000 bead breaking cycles for ultimate

- durability in the harshest working environments.
- **Dual Nozzle Bead Sealer**
- No-Index Tableton
- Polymer Duckhead Tool used for mounting and demounting tires without damaging the rim

COA 800MAXX50

* Contact your local store for pricing and availability

FINANCE IT

Rim Diameter: 16" - 24" External Max Rim Width: 16" Max Tire Diameter: 50"

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.



c 9028E

E EEWH595AUA



EEWH586AUC

COATS® TIRE CHANGERS COATS

Coats®RC Series

Electric

COA 8560994901

* Contact your local store

for pricing and availability

- Designed to work on a wide variety of applications, including virtually all OE fitments
- · Available with air or electric tabletop motor
- · Includes set-up and training by a Authorized Coats Service Centre

Max Rim Diameter: 10" - 24" External. Max Rim Width: 10.5" Max Tire Diameter: 50"

RC-45E Rim Clamp® Tire Changer

RC-55 Rim Clamp® Tire Changer with Robo-Arm, Electric

COA 8560995001

* Contact your local store for pricing and availability

FINANCE IT

Coats® 9028E Tilt-Back Tire Changer

- Angled tilt-back for no interference on second bead removal
- Clamps Wheels Externally Up To 28"
- Power taper rollers, pneumatic drop center, and swing-in rollers handle approximately 90% of the effort

FINANCE IT

Protect Rims with the Cam Bead Loosener

COA 8009028

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 28" External Max Rim Width: 14" Max Tire Diameter: 47"





- POWERMONT™ leverless mounting and demounting tool synchronizes with the dynamic bead breaker location for optimum positioning
- QUICKLOK™ electromechanical device firmly clamps onto wheel without the need for wheel protection
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum
- Lower bead camera provides a clear view on the control panel monitor for lower bead breaking

JBN EEWH586AUC

Contact your local store for pricing and availability

10" - 30" External Max Rim Width: 15" **FINANCE IT**

مججاناتا

Max Tire Diameter: 40"

Max Rim Diameter:



John Bean° System II-E Swing-Arm Tire Changer

Swing-arm, compact footprint Twin cylinder clamping

Adjustable on-floor bead breaker shovel · Integrated pressure limiter Self-centering, adjustable clamping jaws

JBN EEWH595AUA

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter:

Max Wheel Width: 12" Max Tire Diameter: 40"



John Bean[®] System III Tire Changer with Swing Arm

- · Integrated pressure limiter stops air flow once pressure has reached 55 PSI
- Adjustable four-jaw clamps grip securely and protect the wheel
- · Twin cylinder clamping provides uniform clamping pressure and increased power
- Extra wheel protection to minimize wheel scratching

JBN EEWH589AUA

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10" - 24" Max Wheel Width: 15" Max Tire Diameter: 50"



Image shown with

option bead assist

E EEWH589AUA

Coats® Nylon Duckhead® Mount/Demount Head

Plastic COA 8183061

\$59.99

Coats® Quilted Clamp Socks

Rim Protectors - 10 pack COA 8183604

Coats* Lube Bottle - For Rim Clamp® Tire Changers

COA 81062591 **\$19.99**

Coats® High Spoke Duckhead® Mount/Demount Head

COA 8184432 **\$109.99**

Coats® Paste Tire Lube

COA 81837101 **\$74.99**

Coats® Light Truck Cone Kit (40mm)

Improved Light Truck Front Cone Kit, 40mm I.D., Double Sided Cone & Metal Backing Plate, Range: 4.80"-6.80"

COA 8113277C \$589.99



^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary, All programs subject to final approval by Affiliated Financial Services.







John Bean® B200S Semi-Automatic Monitor Wheel Balancer

- . SMARTSONAR™ Automatic rim width detection
- · Quick Nut Wheel Clamp Easy to use manual clamping device
- · Hand-operated gauge arm with easyALU™ assisted rim data entry for diameter and distance
- * Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 8" - 32"

Max Wheel Width: 15" Max Tire Diameter: 42"

John Bean® B1200P Fully Automatic Wheel Balancer

- EasyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- Quickbal™ optimizes the number of revolutions according to each wheel's specifications while always operating at maximum speed and reducing cycle time
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- . SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- · Laser scanner automatically detects the number and position of rim spokes for the system to indicate weight placement behind wheel spokes and allow for split weights

JBN EEWB567AP230

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 14" - 26" External Max Wheel Width: 20" Max Tire Diameter: 42"

مجحواها

John Bean® B600P General Service Wheel Balancer

- Touchscreen with advanced user interface for easy mode selection and built-in LED rim lighting system aids rim cleaning and weight positioning
- · easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU™ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- Patented automatic Power Clamp™ electromechanically clamps the wheel accurately with constant force, reducing the opportunity for chasing weight
- · SMART SONAR™ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered

JBN EEWB568AP

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 10" - 32" External Max Wheel Width: 23.6" Max Tire Diameter: 44"

John Bean° B800P Wheel Balancer

- · Intuitive Interface clearly marked with picture icons
- Torque-controlled Power Clamp device fast and accurate clamping of the wheel
- · Stop-in-Position feature where the operator only has to touch the amount of unbalance on the screen and the wheel is automatically indexed to the correction position
- QuickBal[™] for reduced measurement time
- · Short start-stop cycle time: 4.5 seconds (15" rim)

IBN FFWR569AP

* Contact your local store for pricing and availability FINANCE IT



Max Rim Diameter: 8" - 32" External Max Wheel Width: 21" Max Tire Diameter: 42"

Solution John Bean® B400L Wheel Balancer

- easyWEIGHT™ pinpoint laser identifies exact weight placement location for increased accuracy and efficiency
- easyALU $^{\!\scriptscriptstyle\mathsf{M}}$ uses the gauge arm to enter rim dimensions and automatically selects the weight balancing mode
- SMART SONAR $^{\text{\tiny{M}}}$ automatically calculates wheel width and detects offset; balancing cycle starts as soon as the wheel guard is lowered
- QuickBal[™] for reduced measurement time
- · Short start-stop cycle time: 4.5 seconds (15" rim)

مجحناهاك

JBN EEWB562AL

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 8" - 32" External Max Wheel Width: 21" Max Tire Diameter: 42"





c 1185

POZIS 1185

E 1500



D 1600

E 1300

John Bean°9800 Heavy-Duty Wheel Balancer

- Designed to balance truck, bus, RV and automobile wheel and tire assemblies
- Pneumatic wheel lift aids in the proper wheel mounting and reduces related strains caused by lifting heavy tires
- Semi-automatic data entry inputs wheel diameter and distance utilizing the inner auto-assist data input arm, eliminating errors
- Operator can recalibrate the balancer in two easy steps, ensuring accuracy while saving costly service calls.

IBN FFWB543AW

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 8" - 30" External Max Rim Width: 26" Max Tire Diameter: 51"

COATS® WHEEL BALANCERS

B COATS® 885 Wheel Balancer

- · Automatic 2D data entry on wheel diameter and offset measurement
- Direct Tape-A-Weight® placement with audible beep guides users to perfect placement
- · Auto Start Hood starts balancing cycle when hood is lowered

COA 800885

Contact your local store

Max Rim Diameter: 10" - 30" External Max Rim Width: 2" - 16"



Max Tire Diameter: 38"



for pricing and availability FINANCE IT

Coats® 1185 110V Wheel Balancer

- · Laser line weight placement guidance Easily visible laser line helps operators place weights right where they are needed
- Colour LCD Display Vivid color display alerts operator to the imbalance location and identifies the optimal tape on or clip weight location
- Live position indexing guidance Audio and graphics-based notifications alert operator when weight placement is needed
- 110V power, can be plugged in anywhere
- · 130 Lbs max assembly weight
- Space saving design

COA 8001185

* Contact your local store for pricing and availability

FINANCE IT

Max Rim Diameter: 10 - 30" External Max Rim Width: 2" - 16" Max Tire Diameter: 38"



Offers all of the 1500 features and adds ProBalance Technology™ Calculates precise corrective weight amounts and placement locations,

COA 80016003D

* Contact your local store for pricing and availability

and a touchscreen display

FINANCE IT

Max Rim Diameter: 8" - 30" External Max Rim Width: 2" - 20" Max Tire Diameter: 44"

coats



1500 Wheel Balancer with Direct Drive

Powered by Direct Drive, the motor and spindle are combined into a single assembly that always stays calibrated to zero

- · Laser Guided Operation calculates precise corrective weight amounts and placement locations
- Static-On-Screen® simultaneously displays both static and dynamic unbalance data
- Stop & Lock assembly locks in place at proper weight placement location
- 8 Balancing modes and automatic 3-D data entry

COA 80015003D

for pricing and availability

FINANCE IT

Max Rim Diameter: 8" - 30" External Max Rim Width: 2" - 20" Max Tire Diameter: 44"



1300 Wheel Balancer with Direct Drive

enats



- 2D AUTOMATIC DATA ENTRY Offers automatic data entry of distance and diameter
- BEHIND-THE-SPOKE mode allows you to hide the Tape-A-Weight behind the spokes of a decorative wheel quickly and easily

COA 80013002D

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 8" - 30" External Max Rim Width: 2" - 20" Max Tire Diameter: 44"















K A9830HPC-BPL



- · Dynamic bead breaking device with dual bead breaker discs
- SMART Corghi System allows you to never touch the rim during any of the work phases.
- · Integrated premium wheel lift
- Pneumatic automatic wheel clamping system

COR ARTIGLIO MASTER 28

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 12"-28" Max Rim Width: 16" Max Tire Diameter: 43" 120V/1PH/60HZ

Corghi AM5000 Artiglio 5000 Contactless Tire Changer

- · Centre-post touchless tire changer designed for all vehicle applications
- Dynamic bead breaking device with dual bead breaker discs
- · Machine designed for perfect ergonomics and versatility
- · Integrated wheel lifter and pneumatic bead presser
- Power requirements 120V/1PH/60HZ

COR AM5000

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 13"-28' Max Rim Width: 15" Max Tire Diameter: 47"

Corghi Artiglio Master Force Contactless Tire Changer

- · Smart Corghi System can eliminate the tension between tire and rim, even on the most demanding low profile, runflat, and UHP tires
- · Combined use of hydraulic and pneumatic drives has optimized the work cycle for lower working time
- · Bead breaking with automatic lubrication
- · Dual-function operation ensures first the lifting and, in quick succession, the accurate positioning of the wheel, ready to be clamped
- · Integrated wheel lift

COR MASTERRFORCE

* Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 13" - 32" External Max Rim Width: 16" Max Tire Diameter: 47" 120V/1PH/60HZ

Corghi Artiglio 500-BP Tire Changer Leverless

- Centre-post Leverless Tire Changer designed for all vehicle applications
- · Dynamic bead breaking device with dual bead breaker discs
- · Machine designed for perfect ergonomics and versatility
- · Integrated wheel lift

COR ARTI500-BP

Contact your local store for pricing and availability FINANCE IT

Max Rim Diameter: 12" - 32" External Max Wheel Width: 15" Max Tire Diameter: 47"

Corghi A9830HPC-BPL Center Post Tire Changer

- · Center post Tire Changer designed for all vehicle applications
- · 2 speed Inverter Motor
- · Pneumatic bead presser to maintain bead in drop center
- · Integrated wheel lift

COR A9830HPC-BPL

* Contact your local store for pricing and availability | FINANCE IT



Max Rim Diameter: 13"-30" Max Rim Width: 16" Max Tire Diameter: 43" 120V/1PH/60HZ

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.


TIRE SERVICE



c EEWA542TH3







- Patented PROspeed[™] technology optimizes the torque applied to the wheel and automatically sets the maximum rotation speed of the wheel
- · Column Integreated Air Tank
- · Adjustable four-jaw clamps
- · Twin cylinder clamping

JBN EEWH581AU1

* Contact your local store



Max Rim Diameter: 10" - 24" External Max Wheel Width: 15"

NOW

ay later

LEASE TO OWN AND DON'T PAY FOR 90 DAYS*

for pricing and availability





B John Bean° T2545T Swing Arm Tire Changer with PROspeed™

- · Adjustable four-jaw clamping provided by self-centering nylon-covered clamps and twin-cylinder clamping power for uniform pressure around the rim
- · Traditional on-floor bead breaker shovel with rim protector
- Pneumatic bead assist provides single-operator assistance in mounting/demounting process
- PROspeed™ technology automatically optimizes the torque applied to the wheel and sets the maximum rotation speed
- Integrated pressure limiter stops the air flow once tire pressure reaches 55 PSI to prevent accidental over-inflation





8" - 24" External Max Wheel Width: 15" Max Tire Diameter: 53"

Max Rim Diameter:

* Contact your local store for pricing and availability FINANCE IT

John Bean° V2180 Imaging Wheel Aligner

- · Advanced notification system provides critical information without slowing down the alignment process, automatically detecting and compensating suspension stress issues or environmental errors, only notifying the technician when necessary to provide additional information for corrective action
- Video-speed cameras constantly monitor the alignment and provide critical information throughout the process; patented VODI™ (Vehicle Orientation Directional Indicator) guides measuring process and reduces trips from vehicle to aligner
- · Streamlined rotating camera beam design for greater flexibility in smaller shops
- Enhance productivity and cut down on unnecessary steps with an intelligent, predictive alignment workflow that simplifies the alignment process

D EEWA544TH3

JBN EEWA542TH3

* Contact your local store for pricing and availability

FINANCE IT



John Bean° V2280 Imaging Wheel Aligner

- · Streamline workflow with fast measurement compensation and an optimized alignment flow
- · Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment procedural issues
- · Automatic camera tracking eliminates the need to readjust the cameras after raising the lift, it retains ultimate accuracy while moving the vehicle
- Eliminate manual data entry, speed up measuring, and increase accuracy using our specially designed, optional Ride Height Targets

IRN FFWA544TH3

* Contact your local store for pricing and availability





^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services

TIRE SERVICE







G 8006500



John Bean® V2380 Imaging Wheel Aligner

- · Streamline workflow with fast measurement compensation and an optimized alignment flow
- Exclusive high-speed cameras detect errors before they are made, automatically compensating and alerting the operator to problems with suspension stress, vehicle damage, and alignment
- Quickly uncover extra service opportunities with alignment audit reports which includes measurement of track width, front and rear toe, camber, wheelbase, wheel diameter, and cross dimensions
- · Automatic camera tracking eliminates the need to readjust the cameras after raising the lift, it retains ultimate accuracy while moving the vehicle

JBN EEWA545TBV3

* Contact your local store for pricing and availability FINANCE IT



John Bean° V3300 Diagnostic Wheel Alignment System

- · Folding camera beam and integrated cabinet mobility allows flexibility to move around the shop
- Diagnostic alignment with "Compensate Warn Alert" intervention gets it right the first time
- · Integrated drive-on camera that creates a visual record of the vehicle
- Automatic vehicle height tracking system
- Quickly uncover extra service opportunities with alignment audit reports

JBN EEWA552BV2

* Contact your local store for pricing and availability



Coats® CWA 6500 Wheel Alignment System

- · Lightweight, easy-to-use QC20 Clamps grip vehicle tires to prevent damage to wheels
- Large, movable LCD display is portable with multiple positions for user convenience
- Cabinet with wheels makes it easily movable from bay to bay to maximize productivity
- Simple to use software puts all measurements on display and includes a "quick check" feature
- Black Diamond Mini-Targets are low profile, the lightest in the industry, and easy to handle
- Automatic Power Tracking Camera Boom to allow alignments at any rack height possible without adjusting the machine
- Automatically enter year, make and model by scanning VIN



* Contact your local store for pricing and availability

FINANCE IT

Corghi Exact Linear Plus Camera **Wheel Alignment System**



- · Corghi user friendly graphics with ergonomic worktop
- · High-resolution light target
- Drive on assistant for safe manouvering in the workshop without additional operator or mirror
- · High resolution HI-Q last generation camera for machine vision with optimized monolithic optics, integrated LPF filter and light operational indications
- · New integrated lift with wormgear and safety system

COR EXACTLINEARPLUS

* Contact your local store for pricing and availability FINANCE IT

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

TIRE SERVICE

TIRE GAUGES

Milton® EXELAIR™ Digital Pistol Grip Tire Inflator/Deflator Gauge



- · Auto-on when tire pressure is detected
- · Clip directly to tire valve to adjust pressure for easy inflation
- · Includes pistol grip gauge, boot, half-pull deflate, hose, easy-clip chuck and hang loop

MIL EX0500D

Milton[®] EXELAIR[™] Analogue Pistol Grip Tire Inflator/ Deflator Gauge - 13" Air Hose and Easy-Clip Chuck



- Pre-calibrated; 4 units of measure: PSI (0-150), kPa (0-1000), kg/cm2(0-10) + Bar (0-10)
- · Steel inflation trigger with deflate button in case of overshot tire pressure
- · Clip directly to tire valve to adjust pressure for easy inflation with 1 hand
- · Includes gauge, rubber boot, deflate button, 13" hose, easy-clip chuck (for standard/schrader valves), hang loop

MIL EX0500P \$1899

Milton® Heavy-Duty Digital Tire Inflator and Air Pressure Gauge, Euro Chuck, 1/4" NPT, 15" Rubber Hose

- · Highly accurate digital tire pressure gauge meets ANSI/ASME B40.1 standard. Extensive range of measurement capability: 0-255 PSI - resolution of 0.1 PSI, kPa (0-1800), kg/cm2 (0-18), and Bar (0-18)
- · Digital backlit display perfect for low light applications; auto-on when tire pressure is detected; auto-off after 15 seconds of inactivity to save battery life (2 AAA batteries included)
- Equipped with an easy lock-on brass inflator air chuck, which allows for one-handed inflation
- Max 300 PSI

MIL S-568 \$8999 MILTON

Milton[®] Inflator Gauge

• Full swivel dual head chuck with 15" hose • Range: 10-160 PSI





Milton° Single Head Dial Gauge

- · Range: 0-60 PSI · Includes deflator valve
- · Single head chuck

MIL S932



Milton® EXELAIR™ Digital Tire Tread Depth Gauge

- · Digital display is easy to read
- · Zero setting in any position
- Measurement range of 0 to 1 inch (0 to 25 mm)
- · Includes automatic shut off to preserve battery life



5 - 50 PSI MII S921

\$099

Pencil Tire Pressure Gauge

20-120 PSI MII S925

Dual Head Truck Tire Pressure Gauge

20-120 PSI MII S927



Milton® Dual Head Chuck Service Gauges

 Plated brass tube and 4-sided nylon indicator bar Max pressure of 160 PSI

MIL S976

MIL S986

MIL S693



Tru-Flate™ Tire Tread Depth Gauge

Calibrated from 0 to 1" in 1/32" Increments and 0 to 25mm in 1mm Increments

CPM 40-395



Milton[®] Valve Insertion Tool

· For installation or removal of snap in type tubeless tire valves

BRAKE BLEEDING

Mityvac® Pressure Bleed System

- Includes seven (7) master cylinder adapters to connect to most domestic, import and Euro cars and light trucks
- Large 5 litre fluid capacity
- Fluid is dispensed under pressure for smooth continual flow
- Utilizes push-to-connect, quick-change style accessory connections



LIN MV6840

Mituvac∴

Mitvvac® Vacuum Brake Bleeder and Fluid Evacuator

- · Bleeds up to (2) quarts (1.9 litres) per minute
- · Variable thumb throttle holds desired flow rate
- · Includes quick-disconnect couplers and auto shut-off valve to prevent overfill

Mituvac



Mityvac® 1.2 Litre Vacuum Brake Bleeder

- The unit offers a comfortable, lever action throttle with lock-on latch, an automatic shut-off to prevent overfilling and an integrated hanging hook/cord wrap. Includes (3) bleed screw adapters which conform to the most common bleed screw sizes
- An integrated muffler ensures quiet operation

LIN MV6870

Mityvac_

Mityvac® Automotive Test & Brake Bleed Kit · Includes a comfortable ergonomic handle design, one-finger lever

vacuum release, includes $\bar{\text{d}}$ urable, accurate gearless diaphragm style vacuum gauge with pinned connection for 360° rotation, field serviceable - service parts and kits available

Mituvac:


Lisle® Brake Bleeder Kit

· Plastic bottle collects discharged fluid, (3) separate adapters fit the common bleeder screws

LST 19200







LIFTING AND SUPPORT

BOTTLE JACKS

DieHard® Bottle Jacks

DieHard

20-Ton EQP DH20029

Min. height: 9-1/2" Max height: 17-3/4" 12-Ton EQP DH20028

Min. height: 9-1/16" Max height: 18-1/4"

6-Ton EQP DH20027

Min. height: 8-1/2' Max height: 16-1/4" 2-Ton EQP DH20026

Min. height: 7-1/8' Max height: 13-1/2"



JACK STANDS

DieHard® Ratcheting **DieHard Jack Stands**

2-Ton EQP DH20011

Min. height: 10.32" Max height: 16.22"

4-Ton EQP DH20014

Min. height: 13.63' Max height: 20.38" 3-Ton **EQP DH20005** Min. height: 11.33' Max height: 16.65"

6-Ton **EQP DH20006**

Min. height: 15.75' Max height: 24.4'



DieHard® 2-Ton Trolley Jack & 2 Jack Stands Combo

2-Ton Trolley Jack Min. height: 5.12" Max height: 13"

2-Ton Jack Stands Min. height: 10.32" Max height: 16.22"

EQP DH20007

DieHard



STRONGARM

STRONGARM® 6 Ton Ratcheting **Jack Stands**

6-Ton JET 032244

Min. height: 15-1/2" Max height: 24'



STRONGARM® 2-1/2-Ton Heavy Duty **Hydraulic Service Jack**

- · Equipped with safety valve to prevent overloading
- · Heavy-duty pump, ram and cylinders
- · Universal joint technology allows precise control of the release valve

JET 030415

Min. height: 5" Max height: 19-1/4"



SERVICE JACKS

DieHard 3.5 Ton Low Profile Floor Jack **DieHard**

- Dual pump raises vehicle 5 times faster than standard jacks
- · Low-profile design for maximum access, which fits easily and safely under vehicle
- · Heavy-duty all steel construction
- Over pump bypass protection
- Full swivel rear casters for easy positioning

EOP DH20022

Min. height: 3.88" Max height: 21.06"



DieHard® 2.5 Ton Aluminum/Steel Service Jack DieHard

- Built with high strength aircraft grade aluminum
- Hydraulic oil by-pass system protects ram from being over-extended
- Full 360 degree swivel saddle with rubber grip seat EQP DH20020

Min. height: 3.94" Max height: 18.31"



DieHard 3 Ton Low Profile Floor Jack **DieHard**

- Dual pump raises vehicle 5 times faster than standard jacks
- · Low-profile design for maximum access, which fits easily and safely under vehicle
- · Heavy-duty all steel construction
- · Over pump bypass protection
- · Full swivel rear casters for easy positioning **EQP DH20023**

Min. height: 3.75" Max height: 18.31"



DieHard® 3 Ton Garage Jack

- Safety bypass system prevents ram over travel for safe operation
- Swivel saddle and rear casters provide easy jack positioning

EQP DH20021

Min. height: 5.12" Max height: 18.31"



DieHard® 1.5 Ton Aluminum/Steel Service Jack **DieHard**

- · Built with high strength aircraft grade aluminum
- · Hydraulic oil by-pass system protects ram from being over-extended
- · Full 360 degree swivel saddle with rubber grip seat **EQP DH20019**

Min. height: 3.5" Max height: 14.13"



DieHard® 3 Ton SUV Trolley Jack **DieHard**

- 360 degree handle
- Safety over load system prevents use beyond rated capacity
- Hydraulic oil by-pass system protects ram from being overextended

EQP DH20004

Min. height: 7.56" Max height: 21"



DieHard® 2.5 Ton Quick Start Low **DieHard Profile Trolley Jack**

- Quick Start for faster operation to contact point
- Safety over load system prevents use beyond rated capacity
- · Hydraulic oil by-pass system protects ram from being over-extended

EQP DH20001

Min. height: 3.37" Max height: 14.37"





SERVICE JACKS

DieHard® 2.5 Ton Hydraulic Trolley Jack **DieHard**

- · Safety over load system prevents use beyond rated capacity
- · Hydraulic oil by-pass system protects ram from being over-extended
- · Swivel saddle & rear casters for easy jack positioning

EOP DH20013

Min. height: 5.32" Max height: 15.23"



DieHard® 2 Ton Hydraulic Trolley Jack **DieHard**.

- · Safety over load system prevents use beyond rated capacity
- · Hydraulic oil by-pass system protects ram from being over-extended
- · Swivel saddle & rear casters for easy jack positioning

EQP DH20008

Min. height: 5.12" Max height: 13"



CHAIN HOISTS JET (>)





- Grade 80 load chain.
- · Top and bottom safety hooks bend slowly to warn of overloads
- · Load tested to 150% of rated capacity with certificate
- · Meets ASME standards



ENGINE LIFTS AND STANDS

DieHard® 2-Ton Engine Crane DieHard

· Fully adjustable boom slides in or out for the correct lifting weight, includes chain and hook

· Folds in half for easy storage



DieHard® 750 Lbs Engine Stand

- · Head plate locks in eight positions and rotates 360 degrees
- · Feet constructed from heavy gauge welded square tubular steel
- Extra long handle with rubber grip for easy rotation and maneuvering

EQP DH20003

EOP DH20025

DieHard

DieHard® Scissor Jack

DieHard

1-1/2-Ton EQP DH20012

Min. height: 4.13" Max height: 15.13"



Lever VLP Series

JET 110303 🛂

1-1/2-Ton 5 ft. Lift





B ATEAP-PVL10-PD

2-POST SERVICE LIFTS

Atlas[®] Platinum PVL15 Heavy Duty Lift 2-Post 15,000 Lb.



- · Heavy Duty, Commercial Grade
- · Extra Tall & Extra Wide
- · Padded Carriages
- Symmetric Arms
- · Professional Grade Arm Lock Restraint System
- · Dual Direct-Drive Hydraulic Cylinders
- · Free 8 Piece Truck Adapter Set and 4 Screw-Up Frame Adapters

DOV ATEATTD-AP-PVL15-2

* Contact your local store for pricing and availability

FINANCE IT

Atlas® Platinum PVL10 Overhead Lift

2-Post 10,000 Lb.

- Column design with special double "S" bends increasing column strength
- Can be installed symmetrically OR asymmetrically
- Padded carriages
- 3-Stage front arms & 2-stage

DOV ATEAP-PVL10-PD

* Contact your local store for pricing and availability

FINANCE IT



Overall Height: 174-1/2" Overall Width: 148" Drive Through: 107-1/2" Arm Reach: 38" - 52"





Rise: 81-1/2" Overall Height: 135-7/8" Overall Width: 139-7/8" Drive Through: 99-1/2" Arm Reach: Front: 22"- 43-1/2"

Rear: 35"- 58"

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary, All programs subject to final approval by Affiliated Financial Services.

· Single-point lock release

· Includes double screw-up

· Free 8 piece truck adapter set

Mounting hardware included

· Standard with premium ALLY

adapters

powerunit

E EELR537A







C Atlas® Platinum PVL12 Overhead Lift 2-Post 12,000 Lb.


FINANCE IT

- · Commercial Grade
- Extra Tall & Extra Wide
- Adjustable Height 165" or 177"
- 3-Stage Symmetric Arms
- · Automatic Arm Restraints
- · "Padded" Shut-Off Bar

DOV ATEAP-PVL12-PD

* Contact your local store for pricing and availability





- · Single Point Lock Releases
- · Direct-Drive Cylinders
- · Free 8 Piece Truck Adapter Set

Rise: 85-1/2" Overall Height: 177" Overall Width: 150-3/8" Drive Through: 109-5/8" Arm Reach: 31"-59"



- 9.000 lb. Lift
- For facilities with low ceilings · Dual hydraulic cylinders
- Carriage latch system engages every 3"
- Adapter extensions included
- Secondary lock system includes a spring actuated slack chain locking device


DOV RP9

* Contact your local store for pricing and availability









- · Superior symmetric two post lifting
- · Heavy-duty two stage front and rear lift arms
- Insert adjustable screw lifting pads with rubber contact surface for quick and easy vehicle setup
- Rubber door guards secure against door to column damage
- · Single point safety lock release system
- Padded overhead safety shut off bar for improved vehicle clearance

JBN EELR537A

 Contact your local store for pricing and availability

FINANCE IT

Rise: 78-1/8" Overall Height: 175" Overall Width: 139-3/4" Drive Through: 103" Arm Reach: 35-3/4"- 54-1/2"

Rotary® SP010 Symmetrical 10.000 lb.

- · True symmetrical column design
- · Standard 2-stage arms with flip-up FA adapters
- One-piece columns have a "Double S" design for max strength
- · Available in Red or Blue

DOV SP010

* Contact your local store for pricing and availability

FINANCE IT

Rise: 78-1/8" Overall Height: 140-1/2" Overall Width: 137-1/2" Drive Through: 102-1/2" Front Arm Reach: 31"-54" Rear Arm Reach: 31"-54"

Rotary® SPOA10 Asymmetric 10,000 lb.



- Standard 2-stage arms with flip-up FA adapters
- · One-piece columns have a "Double S" design for max strength
- · Available in Red or Blue

DOV SPOA10

* Contact your local store for pricing and availability

FINANCE IT

Rise: 78-1/4" Overall Height: 140-1/2" Overall Width: 137-3/8" Drive Through: 95-1/4" Front Arm Reach: 24" - 40-3/4" Rear Arm Reach: 40-1/4"- 61"





- All the features of the SPOA10 but with round polymer pad RA adapters which thread-up to allow protection of the vehicle underbody components
- · Available in Red or Blue

DOV SPOA10RA

 Contact your local store for pricing and availability

FINANCE IT

Rise: 78-1/4" Overall Height: 140-1/2" Overall Width: 137-3/8" Drive Through: 95-1/4" Front Arm Reach: 24" - 40-3/4" Rear Arm Reach: 40-1/4"- 61"

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

2-POST SERVICE LIFTS



A Coats* 4TV21NSR1 2-in-1



- Three piece, offset 2 in 1 Arms front and rear for asymmetric and symmetric loading
- Non Fatigue Cables and Pulleys
- Up to 20% heavier than many competitors for a stronger and more stable structure
- · Steel components are wheel-a-brator shot blasted and acid washed before "double bake" powder coat finish is applied
- · Rubber door bumpers are mounted on the face of both lifting carriages to reduce door damage
- · Rubber mounting grommets reduce unit noise to less than 75 decibels



Rise: 76" Overall Width: 135-1/2" Overall Height: 138" Drive Thru Clearance: 112-3/4" Arm Reach Min.-Max.: Front: 19-3/4" - 42" Rear: 35"- 60"

Rise: 80"

Overall Width: 137" Overall Height: 164"

Drive Thru Clearance: 102"

Arm Reach Min.-Max.:

Front: 27"- 59" Rear: 27"- 59"



COA 4TV21NSR1

* Contact your local store for pricing and availability

FINANCE IT



Rotary® Heavy Duty Symmetric 12,000 Lb. Lift



- · Truck adapters with stackable inserts for added reach
- · Front and rear 3-stage arms
- · Available in alternate height configurations





B SP012-TA

Includes Screw-Up

Stack Adapters

c F10

DOV SPO12-TA


* Contact your local store for pricing and availability

FINANCE IT



Forward Lift° F10 10,000 lb. Lift





- · 2-stage rear arms
- · Low 3-5/8" adapter height
- · Direct pull cylinders
- · Closed loop hydraulic system
- · Includes 3-1/2", and 5" adapter extensions
- · Available in red and blue





FORWARDLIFT

DOV F10

* Contact your local store for pricing and availability

FINANCE IT

Rise: 76" Overall Height: 143" Overall Width: 131" Drive Through: 99" Arm Reach: 24-1/2" - 44-3/8"

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.





2-POST SERVICE LIFTS

John Bean° EELR532A 10,000 lb.

مجونا سابرار

- · Vehicles can be positioned and lifted symmetrically or asymmetrically
- Power column can be arranged on either the driver or the passenger side
- Vehicle protection with padded overhead shut off

JBN FFI R532A

* Contact your local store for pricing and availability

FINANCE IT

Rise: 77-3/4"

Overall Height: 147-1/2" Overall Width: 131-3/4" Drive Through: 98-3/8"

Front Arm Reach: 21-3/4"- 39-1/4" Rear Arm Reach: 38-1/4"- 55-3/8"

Coats® 12,000lb **Two Post Symmetrical Lift**

- coats 3/8" Non Fatigue Cables with 3.5" Pulleys
- that are double the lifespan of plastic pulleys
- 2 Field Adjustable Height Settings
- Double Screw Universal pad with 4" 1/8 rubber pad contact area & nickel plated to prevent corrosion



* Contact your local store for pricing and availability

FINANCE IT

Raised Height: 76" Overall Height: 158 7/8" Overall Width: 145 1/8 Drive Thru: 89 1/8" Arm Reach: 33" - 62"



4-POST SERVICE LIFTS

Rotary® AR18 Heavy Duty Drive-On Alignment Lift 4-Post 18,000 Lb.



- The AR18 lift comes standard with two carbon steel turning radius gauges roll back bar allows the gauges to be placed in the front or back of the slot while keeping a flat runway surface
- Longer slip plate designed to accommodate a greater wheelbase range for two and four wheel alignments
- · Comes standard with two 9,000 lbs. capacity rolling jacks.
- · Single point lock release that releases all four columns at the same time.
- Multi-position lock components allow lift to be level at any lock position
- · Cylinders are hidden under runway

Rise: 68" Overall Width: 138" Overall Length: 274" Runway Width: 22" Width Between Runways: 43" - 46"

DOV AR18

* Contact your local store for pricing and availability

FINANCE IT



G Forward Lift* 14,000 lb. 4-Post Lift CR14 General Service Runway Lift

TORWARD IFT

- · Features a single point latch release system, jack track, and multiple position latch points on each structural leg
- The new column design provides a higher rise height for better access
- New and improved heavy-duty, high-performance cable and sheaves system conveniently conceals under the runway for greater capacity and durability
- Self chocking approach ramps and wheel chocks are supplied standard
- Multi-position lock components allow the lift to be level at any lock position
- Easy access to air operated latch release and power unit controls
- Optional Bolt-on Alignment system sold separately

DOV CR14

* Contact your local store for pricing and availability

FINANCE IT

Rise: 78-3/4" Overall Length: 250" Overall Width: 131-3/4" Drive Through: 116-1/4" Runway Width: 20"

^{*} Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

4-POST SERVICE LIFTS

A John Bean* 15K 4-Post Lift 15,000 lb.

- Extended rear column drive-on clearance allows dual-wheel trucks to drive on without interference
- · Ultra-low-profile allows "easy-on" approach angle for low-profile vehicles, lowered height just 8"
- Extra-long 100" rear slip plates for improved 4-wheel alignment capability for long and short wheelbase vehicles
- · Open front cross beam allows easy access to service areas for hassle-free adjustments and repairs
- · Ultra-wide ramps with anti-slip textured surface ramps
- · Cartridge-based locking and cable brake system for ease of maintenance



JBN EELR506APKG

* Contact your local store for pricing and availability

FINANCE IT



Rotary® Open Front Alignment Rack 14,000 lb.

· Open-End Design

- · Air Filter/Regulator/Lubricator
- · Single Piece Non-Welded Runway With Tracks For Rolling Jacks
- · Internal Airline
- (2) 7,000 lbs. Capacity Rolling Jacks
- Dual Function Sentinel Lock[™] System
 Stainless Steel Radius Gauges
 - · Rear Slip Plates
 - · Compatible With The New Technology Alignment Systems On The Market Today



Rise: 78" Overall Length: 277" Overall Width: 142"

Runway Width: 26"

B ARO14L

C ATEATTD-6MR

DOV ARO14L

* Contact your local store for pricing and availability

FINANCE IT



C Atlas® 6MR 6,000 lb Portable Mid-Rise Lift

- · Single point Manual Lock Release
- Free Standing, Portable Design
- · Dual Hydraulic Cylinders 7 locking positions
- · Truck Adapters Included
- · Separate motor stand included
- · 110 volt Electric Operation (plug not included)



DOV ATEATTD-6MR

* Contact your local store for pricing and availability

FINANCE IT

Rise: 53.5" Overall Length: 82" Overall Width: 39" Lowered Height: 5.75"

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary, All programs subject to final approval by Affiliated Financial Services.

A/C SERVICE SYSTEMS



R-134a SERVICE SYSTEMS — RECOVER, RECHARGE, RECYCLE

Robinair 34988NI Premium A/C Service System ROBINAIR

- · Fully automatic, will recover, vacuum, leak test and charge on its own without the need to stand and monitor the machine
- · Robinair's patented automatic refrigerant refill feature maintains a user-selectable amount of refrigerant in the internal vessel and signals when it's time to change supply tank
- · Will automatically add oil if necessary using load cells that measure the amount of oil removed from the system and automatically putting the right amount of A/C lubricant back into the system
- Includes two separate oil inject bottles so two different types of oil can be stored and injected
- · A large, easy-to-read colour display and a printer are standard
- · Has the capability to inject UV dye for leak detection and making any future maintenance easier
- · Optional refrigerant charge and oil capacities database is available

RAR 34988NI

* Contact your local store for pricing and availability

FINANCE IT

- B Robinair® 34788NI A/C Service System
- · Fully automatic up to 98.5% efficiency (per ROBINAIR®)
- · Recover, vacuum, leak test and charge without operating panel valves
- · Automatic oil drain displays prompts to empty the container and shows the amount of oil to replace
- · Oil inject function automatically injects oil back into the A/C system
- · A/C system flush eliminates residual contaminants (flushing adapters not included)
- Visual and audible alarms
- Vacuum leak test function monitors level after evacuation and finds possible leaks
- · Automatic air purge and refrigerant refill function
- · Optional refrigerant and oil database printer and refrigerant identifier available

RAR 34788NI

* Contact your local store for pricing and availability

FINANCE IT

Robinair[®] 34288NI A/C Service System

- Test, Recover and Recharge R-134a A/C Systems
- · 98.5% recovery (per Robinair®)
- · Automatic oil drain and air purge
- · Programmable vacuum feature
- · Multilingual display
- · Refrigerant management system displays use and monitors remaining filter life

· Optional Printer and Refrigerant and Oil Database: A/C system capacities for North American market vehicles available

RAR 34288NI

* Contact your local store for pricing and availability

FINANCE IT

R-1234yf SERVICE SYSTEM

📵 Robinair® AC1234-4 Premier R-1234yf Recover, 🛮 🦰 CEINAIR **Recycle and Recharge Machine**

- · Fully automatic operation
- · 98.5% recovery efficiency
- Charge accuracy within +/- 1/2 oz
- Automatic internal tank refill
- · Automatic oil drain shows how much oil was removed from system during service
- · Automatic air purge removes the potential of air accumulating in the internal tank
- Integrated refrigerant identifier (meets SAE J2927)

RAR AC1234-4

* Contact your local store for pricing and availability

FINANCE IT

- Programmable vacuum operation helps get to the necessary vacuum level in any condition quickly
- · System leak test to identify gross leaks in a system
- · Liquid refrigerant flushing function can flush A/C systems or individual components using liquid refrigerant instead of harsh chemicals
- Meets and exceeds SAE J2843 requirement for R-1234YF Recover, Recycle and Recharge equipment

Robinair AC1234-9 Connected R-1234YF ACS Machine

A/C Service Systems

- Meets or exceeds SAE J2843 standards for R-1234yf recovery
- Integrated refrigerant analyzer protects machine and vehicle system
- Industry-leading 10.5" hi-res touch screen with easy-to-use controls
- Wi-Fi® and Bluetooth® connectivity for wireless accessories and performance enhancements
- · Legendary Robinair quality, field and service
- Built-in training videos and speaker with web access for more training and A/C service info
- MOPRIA ready, with a report export option for customers or insurance companies
- Includes wireless software updates and refrigerant capacity database access

RAR AC1234-9

* Contact your local store for pricing and availability

FINANCE IT

A/C OILS PAG Oil with UV Dye GROU 100, 236 mL CCM COP100-8D 46, 236 mL CCM CQP46-8D **57**49 PAG Oil CCM CQP46-8 100, 236 mL CCM CQP100-8

46, 236 mL

SuperCool® R-134a Ester Oil with UV Dye 32 oz.

CCM COE32



SuperCool® Synthetic Vacuum Pump Oil 32 oz.

CCM CQV32





236mL UVW 488046PBD







240 ml

UVW 488046P



A/C SERVICE SYSTEMS



CDS

A/C OILS

A/C ExtenDye™ Cartridge

240 mL services up to 64 Vehicles

UVW 499108A

PAG 46 HFO Oil Cartridge for R1234yf Systems

For use in R-1234yf systems and is backward compatible for use in R-134a and R-12 systems.

UVW 488046YF



Pinpoint leaks in engine oil, transmission, hydraulic, power steering, gasoline, and diesel fuel systems

Multi-Purpose Dye

Services up to 8 vehicles."

8 oz 11VW 483208

Recycling Filter-Driers

Universal PAG Oil with Dye 355mL

UVW 488016P



Universal Ester Oil

355mL UVW 488016E



UView LeakGuard™ A/C Sealer Refill Cartridges

- · Professional A/C Stop Leak
- · Permanently seals leaks
- · Meets SAE J2670 A/C additive standard
- · Safe for all A/C systems
- · Contains concentrated A/C dye
- Specifically formulated for slow leaks that can occur over a 6-12 month period
- SAF certified will not harm A/C equipment

UVW 480301



CPS MSX1234

• 10" Foam Filled Tires

• 115v, 850W

* Contact your local store for pricing and availability

· Recovery rate of up to 1 lb/min

· Oilless Compressor for Rapid Recovery

FINANCE IT

• 7" Color touch screen control panel allows quick access to all functions from the main screen

G CPS° MAXXAIR R-134a A/C Service System CDS°

- 7" Color touch-screen control panel
- · Refrigerant Management System monitors filter life and refrigerant usage
- · Quickly access all functions from the main screen

CPS° Maxxair MSX1234 R-1234yf

Refrigerant Management System

· The removable tank eliminates the need for scale locks

- · Home Screen features 5 Selectable Functions along with touch keys and information icons
- · Refrigerant Charging Screen with interactive touch pad and port selection, database, and change UOM touch keys
- Supports multiple languages/UOM
- · Hose management built into the handle assembly
- · 12.67cc Oil-less Compressor: designed and built by CPS for high capacity commercial applications, eliminates failure issues due to improper oil filling of traditional compressors
- · Motor-controlled ball valves: opens wider for greater flow, resistant to clogging of debris or sealants, faster recovery and tank fill
- 30 lbs Tank

CPS MX134

* Contact your local store for pricing and availability

FINANCE IT

CPS MSX134

* Contact your local store for pricing and availability

FINANCE IT

H CPS° Maxxair MSX3030 R134a/R1234yf A/C Service System

- · Dual-Refrigerant for R134a and R1234YF systems
- · Oil less Compressor for Rapid Recovery
- 7" Color touch screen control panel allows quick access to all functions from the main screen
- Bluetooth and Wi-Fi enabled
- · Refrigerant Management System monitors filter life and refrigerant usage
- · Includes vehicle database for oil and refrigerant charging capacities
- 10" Foam Filled Tires
- · Recovery rate = Up to 1 lb/min
- · 115v, 850 W

CPS MSX3030

* Contact your local store for pricing and availability

FINANCE IT

LEAK DETECTORS

Refrigerant Leak Detector with UV Clip-on Light

· Compatible with a wide variety of Robinair AC Machines

- · Includes Proprietary "Clip-On" chassis for attachment to electronic leak detectors, video borescopes, and extension type devices that measure 1/4" to 3/8" in diameter
- 50-hour battery life (3 "C" batteries) Auto Off after 10 minutes
- Software managed sensor rejuvenation mode initiated at start-up ensures the highest level of sensitivity with every use

CPS LDA1000UV

CDS



Automotive A/C Nitrogen Leak Detector Kit

- · High-quality 1-valve manifold with a 0-200 PSIG 3-1/8" gauge
- 6' (180cm) premium red 1/4" service hose
- 15' yellow hose assembly with 1/4" MPT x 1/4" coupler and a high side automotive snap coupler

CDS

Robinair® LD3 Economy Refrigerant Leak Detector

- Compatible with most commonly used refrigerants today including R-1234yf and R-134a
- · Audible alarm alerts technicians of leaks
- · Meets all current industry leak detector standards

RAR LD3





A/C SERVICE

LEAK DETECTORS

Robinair® LD7 Premium Refrigerant Leak Detector

- · Compatible with most commonly used refrigerants today, including R-134a and 1234yf
- · Features a new colour graphic display with both bar graph mode and sweep mode to show the amount of refrigerant detected in the detector standards air and pinpoint the exact source of the leak
- · Audible alarm alerts technicians of leaks
- · Features both UV LED lights to locate leaks using UV dye and inspection light for searching in dark locations
 - · Meets all of the current industry leak



- today including 1234-yf and R-134a
- · Features a new colour graphic display with unique bar graph mode to show the amount of refrigerant detected in the air
- · Audible alarm alerts technicians of leaks

• Compatible with most commonly used refrigerants • Inspection light for searching in dark locations

Gasoline Engines - Tester fluid changes from

Diesel Engines - Tester fluid changes from

· Meets all of the current industry leak detector standards



a leak

blue to vellow

blue to green

UView Combustion Leak Tester

Works On Gasoline and Diesel Engines

- A fast, economical and highly accurate method
 Colour change provides positive proof of to test for combustion gas leaks in Head Gaskets, Cylinder Heads and Engine Blocks
- · Features a dual-chamber design for higher accuracy to eliminate false readings
- · First chamber will filter out any alkaline particles that could result in a false indication of a combustion leak
- · Test results in the second chamber will provide a true indication of a combustion leak

UVW 560000



UV Phazer™ BLACK Leak Detection Light

- · Powerful, true UV LED illuminates up to 11X brighter
- · 400nm wavelength fluorescence dyes brighter
- · Provides more contrast than blue light, making leaks easier to identify
- · Adjustable lens allows quick scan for larger leaks, or a concentrate of light for hard to find smaller leaks.
- · A compact housing allows for access into tight spaces
- · Includes: Set of AAA Batteries and Yellow Inspection Glasses

UVW 413075 **\$9999**






Wiew

Uview Spotgun™ R-12/R-134a and R-1234vf Oil Injection Kits

- Pull the trigger to inject a precise amount of oil into the A/C system and you're done
- Allows for compliance with J2788 or J2843 SAE standards (separate oil injection)

• Excellent for use with SAE certified A/C equipment



- Kit includes Spotgun[™] injector
- · R-12 and R-134a adapters
- · PAG 46 oil cartridge 240 mL

UVW 481500

R-1234yf Compliant with J2843

- Kit includes Spotgun[™] injector
- · R-1234yf adapters
- · PAG 46 HFO oil cartridge 240 mL

UVW 481500YF



MITYVAC® FLUID EXTRACTOR SYSTEMS

8.8 Litre Fluid Evacuator Plus

· Hand operated pump - 2-way valve allows for draining/refilling - no shop air or electricity required

LIN MV7201

7.3 Litre Fluid Evacuator

· Hand operated pump. Includes 5' long flex hose and (2) dipstick hoses. LIN MV7400

207 mL Mityvac° Fluid Extractor (syringe-type) LIN MVA6851



MITYVAC® COOLANT TEST AND REFILL KITS

Mityvac® Cooling System Pressure Test Kit

· Run complete cooling system test includes easy-to-grip adapters to test most US and Asian vehicles

· Large capacity hand pump requires fewer strokes to pressurize system

Thumb operated relief valve for quick pressure release





Mityvac® Universal Cooling System Test Kit

- Replaces more than 20 individual adapters for cars, vans, light- and heavy-duty trucks
- Built to ensure an air-tight seal with a radiator or coolant bottle neck
- · The high-volume, hand-operated pump builds pressure quickly to locate leaks
- The tester features a large, easy-to-read 2.5" diameter gauge with clearly indicated pressure test zones
- Convenient push-button valve safely relieves pressure when testing is complete





TRANSFER HOSES

FILL-RITE® Arctic Diesel Hoses

· These hoses are rated at -40° F

1" x 20 ft Hose TUT FRHA10020



TÚIT FRH07520



FILL-RITE



OIL/LUBE SERVICE

BARREL AND HAND PUMPS

LINCOLN® Barrel Pump

- · Removable, non-drip spout allows for threaded hose connection
- · Telescoping pick-up tube for 15 to 55-gallon drums
- Three-tier, threaded bung fits standard 2" and 1.5" drums

LIN 1340





· Includes standard bung adapter

LINCOLN

- · Two piece telescoping suction tube fits 30 to 55 gallon drums
- · Dispenses approximately 10 oz. of fluid per stroke



FILL-RITE

CPM 55-123

FILL-RITE® Rotary Vane Hand Pump 6 Gallons per 100 Revolutions.

- · 2" NPT threaded bung adapter
- 1" polymer suction pipe adjusts for 15 to 55 gallon drums
- · Pumps medium-viscosity oils, diesel fuel, and non-corrosive fluids

TUT SD62

FILL-RITE® Piston Action Hand Pump

with Hose and Nozzle, 20 gallons per 100 strokes. · Aluminum body with stainless steel liner

- · Anti-siphon valve
- · Pump can be set-up for reverse flow

FILL-RITE

Plews® Manual Pail Pump

- · For 5 gallon/35 lb. pail
- · Self priming
- · Delivers 3 oz. per stroke
- · Complete with 4 ft. oil-resistant hose and drum pail cover
- Fits open head pails/drums

CPM 55-440



TRANSFER PUMPS

Fluid Transfer Pump Kit

· Includes 2 intake/discharge hoses, 2 intake/discharge hose connectors, inline reducer, air pressure hose, and dipstick hose



LIN MV7241



TRANSFER PUMPS

115V AC Fuel Transfer Pump **FILL-RITE**

20 GPM with 807c Gallon Meter

- · Includes 3/4" manual nozzle
- · 807C Mechanical Meter (Gallons), 34" X 12' UL Listed Hose with Static Ground Wire

TUT FR701V



FILL-RITE® 115V AC Direct Drive FILL-RITE **Heavy-Duty Transfer Pump**

- · Heavy-duty switch and built-in check, bypass, and pressurerelief valves
- · Thermal overload protector
- Includes UL Listed 3/4" x 12' hose and manual nozzle
- 1" female NPT on suction pipe/2" male NPT on bung inlet, 3/4" NPT outlet
- Tank adapter. Full 1/3-HP 115-Volt AC/60Hz motor
- 5.5-Amp, 1725 RPM

TUT FR700V



FILL-RITE® 12V DC High Flow Transfer Pump FILL-RITE

20 GPM With Hose and Manual Nozzle

- · Includes pump, 1" manual nozzle, 1" x 12' hose with static ground wire, 18' battery cable and 20" - 34" telescoping suction pipe
- · Built-in strainer
- 2" threaded base for tank mounting
- Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR4210H



FILL-RITE® 115V AC Transfer Pump

15 GPM With Hose and Manual Nozzle

• Includes pump, 3/4" manual nozzle, 3/4" x 12' UL hose with static wire, 20" - 34-1/2" steel telescoping suction pipe, and elbow

FILL-RITE

FILL-RITE

- Built-in check valve and strainer
- · Self-priming
- · 2" threaded base for tank mounting
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT FR610H



FILL-RITE® 12V DC Transfer Pump

15 GPM With Hose and Manual Nozzle

- Includes pump, 3/4" manual nozzle, 3/4" x 12' hose with static ground wire, 18' battery cable and 20" - 34" steel telescoping suction pipe
- Built-in strainer
- 2" threaded base for tank mounting
- 1/4 HP motor
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20



TUT FR1210H

Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

OIL/LUBE SERVICE

FILL-RITE® 12V DC Transfer Pump

13 GPM With Hose and Automatic Nozzle

- Includes pump, 3/4" automatic nozzle, 3/4" x 10' hose with static wire, 15' 12-gauge 2-wire battery cable, 5' ground wire, 15-1/4" - 29-1/4" 2-piece polypropylene suction pipe and elbow
- Built-in strainer
- · 2" threaded base for tank mounting
- 1/4 HP motor
- · Compatible with diesel, gasoline, kerosene, E15 and biodiesel up to B20

TUT SD1202H



FILL-RITE FILL-RITE® RD Series

- · UL and cUL certified to transfer gasoline and other flammable liquids
- · Compatible with gasoline, diesel, biodiesel (up to B20), kerosene and E15
- · Its compact design allows it to fit where larger pumps won't and it is configurable to accommodate a variety of needs for both inlet and outlet positioning
- · Multiple Mounting Options Bung, foot or handheld. Configurable Flanges Position the Inlet and Outlet hoses to fit your needs. Remove 2 bolts and rotate





Pump kit includes manual nozzle, 8 ft. discharge hose, 6 ft. suction hose and quick connect power cord with alligator clips

RD812NH Pump Kit

(8 GPM) TUT RD812NH



GREASE PUMPS


LINCOLN° Lubrigun™ 917 50:1 Ratio Grease Pump 120 lb. Drum (not included)

- · Dispenses 1330 mL of grease per minute
- · Handles all grades of lubricants

IIN 917

* Contact your local store for pricing and availability

FINANCE IT



50:1 Ratio Grease Pump for 120lb. Drum (Drum not included)

- · Air operated
- · Includes a grease control valve and universal swivel to improve access to hard-to-reach fittings
- · In addition, its 4-wheel band dolly manoeuvres easily around the shop
- · A standard metal follower plate

LIN 6917



LINCOLN® Professional Air Operated Grease Gun

- · Continuous operation when trigger is pulled
- · 40:1 ratio motor design with low pressure operation
- Includes 18" whip hose

IIN 1162





BATTERY OPERATED GREASE GUNS

Milwaukee® M18™ Cordless 2-Speed Grease Gun

- 10,000 PSI max operating pressure
- · Max flow-rate of up to 10 oz/min
- · Air bleeder valve for quick priming
- · Lock-on/lock-off trigger delivers added user convenience

MLK 2646-20



LINCOLN° 20V Li-Ion PowerLuber™ Kit

- Built-in 3-point stand keeps the tool upright
- · Built-in LED worklight
- · Outputs grease in cold temperatures down to -12°C
- · Dispenses up to 14 grease cartridges per charge

20V (2) Battery Kit **IIN 1884**

20V (1) Battery Kit LIN 1882



DEWALT® 20V MAX Lithium Ion Grease Gun Kit

With LED Assist Light

· Kit includes Fast Charger, 42" flexible hose, (1) 20V MAX XR Li-lon battery, shoulder strap and Kit Box

SBD DCGG571M1



GREASE GUNS

Legacy[®] Workforce[™] Grease Guns

Workforce™ Grease Guns feature an automatic bleeder, 3-way loading; bulk filler, nipple, and cartridge with a 4-jaw coupler

Heavy-Duty Pistol Grip with Flexible Extension **LEG L1325**



Heavy-Duty 16 oz. **Suction Gun LEG L1700**

LINCOLN° Grease Guns

Extra heavy follower spring

ensures positive priming

Heavy-Duty Pistol Grip

· Exclusive flip-over-

3-way loading

LIN 1134 \$6

follower spring and

Heavy-Duty Pistol Grip Gun

LINCOLN

· With 18" whip hose

and uninterrupted

pumping action

LIN 1133

Plews LubriMatic Grease Guns

Standard-Duty **Lever Action**



· Delivers 1 oz of grease/40 strokes

CPM 30-200

Standard-Duty **Pistol Grip**

- · Develops up to 5,000 PSI
- Equipped with 3-1/2" grease pipe and coupler



Plews LubriMatic Grease Guns

Mini Lever-Action with Rigid Extension

· Uses 3 oz cartridges - sold separately

CPM 30-100



Heavy-Duty Lever Action







OIL/LUBE SERVICE

GREASE GUN ACCESSORIES

Plews® Standard jawtype Hydraulic Coupler CPM 05-031

Plews® Grease Injector Needle CPM 05-037





LINCOLN® Heavy-Duty Whip Hoses

- · For hand operated grease guns only
- 3,000 PSI working pressure

12" LIN 75912CL

18" LIN 75918CL

24" LIN 75924CL

LINCOLN

Plews® Standard Duty Grease Gun Hose

18" Flex Hose CPM 10-219

S**0**99



LINCOLN® POWERLUBER™ ACCESSORIES

LINCOLN° Hydraulic Coupler

90° Coupler LIN 5883



1/8" NPT Female LIN 5852



LINCOLN

LINCOLN° PowerLuber™ Whip Hose

30" LIN 1230

36" LIN 1236 \$**50**99



DRAIN PANS AND FUNNELS

Plews® Galvanized Steel Filler Funnel

- · Includes screen and 12" flexible extension with tapered tip
- 1 quart capacity, 5-3/4" funnel diameter, 17-1/2" overall length

CPM 75-007





Hopkins® Transmission Funnel

· Made of tough, high-density polyethylene

CPM 06064MI



Plews[®] 16 Quart Super Duty **Drain Container**

- · Stores upright or flat without leaking
- · High capacity for multiple changes and large equipment



CPM 42003VMI

OIL DRAINS

LINCOLN® Pressurized Oil Drain

- Extra large 18"bowl adjusts from 44" to 72" · Includes fixed air regulator, pressure relief valve and hose hanger

20-Gallon LIN 3614

LINCOLN® Pressurized Oil Drain

- · Preset air regulator (up to 150 PSI)
- · 14" bowl adjusts from 45" to 72"
- · Reinforced dispensing hose doubles as a sight gauge to prevent over-filling

18-Gallon LIN 3601



LINCOLN® Low-Profile Truck Drain

- · With 120V Electric Pump
- · Overall height is only 7-3/4"
- · The top of the reservoir features a large 20" x 29" recessed area for capturing fluid and a removable metal screen covers



LINCOLN

LIN 3669



LINCOLN® Low Capacity Oil Drain

- · Adjusts from 40" to 77"
- · Oil drains quickly adjust to proper height to collect fluids
- · Integrated oil filter drain shelf eliminates the need for a secondary surface to drain the filter
- · Added raised area acts as a splash guard

18-Gallon LIN 3518



LINCOLN® Low Capacity Oil Drain

- · Adjusts from 36" to 65"
- · Oil drains quickly adjust to proper height to collect fluids
- · Integrated oil filter drain shelf eliminates the need for a secondary surface to drain the filter
- · Added raised area acts as a splash guard







PRESSURE/COMPRESSION TEST KITS

MityVac® Vacuum/Pressure Test Kit

- · Performs engine performance diagnostics, brake bleeding, fluid transfer, evacuation, sampling, windshield repair and more
- Includes components needed to perform hundreds of diagnostic and mechanical tests

LIN MV8500



Mityvac® Cooling System Pressure Test Kit

- · Pinpoints external leaks caused by loose clamps or leaky hoses, connectors, water pumps or radiators
- Contains adapters to test most US and Asian cars and light trucks, as well as many European cars

LIN MV4560

Mityvac:_



WELDING GLOVES

Forney® Signature Large Welding Gloves

Forney's Number 1 Selling Welding Glove

- Premium full grain palm and back with reinforced patches for added protection
- 5" Split leather reinforced safety cuffs
- · Kevlar® stitching and self welted seams for extra durability

FNY 53410



Forney® Heavy Duty Gloves with Reinforced Thumb,

Blue, Large

- · Premium side-split leather palm and back
- · Fortified with heat resistant Kevlar thread
- · Cotton foam lining for moisture absorption and heat protection.

FNY 53422



Lincoln Electric® Traditional MIG and **Stick Welding Gloves**

- · Made of heat and flame resistant shoulder split cowhide
- · Kevlar stitching with welted seams for added durability
- · Full sock lining with straight thumb for improved finger tip sensitivity
- 5 inch cuff for added welding protection

LFC K2979-AII





Forney® "Bandit I" Arc Welding Helmet

- · Lift front 2" x 4-1/4" heat treated #10 shade lens, and
- clear glass protective lens
- · Ratcheting-type headgear
- UV/IR protection
- · Meets ANSI Z87.1 safety standards

FNY 55666





WELDING HELMETS

Forney® Pro Series Maple Leaf Auto Darkening **Welding Helmet**

- · Lightweight impact resistant
- · 10.44 sq.-inch viewing area
- · 4 Arc sensors
- · Internal stepless controls
- 1/25,000 per second switching speed
- · DIN 5 to 9 for low amperage MIG welding or plasma cutting
- Solar cells with 2-each replaceable 3V lithium (3V-CR2045) batteries and automatic on/off technology

FNY 55939

Forney® Auto Darkening Welding Helmets

- 5.97 sq. inch viewing area
- · High definition optical clarity with true colour technology
- · Two optical arc sensors for extra protection against arc flash

Black Matte FNY 55857

Lincoln Electric® Welding Helmets

- · Improved optical clarity for reduced eye strain
- · Auto-darkening DIN 9 to 13, with 4 arc sensors and 7.74 sq. Inch Viewing area
- · Replaceable battery
- · Variable sensitivity and delay
- · A grind mode feature

Midnite Black LEC CK3192-1

LEC CK3195-1

Inferno Machine



WELDING ACCESSORIES

Forney® Replacement Flints

5 pack FNY 86122





Forney® Single-Flint Striker



Forney® Premium Copper Lug for Cable

#4 - 5/16" FNY 60092



Forney® Ground Clamp, 300 AMP, Steel

· Accepts up to #2 welding cable.

FNY 54410 **\$1799**



Forney® Straight Head Chipping Hammer 🖚 · Tempered chisel on one end and point on the other

- · Shock proof handle with loop for belt hook

FNY 70600

Forney® Tip Cleaner Kit Extra-Long

FNY 86119



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

TORCH KITS

Ultracool Heavy Duty Industrial Torch Kit

- · Heavy-duty metal handle suitable for industrial use
- Compatible with propane and MAPP gases
- · Adjustable flame control
- · Trigger start ignition
- · Swirl flame pattern

CCM UF-4938 \$**6999**

Ultracool Pro Torch Heavy Duty Metal Handle Torch

For use with propane, MAPP or MAPP substitutes

- · Ergonomic Metal handle
- Trigger start ignition
- · Safety lock to prevent accidental ignition
- · Ignition button lock for continuous use
- Swirl flame

CCM UF-4933

UltraCool Pro Torch Pencil Flame Brass Torch Kit

- · Manual ignition
- · Pencil Flame
- · Idea for soft soldering
- · Includes 14.1oz propane cylinder

CCM UF-4921



UltraCool Pro Torch Self Igniting Torch Kit

- · Auto ignition
- · Adjustable Flame
- · Anti-Flare feature
- · Stainless steel burner tube
- · Portable, lightweight and easy to use
- · Includes 14.1oz propane cylinder

CCM UF-4923

UltraCool Pro Torch 14.1oz Propane Cylinder

- High quality propane with purity >95% (m/m)
- · Net weight 14.1oz
- · Ideal for professional welding and metal cutting

CCM UF-4944

Forney® Pencil Flame Torch

 Propane torch, adjustable flame knob for control and economy FNY 61539

Forney® Self-Igniting Trigger Torch

- Adjustable flame control knob
- Ideal for soldering copper pipes, brazing, heat treating and light welding

FNY 61545



Note: MAPP and Propane cylinders available separately

UltraCool Pro Torch Self Igniting Swivel Torch

- · For use with propane, MAPP or MAPP substitutes
- · Auto ignition
- · 360 degree angled swivel tube
- · Adjustable Flame

CCM UF-4932



FORNEY® ACETYLENE OXY/FUEL OUTFITS

Forney® Tote A Torch Oxy-Acetylene Welding Kit

 Victor style light-duty gas welding and cutting outfit - welds up to 1/2" and cuts up to 4"

- · Provided with built-in check valves for safety
- Includes 3/16 in (4.76 millimeters by 12-1/2 ft (3.81 meters) T-Grade hose
- · Includes reuseable cylinder tote for portability and one each of an oxygen size "R" and Acetylene size "MC" gas cylinders (empty)



FNY 1753

Forney® Medium Duty Acetylene OXY/FUEL Outfit

Victor® Compatible Welds up to 3/8" and cuts up to 6"

11 piece set

FNY 1705



Cutting Attachment

Medium-Duty, Victor® Compatible FNY 87092

Fornev® R-Grade Oxy-Acetylene Hose 1/4" x 25' FNY 86145



LINCOLN ELECTRIC® MIG WELDERS

LINCOLN

Lincoln Electric® MIG Pak 140 Multi-Process Welder

- · This compact multi-process welder allows for stick and wire feed welding right out of the box
- · Aluminum wire welding with a spool gun and TIG welding are also possible with optional accessories
- Runs on convenient 120V input power
- · The intuitive user interface and easy setup permits welding in no-time
- Wide 30-140 Amp output power to weld from 24 gauge to 5/16" material

LEC K3821-1



Lincoln Electric® Easy MIG 140 Welder

• Runs on 120 V input power

· Durable cast aluminum gear box delivers added drive torque and quiet operation

Brass-to-brass gun connection enhances conductivity

Wide 30-140 Amp output power to weld from 24 gauge to 5/16" material



LEC K2697-1

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

FORNEY® MIG WELDERS

Forney® 270 MIG Welder

230V, 270A

- Accepts 4", 8", & 12" spools and wire up to .045" in diameter
- · Spool gun ready
- · 12' MIG gun/torch with a 15' power cord ready for 230V outlet

pricing and availability

FINANCE IT



- · Accepts 4" & 8" spools and wire up to .035" in diameter
- Welds up to 3/8" of material thickness
- 12' MIG gun/torch and a 15' power cord ready for 230V outlet
- · Robust metallic drive system, spool gun ready

FNY 311

Forney® 190 MIG Welder 230V, 190A

- · Can be used for mild steel, stainless steel, aluminum and cast iron applications
- · Large cabinet for easy access to 4" and 8" spools
- Forney 5-3-1 Limited Warranty
- · Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- · Welding Range: Up to 190A with 230V input
- · Welds up to 3/8" of material thickness

FNY 318

Forney® 140 MIG Welders

- · Can be used for mild steel, stainless steel, and cast iron applications
- · Large cabinet for easy access to 4" and 8" spools
- Forney 5-3-1 Limited Warranty
- · Each welder includes: 12' welding torch, ground clamp, 8' power cable, gas hose and regulator
- · Welding Range: Up to 140A with 120V input
- Welds up to 1/4" of material thickness



FNY 309

Forney® Easy Weld™ 140 FC-I Flux **Core Wire Welder**

- · Gasless/flux-core welding only
- · 120V input/140A output
- · Welds 24-gauge up to 1/4"
- · Handles .030" wire





Forney® AC/DC Arc Welder 235FI 230V 230A

- · Amperage Range: 45-235A
- · AC/DC CC welding from 24 gauge to .5 inch thickness at 45 to 235 amps
- · Dinse style connection provides easy polarity change and cable repairs
- · Illuminated on/off switch and fan cooling system
- For use with 1/16 in 5/32 in electrodes
- · CSA-Approved

20% @ 235A; 50% @ 150A AC, 20% @ 180A: 35% @ 135A DC



FNY 314 \$11**49**99

Forney® 298 Stick Arc EASY WELD™ 100ST 120V 90A

- · Inverter power system with 120V input, 90A output
- TIG capable (sold separately)
- · Flip a switch and change between Stick and TIG
- · Integrated consumable/storage area
- · Handles up to 1/8" electrode
- · Welds 16 gauge up to 5/16"



FNY 298

Forney® Easy Weld™ 140MP Welder

- Multi-process welder: MIG/DC TIG/Stick welder (TIG torch not included)
- Welds up to 5/16", uses gases
- wire .030"/.035", solid wire .024"/.030"
- Up to 1/8" stick electrode
- · 120V input power
- · Gauges & gas hose not included



FNY 271

Forney® Easy Weld™ 20P Plasma Cutter

- · 20A Plasma Cutter
- · Cuts up to 1/4" of mild steel
- 120V input power



FNY 251



FORNEY WELDING WIRE ----

E71T-GS Flux Core Mild Steel MIG Welding Wire

.035" - 2 lb. Spool FNY 42302

.030" - 2 lb. Spool FNY 42300

.030" - 10 lb. Spool FNY 42303



ER70S-6 Mild Steel MIG Welding Wire .024" - 10 lb. Spool

.024" - 2 lb. Spool FNY 42290

FNY 42285

.030" - 2 lb. Spool FNY 42291

.035" - 33 lb. Spool

FNY 42281

.030" - 10 lb. Spool FNY 42286

\$**10**99 \$**64**99

.035" - 2 lb. Spool .035" - 10 lb. Spool FNY 42292 FNY 42287

Electrical Repair Rosin Core Solder 1/16" - 1/4 lb. Roll 1/32" - 1/4 lb. Roll

FNY 61535

FNY 61479

1/16" - 1/4 lb. Roll FNY 38073



ER5356 Aluminum Alloy MIG Welding Wire

.035" - 1 lb. Spool

FNY 42294

ER4043 Aluminum Alloy MIG Welding Wire

.035" - 1 lb. Spool

FNY 42296



Forney® Fluxed Bronzed Brazing Rod

1/8" x 18' 10 per pack

FNY 48500



Stick Electrodes 7018 AC LINCOLN

3/32" - 4KG

LEC ED511230

1/8" - 5KG

LEC ED511231



FORNEY® STICK ELECTRODES

Low Hydrogen 1/8" E7018 AC, 10 lbs. 10 lbs.

FNY 30686 \$**40**99

FNY 30810

Mild Steel Stick Electrodes E7018 FNY 30705

High Disposition Mild Steel E7014 1/8" 10 lbs. 1/8" 5 lbs.

FNY 32110

FNY 32105

Mild Steel Super Sixty E6011 Deep Penetration 3/32" 5 lbs. 1/8" 5 lbs.

FNY 31105

FNY 31205

1/8" 10 lbs. FNY 31210

Steel E6013 1/8" 5 lbs

FNY 30405 FNY 30410

1/8" 10 lbs

3/32" 5 lbs



Bronze Brazing Rod Flux Core - 10 Rods 3/32" x 18"

FNY 48490 **\$2**1

Bronze Brazing Rod, Flux Coated, Low Fuming - 14 Rods

1/16" and 3/32" x 18"





FORNEY® PARTS BRUSHES

Plastic Handle

.006" Stainless Steel Wire, 7-1/4" Wood Curved Handle

.014" Carbon Wire, 13-3/4"

FNY 70504 **\$6.99**

.006" Stainless Steel Wire, 8-5/8' FNY 70503 **\$6.99**

FNY 70488 **\$4.99 Wood Shoe Handle**

.012" Stainless Steel Wire, 10-1/4

.014" Carbon Steel Wire, 10-1/4'

FNY 70520 **\$9.99**

FNY 70512 **\$7.99**

Wood Long Curved Handle

.014" Stainless Steel Wire, 13-11/16"

.014" Stainless Steel Wire, 13-3/4"

FNY 70511 **\$6.99**

FNY 70521 **59.99**

CUTTING TIPS & WELDING NOZZLE

Forney® Acetylene Cutting Tip

	,	•	_	
Size	Shell	Line Code	Part Number	Price
#0	Medium duty	FNY	60447	\$26.99
#2	Medium duty	FNY	60449	\$26.99
#0	Heavy Duty	FNY	60462	\$26.99
#2	Heavy Duty	FNY	60464	\$26.99



Size	Shell	Line Code	Part Number	Price
.024"	Medium duty	FNY	60170	\$9.99
.030"	Medium duty	FNY	60171	\$9.99
.035"	Medium duty	FNY	60172	\$9.99



Forney[®] Miller Style Welding Nozzle

· 1/2-Inch bore MIG

· For Hobart Handler 135, Handler 175 and Ironman 210 FNY 60160



Knotted, 6" x .020"

FNY 72756 **\$26.99**

FORNEY® ABRASIVES

Forney® Wire Cup Brushes 5/8"-11 Arbour

Crimped, 2-3/4" x .012" Knotted, 2-3/4" x .012"

FNY 72755 **\$8.99**

FNY 72757 **\$10.99** Crimped, 5" x .014"

Crimped, 4" x .020"

FNY 72753 **\$23.99**

FNY 72754 **\$16.9**9

.012" x 1/4" Hex Shank Crimped, 1" Crimped, 3"

FNY 72731 FNY 72737 \$5.99

\$6.99

FNY 72738



FNY 72897 **\$54.99**

Forney® Wire Bench Wheel Brush CRIMPED, 8" X .014" X 1/2" - 5/8'

Forney® Wire Wheel Knotted 4" x .020 x 5/8" 11 Arbour

FNY 72759 **\$16.99**

Forney® Wire Wheel Crimped

2-1/2" x .012 x 1/4" **Hex Shank** FNY 72733 \$6.29

4" x .012 x 5/8" 11 Arbour FNY 72788 **S16.99**

3" x .012 x 1/4 **Hex Shank** FNY 72735

JET° Shaft Mounted Knot Twisted Radial End Brush

3" x 1/4" JET 553742 **\$22.99**



EV CHARGERS/PB&E

EV CHARGING STATIONS

Autel® MaxiCharger Level 2 AUTEL® 40A EV Charging Station

with Side Holster NEMA 14-50


- · Compatible with all EV and Hybrid Plug-in Vehicles
- · Adjustable charging up to 40 Amps
- · For residential use only
- Autel Charge app enables remote start, stop, monitoring and scheduling
- · Specially designed for Indoor or Outdoor use

Installation by a qualified electrician required



AIT MC40AP14S

\$69999



- · Modern compact design
- Rated for indoor/outdoor use with temperature range of -30°C to 50°C and relative humidity of 95%
- iEVSE is OCPP 1.6 networked enabled charging station to support access control, payment capability, remote management and control, demand response
- LED charge status indicators (power/ready, charging, fault)
 Standard connector and cable helders included entired cable.
- Standard connector and cable holster included, optional cable management solutions available
- iEVSE Plus models include 4G-LTE cellular, RFID card reader and Local Load Management capability

Installation by a qualified electrician required



\$149999

FINANCE IT

iEVSE Level 2 Charger with Retractable 25ft Charge Cable TEM EVC3AB0B2A1A1

 Contact your local store for pricing and availability

FINANCE IT

iEVSE Plus Level 2 Charger with 25ft Charge Cable TEM EVC3AC0B1A1A1

 Contact your local store for pricing and availability

FINANCE IT

IEVSE Plus Level 2 Charger with 8ft Pedestal and Retractable 25ft Charge Cable TEM EVC3AC0B1A1A4

* Contact your local store for pricing and availability

FINANCE IT

VDE INSULATED EV HAND TOOLS POWERBUILT

POWERBUILT® EV Hand Tool Sets

- $\,^{\bullet}$ VDETools comply to IEC60900 and are certified for service or repair applications rated up to 1000V AC / 1500V DC
- Ergonomic double injection handles provide safety, comfort and dependability
- · For use when servicing or repairing hybrid and electric vehicles

33-Piece; VDE Tool Set with Pouch

 Includes: roll pouch storage bag, screwdrivers, ratchet, sockets, extensions, pliers and more for quick and easy access to a wide variety of fastener types and sizes



TLS 642938

\$38999

13-Piece; 3/8" Drive Metric VDE Ratchet and Socket Set

 Includes: 13 piece metric VDE ratchet, socket and extension set provide safe, easy access to service a wide variety of the most popular fasteners of EV and Hybrid vehicles

TLS 642937

\$**214**99



 Includes 4 of the most popular plier sets and provides a variety of fastener and electrical service coverage

TLS 642939

\$7199



 Includes 6 of the most popular slotted and phillips head screwdriver sizes, and a voltage tester for quick and easy power tests

POP° Set Heavy Duty Lever Rivet Tool 4211(011)

TLS 642936

\$3999



Plews 10 Piece Surface Prep Kit

 Contains three (3) 40-grit and three (3) 60-grit sanding discs, one (1) fine finish and one (1) medium finish prep pad, one (1) back-up pad and one (1) 1/4" mandrel which easily fits standard 1/4" die grinders



HC PS45

\$1**69**⁹⁹

POP® Hand Rivet Tool

RIVETING TOOLS

extend to maximize leverage and pulling force

· Two-position telescopic levers

 Designed to set rivets up to 3/16" (4.8mm)

HC PS10







CPM 25-319

\$

* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary. All programs subject to final approval by Affiliated Financial Services.

INVENTORY REDUCTION SALE

ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

Specialty & Hand Tools POWERBUILT® 7-Piece Metric Ratcheting Combo Set TLS 640991 \$55.99 Powerbuilt® 11-Piece Combo Wrench Sets TLS 642460 \$38,99 **SAE Long Pattern Combination** Wrench, 7 Piece TLS 640436 S26.99 **STORM™** Torque Wrench CTI 3T425

S128.99

Ken-Tool® Standard **Light Truck Lug Wrench** 25", 7/8" deep well, 15/16", 1", 1-1/16" KEN 35690 **S64.99**

Ken-Tool® Professional Lug Wrench 17. 19. 21. 22mm KEN 35656 \$69.99

POWERBUILT° 5 Pc. **Threaded Coil-Insert** Repair Kit TLS 647947 **S26.99**

Groove Joint TLS 640390 S14.99

Powerbuilt® 40-Piece SAE & Metric Tap & Die Sets SAE Set TLS 647772

S36.99

Metric Set TLS 647773

\$36.99

POWERBUILT° 61 Pc. Technicians 1/4" & 3/8" **Drive SAE/Metric Socket, Hex** Keys, Wrench & Screwdriver with Hex Bits Tool Set

TLS 640743 **\$54.99**

POWERBUILT® 82 Pc. 1/4", 3/8" & 1/2" Drive SAE/Metric Socket & Wrench Set

TLS 640076 **\$89.99**

POWERBUILT° 161 Pc. Technicians 1/4", 3/8" & 1/2" Drive SAE/Metric Socket, Hex Keys, Wrench & Screwdriver with **Hex Bits Tool Set** TLS 640745

S149.99



XXXXXX

Specialty & Hand Tools

Powerbuilt- 101 pc Socket Set 1/4in 3/8in 1/2in Drive Set TLS 640744

599.99

POWERBUILT® 3/4" Drive **SAE Socket Set** TLS 640174

S329.99

10Pc 3/8" Dr. Mm 12Pt **Socket Set** TLS 940177 S13.99

STORM™ Digital Calipers CTI 3C301

\$41.99

STORM™ Electronic Digital Caliper with **Fractions**

CTI 3C351 \$23.99

Central Tools Dial Indicator Set with On/Off Magnetic Base CTI 6410

\$209.99 Disc Rotor/Ball

Joint Gauge CTI 6450 **\$319.9**9

Central Tools Dial Indicator LK&FX CTI 3D103

S124.99



Homak RSPro 3 Drawer Hutch with Power Strip HMK 0G02072010

* Contact your local store for pricing and availability

Homak 41" 9 Drawer Roller Cabinet 41" W x 24-1/2" D x 39" H. Storage Capacity: 18,010 cu. in. HMK BL04041092

* Contact your local store for pricing and availability

Homak 41" 6 Drawer Top Chest 40-1/2" W x 24-1/4" D x 21-3/8" H, Storage Capacity: 13,293 cu. in. HMK BK02041062

* Contact your local store for pricing and availability

Homak 41" 6 Drawer Top Chest 40-1/2" W x 24-1/4" D x 21-3/8" H, Storage Capacity: 13,293 cu. in. HMK RD02041062

* Contact your local store for pricing and availability







Air Tools

CP 1" Heavy-Duty Impact

CP CP7776 **\$779.99**

CP 1/2" Pistol Grip Air Drill CP CP785H **\$249.99**

CP 3/8" Standard-Duty **Pistol Drill**

CP CP785 **\$140.99**

CP 1/2" Super-Duty Impact CP CP749 **\$254.99**

CP 3/4" Heavy-Duty Impact

CP CP772H **\$497.99**

CP 1/2" General-Duty Impact CP CP734H \$199.99

CP 3/8" Heavy Duty Ratchet

CP CP828 **\$139.99**

CP 3/4" Super-Duty Air Impact

CP CP7763 \$518.99 CP 1/2" Lightweight Impact

CP CP7749 **\$284.99**

ProValue™ Heavy-Duty Air Hammer

EQP 2375-PV \$17.99

Lighting

13W Bounce Lite CTI 12006

S83.99

HEMIPRO™ 3 Cordless Worklight SWL 113303

\$94.99

Air Compressors

SDI - Standard Duty Industrial **Air Compressors** DVR IS13-5530

* Contact your local store for pricing and availability

HDI - Heavy-Duty Industrial Piston Air Compressors DVR TASV-5052-69MS

* Contact your local store for pricing and availability

ASD15 A Series Dryer DVR ASD15

S1459.99



* Please note finance payments vary with every transaction, based on transaction size, prevailing rates, credit history, and other factors. Terms may also vary, All programs subject to final approval by Affiliated Financial Services.

INVENTORY REDUCTION SALE

ALL ITEMS OFFERED ON THIS PAGE ARE LIMITED QUANTITIES, WHILE SUPPLIES LAST. PLEASE CONTACT YOUR LOCAL STORE FOR AVAILABILITY.

Battery Service

Schumacher® 50A 12V Fully Automatic **Battery Charger/Engine Starter CBC SC1361**

\$89.99

Schumacher® 1000 Peak Amp **Jump Starter and USB Power Source CBC SL1397**

S119.99

Schumacher® 6V/12V 2-Bank 2A **Battery Charger/Maintainer CBC SC1410**

S78.99

Schumacher® 15A 6/12V Fully Automatic **Battery Charger/Engine Starter CBC SC1323**

S82.99

Schumacher® 1.5A 6/12V Fully **Automatic Battery Maintainer CBC SC1355**

\$35.99

Schumacher® 3A 6/12V Automatic **Battery Charger/Maintainer** CBC SC1356

564.99

Schumacher® 12V 1200A Lithium Jump Starter **CBC SL1439**

S184.99

Schumacher® 200A 12V Automatic **Battery Charger/Engine Starter CBC SC1324**

\$209.99

Midtronics GR8-1200 **Diagnostic Battery Charger** CBC GR8-1200AMPKI

 Contact your local store for pricing and availability

Midtronics MDX-650 Battery and **Electrical System Analyzer** CBC MDX-650

29.99

Schumacher® 12V Automatic SpeedCharge Ship'N Shore Charger CBC SSF-1500A

\$64.99

Oil/Lube Service

LINCOLN° 25-Gallon Fuel Caddies

With 2-Way Filter LIN 3677

\$1169.99

LINCOLN° Grease Pump, 40 Lb. Container LIN 1275

S1169.99



FIRMAN° 10000/8000 Watt Electric **Start Gas or Propane Dual Fuel Portable Generator**

FRM H08053 S899.99

Generac® GP3600 Open **Frame Generator** GFN 7677

Generac® GP2200i Portable **Inverter Generator**

GEN 7117 S7 19.99

S499.99





Autel® MaxiCheck MX808 AIT MX808

S469.99

Autel® MaxiFlash VCI Kit AIT MFVCIKIT

S1229.99

Autel® Key Programming **Bundle - Updated Version** AIT IM608PROIIKPA

* Contact your local store for pricing and availability



Autel® AutoLink® AL529 AIT AL529

Autel® MAXISYS MS908CV **Commerical Vehicle Diagnostics** & Service Tablet AIT MS908CV

* Contact your local store for pricing and availability

Autel® MAXIIM IM508S AIT IM508S

S1146.99

Autel® MaxiFlash Xlink AIT XLINK

S1337.99

*Autel Total Care MS906T 1-Year Software Update

MS906T AIT MS906T1YR

5769.99

Autel® MaxiTPMS ITS600 **Intelligent Tire Service** AIT ITS600



Professional Service Jacks

2-1/2-Ton EQP 1225PV

570.99

TEQ CORRECT Scissor Jack 1-1/2-Ton

EQP TQ926 \$11.9

TEQ CORRECT Engine Leveler

EQP TQ932 **\$17.99**

TEQ CORRECT Ratcheting

3-Ton EQPTQ938 **S18.99**

2 Ton EQP TQ942

513.99



Tire Service

STORM™ Digital Drum Gage CTI 3B531

5239.99



LED Traffic Arrows, 48" x 9" SWL 58000



A/C & Service Systems

Mityyac° Fluid Reservoirs with Lids 5.3 Gallon LIN MVA573

S169.99



Fornev® 100ST **Welder Starter Kit** FNY 29801

S419.99

Forney® 40P Plasma Cutter FNY 440

\$1559.99

Forney® 220 ST ARC EASY WELD™ 120/230V FNY 326

\$541.99

Forney® Electrical Repair Solder Rosin Core 1/8" D Tin/Lead 5lbs FNY 61458

S26.99







AIR COMPRESSORS

SDI - STANDARD DUTY INDUSTRIAL AIR COMPRESSORS



2-Year Warranty

DVR IS5-10080V-03 18 SCFM @ 150 PSI 5 HP 230/60/1 80G V DVR IS5-4060-03 11.4 SCFM @ 125 PSI 5 HP 230/60/1 60G V DVR IS5-5580-03 15.4 SCFM @ 150 PSI 5 HP 230/60/1 80G V DVR IS7-10080-03 22.7 SCFM @ 150 PSI 7.5 HP 230/60/1 80G V	Line Code	Part Number	SCFM @ Max. Pressure	НР	Voltage/ Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVR IS5-5580-03 15.4 SCFM @ 150 PSI 5 HP 230/60/1 80G V	DVR	IS5-10080V-03	18 SCFM @ 150 PSI	5 HP	230/60/1	80G V
200, 200, 200, 200, 200, 200, 200, 200,	DVR	IS5-4060-03	11.4 SCFM @ 125 PSI	5 HP	230/60/1	60G V
DVR IS7-10080-03 22.7 SCFM @ 150 PSI 7.5 HP 230/60/1 80G V	DVR	IS5-5580-03	15.4 SCFM @ 150 PSI	5 HP	230/60/1	80G V
	DVR	IS7-10080-03	22.7 SCFM @ 150 PSI	7.5 HP	230/60/1	80G V

* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

ASME Approved Air Receivers, Cast Iron Compressor Pump, Totally Enclosed OSHA Belt Guard, Unloaded Starting, Ball Valve Air Outlet, Splash Lubrication

HDI - HEAVY-DUTY INDUSTRIAL PISTON AIR COMPRESSORS



7-Year Warranty

Line Code	Part Number	CFM@ 150 PSI	НР	Voltage/ Phase	Tank Capacity (Gallons) H (Horiz.) V (Vertical)
DVR	TAPV-5052-03MS	19.8 CFM	5 HP	230/60/1	80G V
DVR	TASV-5052-03MS	25.9 CFM	7.5 HP	230/60/1	80G V

* Contact your local store for pricing, delivery cost, and availability

FINANCE IT

Available with or without mounted and wired magnetic starter. Optional constant RUN-STOP-START controls. Duplex and other custom products available.

PRODRY® HTD HIGH TEMPERATURE AIR DRYERS



Line Part Code Number **CFM@ 150 PSI Pipe Size NPT** Voltage/Phase HTD26 1/2" 110/60/1 DVR 26 CFM

* Contact your local store for pricing and availability

FINANCE IT

STANDARD DUTY INDUSTRIAL AIR **COMPRESSOR MAINTENANCE KITS**



MK-55 For DEV-55 Pump · Includes 4L of premium

mineral oil. 2 air filters DVR MK55

MK-100 For DEV-100 Pump

· Includes 4L of premium mineral oil, 2 air filters DVR MK100



DV Lube System Premium Mineral Compressor Oil

SAE 20 4 Liters DVR PR-20-4

SAE 30 4 Liters DVR PR-31-4

DV Pressure Switch Kit

115 - 175 psi



DVR SSK-9005U120150 \$8499

GET THE EQUIPMENT YOU NEED

Select your equipment and reach out. We'll take care of the rest!

- · Earn Carquest Dollars
- · Variety of Leasing Options
- Flexible Payment Terms
- Instant Approvals**

Call 1-855-209-0999 or visit groupesfa.com/carquest to apply today



**On approved credit, Minimum total equipment cost of \$2000 plus applicable taxes, Please note, finance payments vary with every transaction, based on size, prevailing rates, credit history and other factors. Terms may vary. All programs subject to final approval by Affiliated Financial Services. See our ad on page 2 for more details. E.A.O.E.



